

LIBRARY
UNIVERSITY OF CALIFORNIA
DAVIS





STATE OF CALIFORNIA

The Resources Agency

Department of Water Resources

BULLETIN No. 130-66

HYDROLOGIC DATA: 1966

Volume V: SOUTHERN CALIFORNIA

Appendix D: SURFACE WATER QUALITY

Appendix E: GROUND WATER QUALITY

UNIVERSITY OF CALIFORNIA
DAVIS

AUG 15 1968

GOV'T. DOCS. - LIBRARY

MAY 1968

RONALD REAGAN

Governor

State of California

WILLIAM R. GIANELLI

Director

Department of Water Resources

LIBRARY
UNIVERSITY OF CALIFORNIA
DAVIS

ERRATA SHEET

Bulletin No 130-66 Hydrologic Data 1966 Volume V Southern California.
Appendix D Surface Water Quality Appendix E. Ground Water Quality.

Please note the following corrections to Table E-1.

1 Page 73

SANTA MARIA-CUYAMA HYDRO UNIT T1200 should read SAN LUIS OBISPO HYDRO UNIT T1000

2. Page 97

LA-SAN GABRIEL RIVER HYDRO UNIT U0500 should read SANTA CLARA-CALLEGUAS HYDRO UNIT U0300

3 Page 131

(a) LA-SAN GABRIEL RIVER HYDRO UNIT U0500 should read OWENS HYDRO UNIT W0300

(b) YORBA LINDA HYDRO SUBAREA U05F3 should read LONG HYDRO SUBUNIT W03A0

(c) Delete KELSO LANDIS HYDRO SUBUNIT W25B0

(d) Move data for well 6N/3W-9D1 S to page 137

4. Page 133

(a) MOJAVE HYDRO UNIT W2800 should read ANTELOPE HYDRO UNIT W2600

(b) Insert NEENACH HYDRO SUBAREA W26A4 just above well 9N/18W-36B1 S

5 Page 147

Delete SKY VALLEY HYDRO SUBAREA X19D4

6 Page 154

(a) MIDDLE SANTA ANA RIV HYDRO SUBUNIT Y01B0 should read LOWER SANTA ANA RIV HYDRO SUBUNIT Y01B0

(b) CHINO HYDRO SUBAREA Y01B1 should read EAST COASTAL PLAIN HYDRO SUBAREA Y01A1

7 Page 175, 176, 177

RECHE HYDRO SUBAREA Y01D4 should read COLTON-RIALTO HYDRO SUBAREA Y01D4

8 Page 177

Insert RECHE HYDRO SUBAREA Y01D5 just below well 1S/4W-29H3 S (5-20-66)

9 Page 178

Insert RECHE HYDRO SUBAREA Y01D5 just above well 2S/4W-12M1 S

STATE OF CALIFORNIA

The Resources Agency

Department of Water Resources

BULLETIN No. 130-66

HYDROLOGIC DATA: 1966

Volume V: SOUTHERN CALIFORNIA

Appendix D: SURFACE WATER QUALITY

Appendix E: GROUND WATER QUALITY

MAY 1968

RONALD REAGAN

Governor
State of California


WILLIAM R. GIANELLI

Director
Department of Water Resources

BULLETIN No. 130
HYDROLOGIC DATA
AREAL COVERAGE OF VOLUMES

Each Volume Contains

- Appendix A: Climatological Data
- Appendix B: Surface Water Measurements
- Appendix C: Ground Water Measurements
- Appendix D: Surface Water Quality
- Appendix E: Ground Water Quality

This Volume 



This Area Reported in
 Volume III & V

FOREWORD

The data collection programs of the Department of Water Resources have been designed to supplement the activities of other agencies to satisfy specific needs of the State. Bulletin No. 130-66 presents useful, comprehensive, accurate, and timely hydrologic data which are prerequisite for effective planning, design, construction, and operation of water facilities.

The Bulletin No. 130 series is published annually in five volumes. Each volume presents hydrologic data for one of five reporting areas of the State. These areas are delineated on the map to the left.

William R. Gianelli.

William R. Gianelli, Director
Department of Water Resources
State of California
April 1, 1968

METRIC CONVERSION TABLE

ENGLISH UNIT	EQUIVALENT METRIC UNIT
Inch (in)	2.54 Centimeters
Foot (ft)	0.3048 Meter
Mile (mi)	1.609 Kilometers
Acre	0.405 Hectare
Square mile (sq. mi.)	2.590 Square kilometer
U. S. gallon (gal)	3.785 Liters
Acre-foot (acre-ft)	1,233.5 Cubic meters
U. S. gallon per minute (gpm)	0.0631 Liters per second
Cubic feet per second (cfs)	1.7 Cubic meters per minute
1 part per million (ppm)	1 milligram per liter (mg/l)
1 part per billion (ppb)	1 microgram per liter (ug/l)
1 part per trillion (ppt)	1 nanogram per liter (ng/l)
1 equivalent per million (epm)	1 milliequivalent per liter (me/l)

TABLE OF CONTENTS

	<u>Page</u>
AREAL COVERAGE OF VOLUMES	ii
FOREWORD	iii
METRIC CONVERSION TABLE	iv
ORGANIZATION	vii
ACKNOWLEDGMENTS	ix
ABSTRACT	x
 APPENDIXES	
Appendix A: CLIMATOLOGICAL DATA)	
Appendix B: SURFACE WATER MEASUREMENTS) (Published Separately)	
Appendix C: GROUND WATER MEASUREMENTS)	
Appendix D: SURFACE WATER QUALITY	1

TABLES

Table
Number

D-1	Sampling Station Data and Index	4
D-2	Mineral Analyses of Surface Water	6
D-3	Trace Element Analyses of Surface Water	32
D-4	Miscellaneous Constituents in Surface Water	35

FIGURES

Figure
Number

D-1	Location of Surface Water Sampling Stations	
	Central Coastal Drainage Province (T)	47
D-2	Los Angeles Drainage Province (U)	49
D-3	Lahontan Drainage Province (W)	51
D-4	Colorado River Basin Drainage Province (X)	53
D-5	Santa Ana Drainage Province (Y)	55
D-6	San Diego Drainage Province (Z)	57

Appendix E: GROUND WATER QUALITY 59

TABLES

Table
Number

E-1	Mineral Analyses of Ground Water	64
E-2	Trace Element Analyses of Ground Water	190

FIGURES

Figure
Number

E-1	Names and Areal Code Numbers of Hydrologic Areas	
	Central Coastal Drainage Province (T)	193
E-2	Los Angeles Drainage Province (U)	195
E-3	Lahontan Drainage Province (W)	197
E-4	Colorado River Basin Drainage Province (X)	199
E-5	Santa Ana Drainage Province (Y)	201
E-6	San Diego Drainage Province (Z)	203

State of California
The Resources Agency
DEPARTMENT OF WATER RESOURCES

RONALD REAGAN, Governor
WILLIAM R. GIANELLI, Director, Department of Water Resources
JOHN R. TEERINK, Deputy Director

This volume was prepared in the Southern District

James J. Doody District Engineer
Jack J. Coe Chief, Planning Branch

under the direction of

Robert Y. D. Chun¹ Chief, Water Quality Section
David C. Gildersleeve² Program Manager

by

Joe R. Rodriguez Head, Water Quality Data Group

assisted by

Joseph F. Scott Water Resources Technician II
William J. Wells Water Resources Technician I
James C. Ping Engineering Aid II

Reviewed and Coordinated by
Statewide Planning Office
Data Coordination Branch

1. David B. Willets was Chief, Water Quality Section until July 31, 1967.
2. Wade D. Brim was Program Manager until April 3, 1967.

ACKNOWLEDGMENTS

In the preparation of this report, valuable assistance and contributions were received from many public and private agencies. Special mention is made of the following agencies whose cooperation is gratefully acknowledged.

California Department of Public Health
Division of Laboratories

Fruit Growers Laboratory, Santa Paula

Imperial County Health Department

Los Angeles County Flood Control District

Los Angeles County Health Department

Los Angeles Department of Water and Power

Long Beach Health Department

Long Beach Water Department

Orange County Flood Control District

Orange County Water District

Riverside County Flood Control and Water
Conservation District

San Bernardino County Flood Control District

San Luis Obispo County Flood Control and Water
Conservation District

The Metropolitan Water District of Southern
California

United States Geological Survey

United Water Conservation District, Ventura County

Ventura County Flood Control District

ABSTRACT

Appendixes D and E to Volume V, Bulletin No. 130-66, contain tables showing data on surface and ground water quality in Southern California for the 1965-66 water year. Figures show location of surface water sampling stations and ground water basins.

Appendix D

SURFACE WATER QUALITY

Appendix D
SURFACE WATER QUALITY

This appendix presents surface water quality data collected during the period from October 1, 1965, through September 30, 1966. The data were collected from 50 stream and lake sampling stations in Southern California in cooperation with other state, local, and federal agencies.

These stations are listed in Table D-1 and the locations of the stations are shown in Figures D-1 through D-6. Water quality sampling stations have been identified by a two-digit decimal number appended to numbers assigned according to the Department of Water Resources, "Index of Stream Gaging Stations In and Adjacent to California, 1966". Station numbers previously used by the Department are shown in parentheses following the sampling station name.

At the time of field sampling, dissolved oxygen, pH, temperature, and estimated flow measurements are made and gage height and time are noted. Comments on local conditions are noted in field books which are available in the files of the Department of Water Resources, Southern District.

The mineral constituents were determined in accordance with methods described in "Standard Methods for the Examination of Water and Waste Water", prepared and published jointly by the American Public Health Association, American Water Works Association, and Water Pollution Control Federation, 12th Edition, 1965. In some cases, the methods used were those presented in the U. S. Geological Survey Water Supply Paper 1454, "Methods for Collection and Analysis of Water Samples", 1960. The trace element constituents were determined by Gordon Bradford, University of California at Riverside, using a Jarrel-Ash Direct Reading Emission Spectrograph.

TABLE D-1
SAMPLING STATION DATA AND INDEX
SOUTHERN CALIFORNIA

Station	Station number	Location*	Beginning of record	Frequency of sampling	Analyses on page
Alamo River					
At International Boundary (59)	W-9-2020.00	17S/16E-18	February 1951	Bimonthly	15, 33, 42
Near Calipatria (60)	W-9-2100.00	11S/13E-22	March 1951	Bimonthly	15, 33, 42
All American Canal					
Above Pilot Knob Wasteway (56A)	W-7-1929.00	16S/21E-24	May 1953	Bimonthly	14, 33, 41
Chino Creek					
Near Chino (86)	Y-2-1210.05	2S/ 8W-36	April 1952	Monthly	18, 34, 44
Colorado River					
Near Topock, Arizona (54)	W-2-1530.00	7N/24E- 8	April 1951	Semiannually	10, 33, 41
At Colorado River Aqueduct Intake (56D)	W-2-1960.00	3N/27E-28	November 1953	Monthly	11
Aqueduct (Upper Feeder) at La Verne (69)	W-2-1985.05	1 S/ 9W- 6	April 1951	M-Composite	11
Below Parker Dam (55)	W-2-1775.10	2N/27E-16	April 1951	Semiannually	10, 33, 41
Near Blythe (56C)	W-7-1870.05	7S /23E- 2	May 1953	Semiannually	13, 33, 41
At Yuma, Arizona (56)	W-7-1700.00	16S /23E-36	April 1951	Bimonthly	13, 33, 41
Below Morelos Dam (56B)	W-7-1750.00	8S/24W-28**	May 1953	Bimonthly	13, 33, 41
Cuyama River					
Near Garey (44A)	D-6-3050.00	10N/33W-25	October 1958	Monthly	7, 36
Escondido Creek					
Near Harmony Grove (63)	X-4-3400.05	12S / 2W-30	March 1951	Bimonthly	16, 45
Lake Cachuma					
Near Santa Ynez (44B)	D-8-1565.00	6N/30W-19	April 1958	Monthly	7, 32, 36
Lake Elsinore					
At State Park (89)	Y-8-2200.00	6S / 5W- 1	February 1952	Bimonthly	22, 33, 45
Los Angeles Aqueduct					
Near San Fernando (70)	Z-6-1850.05	3N/15W-30	April 1951	Monthly	28, 40
Los Angeles River					
At Figueroa Street (47)	Z-6-1300.00	1S /13W-15	April 1951	Monthly	28, 32, 38
At Pacific Coast Highway (48)	Z-6-1100.00	4S /13W-26	April 1951	Monthly	27, 32, 38
Matilija Creek					
Above Dam (45B)	Z-1-5500.00	5N/23W-19	May 1953	Monthly	23, 32, 36
Mission Creek					
At Whittier Narrows (49A)	Z-7-6150.00	2S /11W- 6	April 1951	Monthly	31, 32, 39
Mojave River					
West Fork Above Cedar Springs (67C)	V-9-2300.00	2N/ 5W- 2	April 1965	Monthly	10, 32
East Fork of the West Fork (67B)	V-9-2250.00	2N/ 4W-10	April 1965	Monthly	10, 32
West Fork Below Cedar Springs (67D)	V-9-2200.00	3N/ 4W-32	May 1965	Monthly	9, 32
At The Forks (67A)	V-9-2150.30	3N/ 3W-18	July 1957	Monthly	9, 33, 40
Near Victorville (67)	V-9-1620.00	6N/ 4W-29	March 1951	Monthly	8, 33, 40
New River					
At International Boundary (57)	W-9-1800.00	17S /14E-14	April 1951	Bimonthly	14, 33, 41
Near Westmorland (58)	W-9-1100.00	12S /13E-30	February 1951	Bimonthly	14, 33, 41

* Township, range, and section number; San Bernardino Base and Meridian

** Gila and Salt River Base and Meridian

TABLE D-1
 SAMPLING STATION DATA AND INDEX
 SOUTHERN CALIFORNIA

Station	Station number	Location *	Beginning of record	Frequency of sampling	Analyses on page
Creek					
Below Santa Felicia Dam (46H)	Z-2-3240.00	4N/18W-20	June 1957	Monthly	26, 32, 38
Hondo					
At Whittier Narrows (49)	Z-7-5100.00	2S/11W- 6	April 1951	Monthly	30, 32, 38
Above Spreading Grounds (49B)	Z-6-9780.00	2S/12W-12	May 1963	Monthly	29, 32, 39
on Sea					
At Salton Sea State Park (68A)	W-5-1600.70	7S/10E- 2	March 1955	Bimonthly	12, 33, 42
Diego River					
At Old Mission Dam (65)	X-5-1230.30	15S/2W-25	April 1951	Bimonthly	16, 34, 45
Gabriel River					
At Azusa Powerhouse (50D)	Z-7-1927.10	1N/10W-22	March 1957	Monthly	30, 32, 39
At Whittier Narrows (50)	Z-7-1100.90	2S/11W- 5	April 1951	Monthly	29, 32, 39
Luis Rey River					
At Pala (62)	X-3-1345.00	9S/ 2W-36	March 1951	Bimonthly	16, 34, 45
ata Ana River					
Number One Tailrace Near Mentone (51B)	Y-5-1978.00	1S/ 2W- 4	April 1951	Monthly	19, 33, 43
At Colton (51F)	Y-5-1080.00	1S/ 4W-28	March 1964	Monthly	19, 33, 44
Near Arlington (51)	Y-6-1400.00	2S/ 6W-25	January 1951	Monthly	21, 33, 43
Near Norco (51E)	Y-6-1225.00	2S/ 7W-36	April 1951	Monthly	20, 33, 44
Below Prado Dam (51A)	Y-1-1550.00	3S/ 7W-29	April 1951	Monthly	17, 34, 43
ata Clara River					
At Los Angeles-Ventura County Line (46)	Z-3-1135.00	4N/17W-30	April 1951	Monthly	26, 32, 36
Near Santa Paula (46A)	Z-2-1360.10	3N/21W-12	April 1951	Monthly	24, 32, 37
ata Margarita River					
Near Fallbrook (51C)	X-2-1350.00	9S/ 4W-12	February 1951	Bimonthly	15, 34, 45
ata Paula Creek					
Near Santa Paula (46E)	Z-2-1300.00	4N/21W-27	June 1957	Monthly	24, 32, 37
ata Ynez River					
Near Solvang (45A)	D-8-1440.00	6N/31W-22	April 1951	Monthly	7, 32, 36
Timoteo Creek					
At Waterman Avenue Near San Bernardino (51G)	Y-7-1145.00	1S/ 4W-22	March 1964	Monthly	21, 33, 44
pe Creek					
Near Fillmore (46D)	Z-2-2150.00	4N/20W-12	June 1957	Monthly	25, 32, 37
ng Valley Creek					
Near La Pressa (65B)	X-6-2020.05	17S/ 1W-17	March 1958	Bimonthly	16, 45
Juana River					
At International Boundary (66)	X-8-1100.40	19S/ 2W- 1	April 1951	Bimonthly	17, 45
ntura River					
Near Ventura (61)	Z-1-1100.00	3N/23W- 8	May 1951	Monthly	22, 32, 40
rm Creek					
Near Colton (50B)	Y-4-1100.00	1S/ 4W-21	April 1951	Monthly	18, 33, 42
itewater River					
Near Whitewater (68)	W-3-1450.00	3S/ 3E- 2	February 1951	Monthly	12, 33, 42
Near Mecca (68B)	W-3-1070.00	7S/ 9E-30	July 1957	Bimonthly	12, 33, 42

TABLE D-2 MINERAL ANALYSES OF SURFACE WATER

An explanation of column headings follows:

Lab - 5867 - Fruit Growers Laboratory

5239 - Long Beach Health Department

5091 - State Public Health

5050 - Department of Water Resources

4412 - The Metropolitan Water District of Southern California

1200 - Los Angeles Department of Water and Power

G.H. - The instantaneous gage height in feet above an established datum.

Q - The instantaneous discharge measured in cubic feet per second (cfs).

DO - The dissolved oxygen content in milligrams per liter is listed first and is followed by the percent saturation.

FLD - Field determination.

EC - The specific conductance in micromhos at 25° Centigrade.

TDS - Gravimetric determination of total dissolved solids in milligrams per liter.

Sum - Total dissolved solids determined by addition of analyzed constituents.

TH - Total hardness.

NCH - Non-carbonate hardness.

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLD	EC LAB	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER TDS SUM					TH NCH
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SiO2	TDS SUM		
Cuyama River Near Garey (44A)																					
D63050.00		4.06	9.2	53 F	7.5	1393	222	44	56	6.0	0.0	124	692	26	2.0	1.2	.22	1180	736		
12/01/65	5050	150.	84		7.4		11.08	3.62	2.44	.15		2.03	14.39	.73	.03			1110	634		
	1545						64	21	14	1		12	84	4							
D63050.00		2.40	11.8	45 F	7.8	1927	211	88	126	6.0	0.0	345	730	87	2.0	1.1	.28	1500	889		
01/04/66	5050	1.3	97		7.9		10.53	7.23	5.48	.15		5.66	15.18	2.45	.03			1420	605		
	1020						45	31	23	1		24	65	11							
D63050.00		2.40	14.0	53 F	7.9	1942	200	95	126	5.0	0.0	305	755	90	0.0	1.2	.32	1540	890		
02/01/66	5050	.7	128		8.1		9.98	7.81	5.48	.13		5.00	15.70	2.54				1422	640		
	1645						43	33	23	1		22	68	11							
D63050.00		2.79	10.0	68 F	7.8	1800	200	81	118	7.0	0.0	295	724	72	0.0	0.9	.38	1420	833		
04/04/66	5050	6.0	109		8.0		9.98	6.66	5.13	.18		4.84	15.06	2.03				1348	590		
	1500						45	30	23	1		22	69	9							
Santa Ynez River Near Solvang (45A)																					
D81440.00		3.33	10.2	56 F	8.1	1021	112	44	54	2.0	0.0	330	235	42	6.0	0.8	.32	680	461		
12/01/65	5050	26.0	97		8.0		5.59	3.62	2.35	.05		5.41	4.89	1.18	.10			658	190		
	1200						48	31	20			47	42	10	1						
D81440.00		3.79	11.6	52 F	8.0	978	104	46	50	2.0	0.0	332	225	32	4.0	0.7	.26	670	449		
01/03/66	5050	76.0	105		8.2		5.19	3.78	2.18	.05		5.44	4.68	.90	.06			627	177		
	1525						46	34	19			49	42	8	1						
D81440.00		3.85	12.0	54 F	8.1	971	102	46	48	2.0	0.0	332	219	33	5.0	0.7	.26	655	444		
02/01/66	5050	58.0	112		8.4		5.09	3.78	2.09	.05		5.44	4.56	.93	.08			619	172		
	1455						46	34	19			49	41	8	1						
D81440.00		3.39	11.4	64 F	8.2	1100	91	65	60	3.0	0.0	356	266	42	0.0	0.5	.32	740	494		
03/01/66	5050	17.0	121		8.4		4.54	5.34	2.61	.08		5.84	5.53	1.18				702	202		
	1520						36	42	21	1		47	44	9							
D81440.00		3.32	14.8	69 F	8.0	1104	86	70	60	2.0	0.0	351	276	44	2.0	0.5	.32	755	502		
04/04/66	5050	11.0	164		8.4		4.29	5.75	2.61	.05		5.76	5.74	1.24	.03			713	214		
	1330						34	45	21			45	45	10							
D81440.00		3.49	15.4	81 F	8.4	1029	74	65	57	2.0	7.0	287	267	37	0.0	0.6	.34	708	452		
05/02/66	5050	11.0	192		7.7		3.69	5.34	2.48	.05	.23	4.71	5.55	1.04				651	205		
	1300						32	46	21		2	41	48	9							
D81440.00		3.29	13.2	78 F	8.2	1037	77	65	60	3.0	0.0	283	281	35	1.0	0.5	.36	720	459		
06/01/66	5050	4.0			7.8		3.84	5.34	2.61	.08		4.64	5.84	.99	.02			662	227		
	1500						32	45	22	1		40	51	9							
Lake Cachuma Near Santa Ynez (44B)																					
D81565.00		18.45	9.0	68 F	8.4	854	81	45	44	4.0	2.0	195	242	19	2.0	0.6	.36	590	387		
10/04/65	5050		99		7.9		4.04	3.70	1.91	.10	.67	3.20	5.03	.54	.03			554	194		
	1030						41	38	20	1	7	34	53	6							
D81565.00		17.23	9.0	66 F	8.1	870	83	44	44	4.0	0.0	242	247	18	0.0	0.6	.30	550	388		
11/01/65	5050		97		8.3		4.14	3.62	1.91	.10		3.97	5.14	.51				559	190		
	1345						42	37	20	1		41	53	5							
D81565.00		26.27	6.8	60 F	8.0	842	79	42	45	4.0	0.0	231	242	20	3.0	0.6	.40	566	370		
12/01/65	5050		68		8.0		3.94	3.45	1.96	.10		3.79	5.03	.56	.05			549	180		
	1115						42	37	21	1		40	53	6	1						
D81565.00		38.58	8.6	54 F	7.9	813	78	40	41	4.0	0.0	225	228	18	2.0	0.5	.38	548	359		
01/03/66	5050		80		7.9		3.89	3.29	1.78	.10		3.69	4.74	.51	.03			522	175		
	1450						43	36	20	1		41	53	6							
D81565.00		42.80	10.6	52 F	7.9	789	77	38	40	3.0	0.0	228	217	17	2.0	0.6	.38	540	348		
02/01/66	5050		96		8.0		3.84	3.12	1.74	.08		3.74	4.51	.48	.03			507	161		
	1415						44	36	20	1		43	51	5							

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLD	EC LAB	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER TDS TH NCH				
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SI02	SUM	TH NCH
Lake Cachuma Near Santa Ynez (44B), continued																				
081565.00		45.24	10.4	52 F	8.1	793	76	38	40	4.0	0.0	220	220	17	1.0	0.6	.38	530	346	
03/01/66	5050		96		8.3		3.79	3.12	1.74	.10		3.61	4.58	.48	.02			505	165	
	1445						43	36	20	1		42	53	6						
081565.00		45.87	11.6	64 F	8.1	796	79	38	40	4.0	0.0	227	226	15	3.6	0.6	.40	530	353	
04/04/66	5050		121		8.4		3.94	3.12	1.74	.10		3.72	4.70	.42	.06			518	167	
	1230						44	35	20	1		42	53	5	1					
081565.00		44.74	10.0	68 F	8.2	819	78	39	40	4.0	0.0	228	224	17	0.5	0.6	.37	552	355	
05/02/66	5050		108		8.3		3.89	3.21	1.74	.10		3.74	4.66	.48	.01			515	168	
	1250						44	36	19	1		42	52	5						
081565.00		44.74	10.0		8.2	815	78	39	41	5.0	0.0	231	224	17	0.5	0.6	.36	546	355	
05/02/66	5050		108		8.3		3.89	3.21	1.78	.13		3.79	4.66	.48	.01			519	166	
	1300						43	36	20	1		42	52	5						
081565.00		43.73	9.0	69 F	8.2	854	80	41	42	4.0	0.0	232	233	16	0.8	1.2	.39	565	368	
06/01/66	5050		99		8.3		3.99	3.37	1.83	.10		3.80	4.85	.45	.01			532	178	
	1405						43	36	20	1		42	53	5						
081565.00		42.05	11.0	76 F	8.2	825	84	40	42	4.0	0.0	232	237	23	0.5	0.5	.40	595	374	
07/05/66	5050		130		7.9		4.19	3.29	1.83	.10		3.80	4.93	.65	.01			545	184	
	1415						45	35	19	1		40	53	7						
081565.00		40.52	10.2	77 F	8.2	799	70	41	43	4.0	0.0	204	233	19	0.0	0.6	.40	550	343	
08/01/66	5050		122		8.0		3.49	3.37	1.87	.10		3.35	4.85	.54				511	176	
	1345						40	38	21	1		38	55	6						
081565.00		38.69	7.4	69 F	8.4	797	70	41	43	4.0	7.0	181	234	19	0.6	0.5	.40	544	343	
09/05/66	5050		82		8.4		3.49	3.37	1.87	.10	.23	2.97	4.87	.54	.01			508	183	
	0820						40	38	21	1	3	34	56	6						
Mojave River Near Victorville (67)																				
V91620.00		.63	4.4	68 F	7.1	566	52	13	50	4.0	0.0	223	58	35	8.0	0.6	.12	350	183	
10/06/65	5050	15.0	48		7.3		2.59	1.07	2.18	.10		3.66	1.21	.99	.13			330	0	
	1150						44	18	37	2		61	20	17	2					
V91620.00		.80	7.2	66 F	7.5	509	44	10	46	3.0	0.0	205	27	30	4.0	0.6	.10	320	151	
11/03/65	5050	20.0	77		7.4		2.20	.82	2.00	.08		3.36	.56	.85	.06			265	0	
	1200						43	16	39	2		70	12	18	1					
V91620.00		.35	8.0	53 F	7.7	583	49	10	57	4.0	0.0	200	68	37	5.0	0.6	.12	320	164	
12/03/65	5050	36.0	73		7.4		2.45	.82	2.48	.10		3.28	1.41	1.04	.08			329	0	
	1045						42	14	42	2		56	24	18	1					
V91620.00			10.4	44 F	7.5	352	31	8.0	29	3.0	0.0	139	33	17	4.0	0.4	.08	220	111	
01/05/66	5050	200.	85		7.3		1.55	.66	1.26	.08		2.28	.69	.48	.06			194	0	
	1115						44	19	35	2		65	20	14	2					
V91620.00			8.4	57 F	7.5	596	52	11	56	5.0	0.0	221	62	35	5.0	0.6	.14	340	175	
02/03/66	5050	33.	81		7.7		2.59	.90	2.44	.13		3.62	1.29	.99	.08			335	0	
	1215						43	15	40	2		61	22	17	1					
V91620.00			8.2	53 F	7.5	562	49	10	53	5.0	0.0	206	60	32	7.0	0.6	.15	320	164	
03/03/66	5050	40.	76		7.5		2.45	.82	2.31	.13		3.38	1.25	.90	.11			318	0	
	1050						43	14	40	2		60	22	16	2					
V91620.00			6.6	74 F	7.6	582	59	6.0	56	7.0	0.0	212	68	29	5.6	0.6	.14	350	172	
04/06/66	5050	20.	76		7.5		2.94	.49	2.44	.18		3.48	1.41	.82	.09			335	0	
	1100						49	8	40	3		60	24	14	2					
V91620.00		.86	7.8	78 F	7.4	567	48	11	56	2.0	0.0	215	60	33	0.0	0.7	.16	310	165	
05/04/66	5050	17.0	94		7.9		2.40	.90	2.44	.05		3.53	1.25	.93				316	0	
	1045						41	16	42	1		62	22	16						
V91620.00		.88	6.6	78 F	7.8	591	49	12	60	8.0	0.0	217	64	40	3.8	0.7	.19	350	172	
06/07/66	5050	16.0	80		7.6		2.45	.99	2.61	.20		3.56	1.33	1.13	.06			344	0	
	1110						39	16	42	3		59	22	19	1					
V91620.00		.82	6.8	80 F	7.9	602	51	11	60	7.0	0.0	223	65	39	3.5	0.7	.17	346	172	
07/07/66	5050	7.1	84		7.3		2.54	.90	2.61	.18		3.66	1.35	1.10	.06			347	0	
	0805						41	14	42	3		59	22	18	1					
V91620.00		.88	7.6	93 F	7.7	560	43	10	60	7.0	0.0	200	61	39	2.3	0.7	.14	327	149	
08/03/66	5050	14.0	107		7.2		2.15	.82	2.61	.18		3.28	1.27	1.10	.04			321	0	
	1445						37	14	45	3		58	22	19	1					

TABLE 0-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. 0	DO SAT	TEMP	PH LAB FLD	EC LAB	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				TH NCH
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SI02	TDS SUM	
Mojave River Near Victorville (67), continued																				
V91620.00		1.99	7.8	76 F	7.5	668	52	11	72	12	0.0	245	73	43	5.5	0.8	.16	415	175	
09/06/66	5050	8.5	104		8.0		2.59	.90	3.13	.31		4.02	1.52	1.21	.09			390	0	
	0945						37	13	45	4		59	22	18	1					
Mojave River at The Forks (67A)																				
V92150.30			9.2	67 F	7.5	481	26	7.0	70	3.0	0.0	127	113	17	1.0	3.8	.22	330	94	
10/06/65	5050	8.	99		7.3		1.30	.58	3.05	.08		2.08	2.35	.48	.02			303	0	
	1415						26	12	61	2		42	48	10						
V92150.30			8.2	59 F	8.1	503	29	4.0	70	3.0	0.0	122	107	16	2.0	4.0	.24	280	89	
11/03/65	5050	10.	81		7.5		1.45	.33	3.05	.08		2.00	2.23	.45	.03			295	0	
	1335						30	7	62	2		42	47	10	1					
V92150.30			10.8	42 F	7.6	152	15	2.0	13	2.0	0.0	71	7.0	6.0	2.0	0.6	.06	90	46	
12/03/65	5050	200.			7.2		.75	.16	.57	.05		1.16	.15	.17	.03			82	0	
	1215						49	10	37	3		77	10	11	2					
V92150.30			10.4	47 F	7.6	180	12	9.0	11	2.0	0.0	84	12	8.0	3.0	0.3	.04	125	67	
01/05/66	5050	300.	88		7.2		.60	.74	.48	.05		1.38	.25	.23	.05			99	0	
	1230						32	40	26	3		72	13	12	3					
V92150.30			9.4	61 F	7.8	212	22	5.0	13	2.0	0.0	96	12	9.0	3.0	0.5	.03	120	76	
02/03/66	5050	30.	89		8.0		1.10	.41	.57	.05		1.57	.25	.25	.05			114	0	
	1320						52	19	27	2		74	12	12	2					
V92150.30			8.4	56 F	7.6	199	20	4.0	13	2.0	0.0	88	12	8.0	1.0	0.4	.06	108	67	
03/03/66	5050	40.	80		7.5		1.00	.33	.57	.05		1.44	.25	.23	.02			104	0	
	1145						51	17	29	3		74	13	12	1					
V92150.30			8.0	62 F	7.5	167	17	4.0	12	1.0	0.0	83	7.0	5.0	0.5	0.6	.04	110	59	
04/06/66	5050	60.	81		7.5		.85	.33	.52	.03		1.36	.15	.14	.01			88	0	
	1245						49	19	30	2		82	9	8	1					
V92150.30			7.6	69 F	7.7	201	19	4.0	16	2.0	0.0	98	11	5.0	0.0	0.8	.12	100	64	
05/04/66	5050	15.	84		7.8		.95	.33	.70	.05		1.61	.23	.14				106	0	
	1245						47	16	34	2		81	12	7						
V92150.30			8.6	62 F	7.8	239	20	5.0	22	2.0	0.0	112	16	6.0	0.5	1.4	.06	135	71	
06/07/66	5050	15.	88		7.5		1.00	.41	.96	.05		1.84	.33	.17	.01			128	0	
	1005						41	17	40	2		78	14	7						
V92150.30			8.6	74 F	8.2	298	23	4.0	33	3.0	0.0	115	36	9.0	0.0	1.9	.10	165	74	
07/07/66	5050	5.	100		7.3		1.15	.33	1.44	.08		1.89	.75	.25	.09			166	0	
	1005						38	11	48	3		65	26	9						
V92150.30			8.0	84 F	7.6	360	23	5.0	46	3.0	0.0	118	61	11	0.0	2.7	.15	207	78	
08/03/66	5050	2.	103		8.2		1.15	.41	2.00	.08		1.94	1.27	.31	.09			210	0	
	1340						32	11	55	2		55	36	9						
V92150.30			8.4	71 F	7.9	445	24	6.0	58	3.0	0.0	115	92	12	1.2	3.5	.20	266	85	
09/06/66	5050	4.	95		8.1		1.20	.49	2.52	.08		1.89	1.91	.34	.02			256	0	
	1110						28	11	59	2		45	46	8						
Mojave River West Fork Below Cedar Springs (67D)																				
V92200.00		4.47	10.0	52 F	7.6	225	23	7.0	13	2.0	0.0	99	14	12	4.0	0.2	.04	115	87	
02/03/66	5050	50.	91		7.4		1.15	.58	.57	.05		1.62	.29	.34	.06			124	6	
	1455						49	25	24	2		70	13	15	3					
V92200.00		4.41	9.4	52 F	7.9	229	23	6.0	12	2.0	0.0	96	15	10	3.0	0.2	.05	122	82	
03/03/66	5050	50.	85		7.3		1.15	.49	.52	.05		1.57	.31	.28	.05			118	4	
	1315						52	22	24	2		71	14	13	2					
V92200.00					7.8	246	27	7.0	14	2.0	0.0	120	15	12	2.2	0.3	.02	155	97	
04/06/66	5050						1.35	.58	.61	.05		1.97	.31	.34	.04			138	0	
	1345						52	22	24	2		74	12	13	2					
V92200.00		4.19	6.4	75 F	7.7	293	31	8.0	17	3.0	0.0	145	16	11	0.0	0.3	.02	160	111	
05/04/66	5050	5.0	75		7.6		1.55	.66	.74	.08		2.38	.33	.31				157	0	
	1330						51	22	24	3		79	11	10						
V92200.00		3.98		72 F	7.6	351	38	11	21	3.0	0.0	188	13	13	0.0	0.4	.09	190	140	
06/07/66	5050	1.5					1.90	.90	.91	.08		3.08	.27	.37				192	0	
	1350						50	24	24	2		83	7	10						

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	NUMBER LAB	G.H. Q	DO SAT	TEMP	PH LAB FLD	EC LAB	MILLIGRAMS PER LITER MINERAL CONSTITUENTS IN											MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
							CA	MG	NA	K	CO3	HC03	SO4	CL	NO3	F	B	SI02	TDS SUM	TH NCH							
Mojave River West Fork Below Cedar Springs (67D), continued																											
V92200.00				70 F	7.9	264	27	6.0	17	2.0	0.0	117	8.0	17	0.0	0.3	.08	145	92								
07/07/66	5050						1.35	.49	.74	.05		1.92	.17	.48				135	0								
	1240						51	19	28	2		75	7	19													
Mojave River East Fork of the West Fork (67B)																											
V92250.00		3.13	10.2	45 F	7.5	171	16	4.0	11	1.0	0.0	67	11	10	3.0	0.2	.07	90	57								
03/03/66	5050	12.0	84		7.4		.80	.33	.48	.03		1.10	.23	.28	.05			89	2								
	1440						49	20	29	2		66	14	17	3												
V92250.00					7.4	190	19	4.0	13	2.0	0.0	81	12	11	3.6	0.3	.05	130	64								
04/06/66	5050						.95	.33	.57	.05		1.33	.25	.31	.06			105	0								
	1450						50	17	30	3		68	13	16	3												
V92250.00		2.75	8.2	66 F	7.7	199	19	5.0	13	2.0	0.0	82	12	12	2.3	0.2	.06	110	68								
05/04/66	5050	5.0	88		7.3		.95	.41	.57	.05		1.34	.25	.34	.04			106	1								
	1430						48	21	29	3		68	13	17	2												
V92250.00		2.66	8.4	66 F	7.8	220	20	5.0	16	2.0	0.0	93	10	14	2.5	0.3	.07	125	71								
06/07/66	5050	3.0	90		7.5		1.00	.41	.70	.05		1.53	.21	.39	.04			115	0								
	1400						46	19	32	2		71	10	18	2												
V92250.00				68 F	7.1	383	43	12	22	3.0	0.0	210	12	13	0.0	0.4	.08	225	157								
07/07/66	5050						2.15	.99	.96	.08		3.44	.25	.37				208	0								
	1110						51	24	23	2		85	6	9													
Mojave River West Fork Above Cedar Springs (67C)																											
V92300.00				50 F	7.9	276	32	9.0	9.0	3.0	0.0	121	26	8.0	2.0	0.2	.01	164	117								
02/03/66	5050						1.60	.74	.39	.08		1.98	.54	.23	.03			149	18								
	1515						57	26	14	3		71	19	8	1												
V92300.00			9.8	51 F	7.9	292	34	9.0	10	3.0	0.0	125	31	9.0	2.0	0.2	.04	157	122								
03/03/66	5050		87		7.9		1.70	.74	.44	.08		2.05	.64	.25	.03			159	20								
	1410						57	25	15	3		69	22	8	1												
V92300.00					8.2	334	41	12	11	4.0	0.0	156	35	9.0	1.2	0.3	.02	225	152								
04/06/66	5050						2.05	.99	.48	.10		2.56	.73	.25	.02			190	24								
	1420						57	27	13	3		72	21	7	1												
V92300.00		3.71	7.6	70 F	8.2	359	44	12	13	4.0	0.0	166	39	9.0	0.0	0.2	.00	207	160								
05/04/66	5050	3.0	85		7.7		2.20	.99	.57	.10		2.72	.81	.25				203	24								
	1355						57	26	15	3		72	21	7													
V92300.00		3.66		69 F	8.2	385	48	13	15	4.0	0.0	188	40	10	0.0	0.3	.02	250	174								
06/07/66	5050	3.0			7.9		2.40	1.07	.65	.10		3.08	.83	.28				222	20								
	1315						57	25	15	2		74	20	7													
V92300.00		3.57	7.8	78 F	7.8	456	61	13	17	5.0	0.0	229	40	15	0.0	0.3	.03	285	206								
07/07/66	5050	.8	94		7.7		3.04	1.07	.74	.13		3.76	.83	.42				264	18								
	1155						61	21	15	3		75	17	8													
Colorado River Near Topock, Arizona (54)																											
W21530.00		19.22	10.0	64 F	7.8	1211	95	32	114	6.0	0.0	156	339	108	2.8	0.6	.14	830	369								
05/19/66	5050	14400.	104		8.0		4.74	2.63	4.96	.15		2.56	7.05	3.05	.05			774	241								
	1130						38	21	40	1		20	55	24													
W21530.00			7.8	70 F	7.6	1143	95	29	110	5.0	0.0	151	317	103	2.0	0.5	.18	780	356								
09/29/66	5050	10000.	87		8.0		4.74	2.38	4.79	.13		2.48	6.59	2.90	.03			736	232								
	1130						39	20	40	1		21	55	24													
Colorado River Below Parker Dam (55)																											
W21775.10			8.0	72 F	7.8	1209	97	32	118	6.0	0.0	156	344	109	2.3	0.6	.16	845	374								
05/18/66	5050	13400.	91		8.0		4.84	2.63	5.13	.15		2.56	7.16	3.07	.04			786	246								
	1015						38	21	40	1		20	56	24													
W21775.10		19.59	7.0	77 F	8.0	1149	93	30	115	5.0	0.0	154	323	103	1.6	0.5	.16	790	356								
09/28/66	5050	8500.	84		8.1		4.64	2.47	5.00	.13		2.53	6.72	2.90	.03			747	229								
	1415						38	20	41	1		21	55	24													

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLD	EC LAB	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	5102	TDS SUM	TH NCH
Colorado River at Colorado River Aqueduct Intake (56D)																				
W21960.00 10/06/65	4412			71 F	8.4	1250	95	33	120	5.0	0.0	144	340	120	1.1	0.5	11	797	373	
							4.74	2.71	5.22	.13		2.36	7.07	3.38	.02			796	255	
							37	21	41	1		18	55	26						
W21960.00 11/09/65	4412				8.3	1260	94	34	119	5.0	0.0	144	344	117	1.0	0.4	0.0	797	374	
							4.69	2.79	5.18	.13		2.36	7.16	3.30	.02			785	256	
							37	22	41	1		18	56	26						
W21960.00 12/08/65 1520	4412			60 F	8.1	1220	94	32	114	6.0	0.0	153	330	110	1.3	0.5	0.0	774	366	
							4.69	2.63	4.96	.15		2.51	6.86	3.10	.02			763	241	
							38	21	40	1		20	55	25						
W21960.00 01/08/66	4412			54 F	8.1	960	73	25	89	6.0	0.0	148	238	84	1.6	0.5	14	605	285	
							3.64	2.06	3.87	.15		2.43	4.95	2.37	.03			604	164	
							37	21	40	2		25	51	24						
W21960.00 02/08/66	4412			52 F	8.4	1195	91	32	116	0.0	1.0	163	315	110	0.9	0.5	11	763	359	
							4.54	2.63	5.05		.03	2.67	6.55	3.10	.01			757	224	
							37	22	41			22	53	25						
W21960.00 03/08/66	4412			54 F	8.3	1220	96	33	119	6.0	0.0	162	332	114	2.0	0.5	10	793	375	
							4.79	2.71	5.18	.15		2.66	6.91	3.21	.03			792	242	
							37	21	40	1		21	54	25						
W21960.00 04/06/66	4412			65 F	8.3	1200	96	33	114	6.0	0.0	160	334	108	2.0	0.5	10	783	375	
							4.79	2.71	4.96	.15		2.62	6.95	3.05	.03			782	244	
							38	21	39	1		21	55	24						
W21960.00 06/08/66 1315	4412			78 F	8.4	1220	92	33	112	5.0	0.0	144	328	108	1.4	0.5	9.0	760	365	
							4.59	2.71	4.87	.13		2.36	6.82	3.05	.02			759	247	
							37	22	40	1		19	56	25						
W21960.00 07/06/66	4412			82 F	8.5	1190	90	32	112	6.0	1.0	131	333	108	1.4	0.5	8.0	758	356	
							4.49	2.63	4.87	.15	.03	2.15	6.93	3.05	.02			756	247	
							37	22	40	1		18	57	25						
W21960.00 08/08/66	4412			82 F	8.4	1170	87	33	113	5.0	0.0	134	331	106	0.9	0.5	10	753	353	
							4.34	2.71	4.92	.13		2.20	6.88	2.99	.01			752	243	
							36	22	41	1		18	57	25						
W21960.00 09/07/66	4412			82 F	8.5	1160	83	33	112	4.0	2.0	120	325	105	0.8	0.2	9.0	734	343	
							4.14	2.71	4.87	.10	.07	1.97	6.76	2.96	.01			733	241	
							35	23	41	1	1	17	57	25						
Colorado River Aqueduct (Upper Feeder) at La Verne (69)																				
W21985.05 10/00/65	4412			72 F	8.2	1240	92	34	119	6.0	0.0	135	348	116	0.9	0.5	0.0	793	369	
							4.59	2.79	5.18	.15		2.21	7.24	3.27	.01			783	259	
							36	22	41	1		17	57	26						
W21985.05 11/00/65	4412				8.2	1270	94	33	117	6.0	0.0	139	341	117	1.1	0.5	0.0	789	370	
							4.69	2.71	5.09	.15		2.28	7.09	3.30	.02			778	256	
							37	21	40	1		18	56	26						
W21985.05 12/00/65	4412				8.2	1230	94	33	116	6.0	0.0	146	339	115	1.2	0.5	0.0	788	370	
							4.69	2.71	5.05	.15		2.39	7.05	3.24	.02			776	251	
							37	22	40	1		19	56	26						
W21985.05 01/00/66	4412			57 F	8.6	1300	45	16	211	6.0	2.0	145	332	118	1.0	0.4	10	814	179	
							2.25	1.32	9.18	.15	.07	2.38	6.91	3.33	.02			812	56	
							17	10	71	1	1	19	54	26						
W21985.05 02/00/66	4412			55 F	8.3	1190	92	32	116	6.0	0.0	151	324	112	1.1	0.5	10	769	361	
							4.59	2.63	5.05	.15		2.48	6.74	3.16	.02			768	237	
							37	21	41	1		20	54	25						
W21985.05 03/00/66	4412				8.3	1190	92	32	116	6.0	0.0	154	327	110	1.4	0.5	10	772	361	
							4.59	2.63	5.05	.15		2.53	6.80	3.10	.02			770	235	
							37	21	41	1		20	55	25						
W21985.05 04/00/66	4412			60 F	8.3	1135	91	32	112	6.0	1.0	144	328	110	1.0	0.5	9.0	763	359	
							4.54	2.63	4.87	.15	.03	2.36	6.82	3.10	.02			761	239	
							37	22	40	1		19	55	25						

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLD	EC LAB	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				
							CA	MG	NA	K	CO3	HCO3	SO4	CL	N03	F	B	SiO2	TDS SUM
Salton Sea at Salton Sea State Park (68A), continued																			
W51600.70 01/10/66 1410	5050	32.51		61 F	8.1 8.4	42626	844 42.12 7	1003 82.45 14	10200 43.70 77	172 4.40 1	0.0	193 3.17 1	7436 154.67 27	14524 409.58 72	16 .26	2.9	9.00	35235 34301	6233 6075
W51600.70 03/07/66 1330	5050	32.20		67 F	6.8 8.5	42370	810 40.42 7	1038 85.32 15	10050 37.18 77	168 4.30 1	0.0	210 3.44 1	7639 158.89 28	14440 407.21 71	25 .40	3.4	9.20	35040 34286	6292 6120
W51600.70 05/09/66 1300	5050	32.82	4.4 51	77 F	7.2 8.0	40984	842 42.02 7	1023 84.09 15	9912 31.17 77	160 4.10 1	0.0	171 2.80 1	7534 156.71 28	14342 404.44 72	5.0 .08	3.1	8.80	35560 33914	6311 6170
W51600.70 07/15/66 1100	5050	32.20	4.0 54	89 F	7.4 8.5	44050	846 42.22 7	1049 86.23 15	10500 56.75 77	166 4.25 1	0.0	166 2.72 1	7847 163.22 27	15300 431.46 72	10 .16	3.2	8.80	35840 35811	6428 6292
W51600.70 09/12/66 1320	5050	32.71	11.2 149	87 F	7.6 8.4	41322	866 43.21 7	1082 88.94 15	10200 43.70 76	170 4.35 1	0.0	200 3.28 1	7945 165.26 29	14500 408.90 71	5.0 .08	3.7	8.80	36780 34879	6613 6449
Colorado River at Yuma, Arizona (56)																			
W71700.00 11/09/65 1500	5050	10.74 954.	9.0 98	69 F	8.1 8.2	1610	110 5.49 33	38 3.12 19	176 7.66 47	6.0 .15 1	0.0	193 3.17 19	403 8.38 51	176 4.96 30	2.0 .03	0.7	.24	1020 1007	431 272
W71700.00 03/08/66 1645	5050	11.19 1300.	11.0 109	60 F	7.9 7.9	1451	106 5.29 35	36 2.96 20	153 6.66 44	6.0 .15 1	0.0	187 3.07 21	362 7.53 51	149 4.20 28	3.0 .05	0.8	.20	936 908	413 259
W71700.00 05/10/66 1415	5050	10.67 891.	8.4 98	75 F	7.4 7.5	1456	107 5.34 35	37 3.04 20	151 6.57 44	6.0 .15 1	0.0	181 2.97 20	383 7.97 53	149 4.20 28	2.0 .03	0.6	.20	980 924	419 271
W71700.00 07/19/66 0900	5050	10.35 710.	5.4 68	83 F	7.6 7.8	1821	129 6.44 34	44 3.62 19	205 8.92 47	5.0 .13 1	0.0	232 3.80 20	426 8.86 46	234 6.60 34	2.5 .04	0.7	.25	1240 1160	503 313
W71700.00 09/13/66 1445	5050	10.31 650.	7.2 96	87 F	7.6 8.4	1842	109 5.44 28	43 3.53 18	230 10.01 52	6.0 .15 1	0.0	220 3.61 19	395 8.22 43	260 7.33 38	2.0 .03	0.9	.32	1210 1154	449 268
Colorado River Below Morelos Dam (56B)																			
W71750.00 11/09/65 1425	5050	9.52 32.6	7.2 82	72 F	7.4 7.8	2288	143 7.14 29	57 4.69 19	285 12.40 51	6.0 .15 1	0.0	259 4.25 17	498 10.36 42	351 9.90 40	5.0 .08	0.8	.28	1530 1473	592 379
W71750.00 01/11/66 1500	5050	9.88 318.	9.2 99	67 F	7.7 8.0	7825	333 16.62 20	149 12.25 15	1236 53.77 65	13 .33	0.0	337 5.53 7	955 19.86 24	2020 56.96 69	7.0 .11	2.2	1.90	5040 4882	1445 1168
W71750.00 03/08/66 1520	5050	126.		73 F	7.7	5656	264 13.17 22	116 9.54 16	820 35.67 61	10 .26	0.0	314 5.15 9	770 16.02 27	1318 37.17 64	6.0 .10	2.1	1.22	3653 3461	1136 879
W71750.00 05/10/66 1505	5050	8.54 115.		78 F	7.6	5061	250 12.48 24	109 8.96 17	720 31.32 59	10 .26	0.0	307 5.03 9	781 16.24 31	1121 31.61 60	8.0 .13	1.6	.56	3390 3152	1073 821
W71750.00 07/19/66 0815	5050	15.6		80 F	7.6	2350	158 7.88 31	55 4.52 18	288 12.53 50	7.0 .18 1	0.0	259 4.25 17	490 10.19 41	362 10.21 41	2.0 .03	0.9	.40	1554 1490	620 408
W71750.00 09/13/66 1345	5050	14.5	9.6 124	85 F	7.8 8.0	2000	135 6.74 32	47 3.86 18	235 10.22 49	6.0 .15 1	0.0	234 3.84 18	434 9.03 43	285 8.04 38	1.2 .02	0.8	.32	1340 1259	530 338
Colorado River Near Blythe (56C)																			
W71870.05 05/16/66 1615	5050	8710.	8.4 103	80 F	7.8 8.0	1247	98 4.89 37	34 2.79 21	120 5.22 40	6.0 .15 1	0.0	161 2.64 20	349 7.26 55	113 3.19 24	1.8 .03	0.6	.16	850 801	384 252

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLD	EC LAB	MINERAL CONSTITUENTS IN					MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SI02	TDS SUM	TH NCH	
Colorado River Near Blythe (56C), continued																					
W71870.05				7.4	78 F	7.8	1212	95	33	118	5.0	0.0	161	336	110	1.6	0.5	.18	830	373	
09/26/66	5050	3000.	89		8.2		4.74	2.71	5.13	.13		2.64	6.99	3.10	.03				778	241	
	1415						37	21	40	1		21	55	24							
All American Canal Above Pilot Knob Wasteway (56A)																					
W71929.00		7.30	8.2	68 F	8.0	1550	106	38	180	6.0	0.0	193	395	175	3.0	0.6	.18	1020	421		
11/09/65	5050	2255.	90		8.0		5.29	3.12	7.83	.15		3.17	8.22	4.94	.05				998	262	
	1200						32	19	48	1		19	50	30							
W71929.00		7.38	10.4	54 F	8.0	1389	89	30	168	5.0	0.0	190	304	165	1.0	0.8	.23	892	346		
01/11/66	5050	2279.	97		8.1		4.44	2.47	7.31	.13		3.12	6.32	4.65	.02				856	190	
	1230						31	17	51	1		22	45	33							
W71929.00		7.19	11.0	57 F	7.7	1392	100	35	147	6.0	0.0	176	351	144	3.0	0.8	.19	902	394		
03/08/66	5050	1035.	106		8.0		4.99	2.88	6.39	.15		2.89	7.30	4.06	.05				873	249	
	1230						35	20	44	1		20	51	28							
W71929.00		7.13	7.8	74 F	7.6	1364	103	34	140	6.0	0.0	173	368	134	1.5	0.6	.18	930	397		
05/10/66	5050	5580.	91		8.2		5.14	2.79	6.09	.15		2.84	7.65	3.78	.02				872	255	
	1345						36	20	43	1		20	54	26							
W71929.00		7.32	6.2	85 F	7.8	1333	92	37	143	6.0	0.0	159	360	133	2.0	0.6	.21	880	382		
07/19/66	5050	8798.	81		8.2		4.59	3.04	6.22	.15		2.61	7.49	3.75	.03				852	251	
	0945						33	22	44	1		19	54	27							
W71929.00		7.30	7.0	82 F	7.8	1355	96	34	148	5.0	0.0	178	355	134	1.2	1.3	.20	900	379		
09/13/66	5050	6636.	88		8.0		4.79	2.79	6.44	.13		2.92	7.38	3.78	.02				862	233	
	1415						34	20	46	1		21	52	27							
New River Near Westmorland (58)																					
W91100.00		2.08	6.8	68 F	7.4	6238	245	120	975	32	0.0	275	860	1500	20	0.7	1.60	3980	1105		
11/08/65	5050	406.	74		8.1		12.23	9.86	42.41	.82		4.51	17.89	42.30	.32				3889	880	
	1830						19	15	65	1		7	28	65							
W91100.00		2.16	8.4	57 F	7.4	7133	255	126	1120	42	0.0	284	772	1838	33	1.0	1.80	4528	1155		
01/10/66	5050	431.	81		7.6		12.72	10.36	48.72	1.08		4.66	16.06	51.83	.53				4328	922	
	1645						17	14	67	1		6	22	71	1						
W91100.00		3.42	8.4	63 F	7.6	5076	215	103	760	21	0.0	251	753	1162	20	0.7	1.20	3320	961		
03/07/66	5050	641.	87		7.7		10.73	8.47	33.06	.54		4.12	15.66	32.77	.32				3159	755	
	1730						20	16	63	1		8	30	62	1						
W91100.00		2.86	6.0	76 F	7.4	5848	257	126	880	26	0.0	276	919	1364	20	0.9	1.40	3990	1160		
05/09/66	5050	530.	71		8.2		12.82	10.36	38.28	.67		4.53	19.12	38.46	.32				3730	933	
	1500						21	17	62	1		7	31	62	1						
W91100.00		3.12	4.0	89 F	7.8	5556	222	109	800	29	0.0	242	814	1210	20	1.0	1.10	3400	1003		
07/18/66	5050	563.	54		7.8		11.08	8.96	34.80	.74		3.97	16.93	34.12	.32				3325	804	
	1330						20	16	63	1		7	31	62	1						
W91100.00		2.95	6.2	83 F	7.5	5319	237	124	860	22	0.0	351	880	1270	12	0.9	1.22	3740	1102		
09/12/66	5050	509.	79		7.9		11.83	10.19	37.41	.56		5.76	18.30	35.81	.19				3579	814	
	1535						20	17	62	1		10	30	60							
New River at International Boundary (57)																					
W91800.00		8.49	5.6	68 F	7.3	8696	254	123	1450	123	0.0	303	763	2430	12	1.1	1.90	5630	1140		
11/09/65	5050	113.	61		8.1		12.67	10.11	63.08	3.15		4.97	15.87	68.53	.19				5306	891	
	0950						14	11	71	4		6	18	77							
W91800.00		8.98	8.6	55 F	7.4	7893	253	113	1254	88	0.0	355	589	2161	17	0.9	1.90	4898	1096		
01/11/66	5050	157.	81		8.2		12.62	9.29	54.55	2.25		5.82	12.25	60.94	.27				4652	805	
	1000						16	12	69	3		7	15	77							
W91800.00		9.26	9.4	62 F	7.3	6274	221	109	970	63	0.0	256	671	1636	12	0.8	1.50	4060	1000		
03/08/66	5050	179.	96		8.1		11.03	8.96	42.20	1.61		4.20	13.96	46.14	.19				3810	790	
	0910						17	14	66	3		7	22	72							
W91800.00		8.46		79 F	7.4	8000	374	100	1295	70	0.0	586	395	2323	9.9	0.9	1.90	5200	1345		
05/10/66	5050	112.			7.8		18.66	8.22	56.33	1.79		9.61	8.22	65.51	.16				4857	864	
	1130						22	10	66	2		12	10	78							

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLD	EC LAB	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER TDS SUM				TM NCH
							CA	MG	NA	K	CO3	HC03	SO4	CL	NO3	F	B	SI02	TDS SUM	
New River at International Boundary (57), continued																				
W91800.00 07/19/66 1145	5050	8.52 121.	4.8 65	89 F	6.9 7.8	8850	294 14.67 16	154 12.66 14	1435 62.42 68	77 1.97 2	0.0	251 4.12 4	932 19.39 21	2420 68.24 74	7.4 .12	1.0	2.20	5890 5446	1368 1161	
W91800.00 09/13/66 1015	5050	8.52 125.	6.8 87	84 F	7.2 7.9	7782	302 15.07 18	154 12.66 16	1200 52.20 64	60 1.54 2	0.0	305 5.00 6	892 18.55 23	2080 58.66 71	7.4 .12	1.0	1.60	5180 4847	1388 1137	
Alamo River at International Boundary (59)																				
W92020.00 11/09/65 1100	5050	.26 1.8	9.8 101	63 F	7.9 7.9	5100	222 11.08 20	123 10.11 18	800 34.80 62	10 .26	0.0	355 5.82 10	999 20.78 37	1050 29.61 53	7.0 .11	0.7	1.40	3520 3387	1060 769	
W92020.00 01/11/66 1115	5050	.30 2.2	9.8 91	54 F	7.7 7.7	5767	242 12.08 19	141 11.59 18	896 38.98 62	11 .28	0.0	383 6.28 10	1114 23.17 37	1151 32.46 52	24 .39 1	1.2	1.85	3910 3770	1184 870	
W92020.00 03/08/66 1036	5050	.29 2.1	10.0 103	62 F	7.9 7.8	4462	191 9.53 20	112 9.21 19	660 28.71 60	9.0 .23	0.0	319 5.23 11	869 18.08 38	843 23.77 50	4.0 .06	1.4	1.25	2985 2847	938 676	
W92020.00 05/10/66 1240	5050	.25 1.7	6.6 79	77 F	7.4 7.4	5747	245 12.23 20	143 11.75 19	864 37.58 61	12 .31 1	0.0	339 5.56 9	1152 23.96 39	1136 32.04 52	7.4 .12	1.0	2.05	4015 3729	1200 922	
W92020.00 07/19/66 1115	5050	.26 1.8	4.6 60	85 F	7.1 7.8	3759	175 8.73 22	91 7.48 19	550 23.93 59	10 .26 1	0.0	271 4.44 11	748 15.56 38	733 20.67 51	7.4 .12	1.1	.65	2605 2449	811 589	
W92020.00 09/13/66 1045	5050	.23 1.5	4.2 51	78 F	7.5 7.6	5917	261 13.02 19	160 13.15 20	940 40.89 61	12 .31	0.0	371 6.08 9	1213 25.23 38	1270 35.81 53	7.4 .12	1.1	1.70	4240 4048	1310 1005	
Alamo River Near Calipatria (60)																				
W92100.00 11/08/65 1750	5050	9.06 733.	7.8 85	68 F	7.7 8.2	4517	230 11.48 24	119 9.78 21	600 26.10 55	13 .33 1	0.0	246 4.03 8	946 19.68 41	858 24.20 50	25 .40 1	0.5	.68	3020 2913	1064 862	
W92100.00 01/10/66 1605	5050	8.91 611.	10.0 94	55 F	7.4 7.8	4137	199 9.93 23	111 9.12 21	558 24.27 56	10 .26 1	0.0	223 3.66 8	754 15.68 36	826 23.29 54	33 .53 1	0.9	.66	2735 2602	953 770	
W92100.00 03/02/66 163h	5050	9.60 937.	9.6 91	60 F	7.2 7.8	3876	200 9.98 24	109 8.96 21	525 22.84 54	11 .28 1	0.0	220 3.61 9	839 17.45 42	722 20.36 49	31 .50 1	0.8	.64	2600 2546	948 767	
W92100.00 05/09/66 143n	5050	9.80 917.	6.8 80	76 F	7.3 7.8	4132	217 10.83 24	115 9.45 21	550 23.93 54	14 .36 1	0.0	229 3.76 8	917 19.07 43	763 21.52 48	30 .48 1	0.5	.72	2890 2719	1015 827	
W92100.00 07/18/66 1320	5050	10.09 975.	5.6 62	70 F	7.2 7.8	3922	196 9.78 23	110 9.04 21	550 23.93 56	13 .33 1	0.0	220 3.61 8	872 18.14 42	743 20.95 49	22 .35 1	1.0	.62	2690 2615	942 761	
W92100.00 09/12/66 1500	5050	9.57 833.	7.2 71	82 F	7.6 8.2	3906	192 9.58 23	112 9.21 22	525 22.84 54	12 .31 1	0.0	242 3.97 9	859 17.87 43	705 19.88 47	15 .24 1	0.9	.64	2700 2540	940 742	
Santa Margarita River Near Fallbrook (51C)																				
X21350.00 11/10/65 1310	5050	2.31 4.0	8.6 84	58 F	7.9 7.8	1214	94 4.69 37	30 2.47 20	124 5.39 43	3.0 .08 1	0.0	342 5.61 45	128 2.66 21	150 4.23 34	0.0	0.6	.22	697 697	358 78	
X21350.00 01/13/66 1325	5050	2.46 9.8	11.2 102	53 F	8.0 8.0	1149	83 4.14 35	32 2.63 22	112 4.87 42	3.0 .08 1	0.0	273 4.48 38	145 3.02 26	150 4.23 36	3.0 .05	0.6	.18	710 663	339 115	
X21350.00 03/10/66 1225	5050	2.38 7.9	10.8 106	59 F	8.0 8.0	1242	96 4.79 37	37 3.04 23	118 5.13 39	3.0 .08 1	0.0	307 5.03 39	164 3.41 26	162 4.57 35	2.0 .03	0.7	.18	770 733	392 140	
X21350.00 05/12/66 1020	5050	2.26 4.0	8.2 84	62 F	8.2 7.8	1277	99 4.94 36	37 3.04 22	127 5.52 41	3.0 .08 1	0.0	339 5.56 40	181 3.76 27	160 4.51 33	1.5 .02	0.7	.18	800 775	399 121	

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLO	EC LAB	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER TDS TH				
							CA	MG	NA	K	CO3	HC03	S04	CL	NO3	F	B	SI02	SUM	NCH
Santa Margarita River Near Fallbrook (51C), continued																				
X21350.00		2.02	6.6	72 F	7.9	730	114	38	144	3.0	0.0	422	135	191	1.2	1.0	.20	880	441	
07/20/66	5050	.1	73		7.3		5.69	3.12	6.26	.08		6.92	2.81	5.39	.02			834	95	
	1245						38	21	41	1		46	19	36						
X21350.00			6.6	64 F	7.7	1475	115	41	155	4.0	0.0	444	139	195	0.0	0.8	.24	908	456	
09/14/66	5050	1.	69		7.6		5.74	3.37	6.74	.10		7.28	2.89	5.50				868	92	
	1630						36	21	42	1		46	18	35						
San Luis Rey River at Pala (62)																				
X31345.00		2.32	8.0	65 F	7.4	508	44	14	38	5.0	0.0	142	95	29	0.0	0.5	.07	344	168	
01/13/66	5050	1.	85		7.2		2.20	1.15	1.65	.13		2.33	1.98	.82				295	51	
	1240						43	22	32	3		45	39	16						
X31345.00			8.6	71 F	7.7	504	45	14	35	5.0	0.0	153	85	28	0.0	0.4	.07	310	170	
03/10/66	5050	.2	97		7.3		2.25	1.15	1.52	.13		2.51	1.77	.79				287	45	
	1110						45	23	30	3		50	35	16						
Escondido Creek Near Harmony Grove (63)																				
X43400.05		2.81	1.8	66 F	7.1	2248	97	42	300	18	0.0	134	359	373	110	1.6	.80	1380	415	
11/10/65	5050	4.	19		7.4		4.84	3.45	13.05	.46		2.20	7.47	10.52	1.77			1367	305	
	1035						22	16	60	2		10	34	48	8					
X43400.05			4.0	54 F	7.3	2475	110	61	324	14	0.0	339	310	440	53	1.0	.76	1479	525	
01/13/66	5050	2.	37		7.3		5.49	5.01	14.09	.36		5.56	6.45	12.41	.85			1480	247	
	1130						22	20	56	1		22	26	49	3					
X43400.05			1.2	60 F	7.1	2350	104	54	293	13	0.0	339	268	417	38	1.0	.70	1356	482	
03/10/66	5050	6.	11		7.3		5.19	4.44	12.75	.33		5.56	5.57	11.76	.61			1355	204	
	0935						23	20	56	1		24	24	50	3					
X43400.05			1.2	67 F	7.3	2208	97	57	269	13	0.0	339	288	369	27	0.9	.55	1340	477	
05/12/66	5050	4.	12		7.4		4.84	4.69	11.70	.33		5.56	5.99	10.41	.43			1288	199	
	0800						22	22	54	2		25	27	46	2					
X43400.05			2.4	72 F	7.0		101	53	293	13	0.0	212	311	416	50	1.4	.68	1470	470	
07/20/66	5050	2.	27		7.3		5.04	4.36	12.75	.33		3.48	6.47	11.73	.81			1343	296	
	0950						22	19	57	1		15	29	52	4					
X43400.05			4.4	74 F	7.1	2112	84	49	285	13	0.0	211	247	401	50	1.4	.76	1338	411	
09/14/66	5050	7.	51		7.3		4.19	4.03	12.40	.33		3.46	5.14	11.31	.81			1235	238	
	1500						20	19	59	2		17	25	55	4					
San Diego River at Old Mission Dam (65)																				
X51230.30			2.8	61 F	7.9	3246	139	79	464	9.0	0.0	541	299	667	5.0	0.7	.92	1977	672	
11/10/65	5050	.1	110		7.2		6.94	6.49	20.18	.23		8.87	6.22	18.81	.08			1929	228	
	0920						21	19	60	1		26	18	55						
X51230.30			7.0	59 F	7.2	1412	64	37	178	7.0	0.0	185	204	225	31	0.6	.34	855	312	
01/12/66	5050	5.	69		7.2		3.19	3.04	7.74	.18		3.03	4.24	6.35	.50			838	160	
	1415						23	21	55	1		21	30	45	4					
X51230.30			5.2	69 F	7.0	1667	72	46	206	8.0	0.0	227	236	263	35	0.7	.48	1008	369	
03/09/66	5050	8.	57		7.8		3.59	3.78	8.96	.20		3.72	4.91	7.42	.56			978	183	
	1450						22	23	54	1		22	30	45	3					
X51230.30			4.8	64 F	7.2	2114	91	61	276	9.0	0.0	303	304	354	11	0.8	.60	1310	478	
05/11/66	5050	3.	50		7.6		4.54	5.01	12.01	.23		4.97	6.32	9.98	.18			1256	229	
	1520						21	23	55	1		23	29	47	1					
X51230.30			3.0	70 F	7.4	2222	96	61	293	8.0	0.0	422	222	406	2.5	0.8	.66	1350	490	
07/20/66	5050		33		7.3		4.79	5.01	12.75	.20		6.92	4.62	11.45	.04			1297	144	
	0845						21	22	56	1		30	20	50						
Spring Valley Creek Near La Pressa (65B)																				
X62020.05			5.2	59 F	7.6	12136	609	292	1800	5.0	0.0	495	878	3780	15	0.7	1.20	8170	2722	
11/10/65	5050	.1	51		7.9		30.39	24.00	78.30	.13		8.12	18.26	106.60	.24			7623	2315	
	0800						23	18	59			6	14	80						

TABLE 0-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLO	EC LAB	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	8	SiO2	TDS SUM	TH NCH
Spring Valley Creek Near La Pressa (65B), continued																				
X62020.05 01/12/66 1155	5050	2.0		54 F	8.2	4179	204	141	525	4.0	0.0	387	633	879	40	1.0	1.05	2750	1089	
					8.2		10.18	11.59	22.84	.10		6.35	13.17	24.79	.64			2618	772	
							23	26	51			14	29	55	1					
X62020.05 03/09/66 1200	5050	2.0		66 F	8.0	5015	203	156	660	3.0	0.0	304	652	1169	18	1.2	.48	3260	1148	
					8.3		10.13	12.82	28.71	.08		4.99	13.56	32.97	.29			3012	899	
							20	25	55			10	26	64	1					
X62020.05 07/20/66 0745	5050	1.0	12.0 136	72 F	7.2	11628	539	304	1700	6.0	0.0	298	905	3670	7.4	1.0	1.10	8430	2597	
					7.6		26.90	24.99	73.95	.15		4.89	18.82	103.49	.12			7280	2352	
							21	20	59			4	15	81						
Tia Juana River at International Boundary (66)																				
X81100.40 03/10/66 1000	5050	.2	4.0 42	66 F	7.8	1923	84	36	282	18	0.0	542	73	323	19	1.0	.72	1134	358	
					8.2		4.19	2.96	12.27	.46		8.89	1.52	9.11	.31			1102	0	
							21	15	62	2		45	8	46	2					
Santa Ana River Below Prado Dam (51A)																				
Y11550.00 10/07/65 1550	5050	1.96 22.	7.2 84	74 F	7.9	1193	113	29	105	6.0	0.0	350	130	142	13	0.7	.40	740	401	
					7.4		5.64	2.38	4.57	.15		5.74	2.70	4.00	.21			711	114	
							44	19	36	1		45	21	32	2					
Y11550.00 11/04/65 1535	5050	2.01 28.	7.2 79	68 F	7.9	1269	115	24	120	7.0	0.0	350	140	153	14	0.8	.32	750	386	
					8.0		5.74	1.97	5.22	.18		5.74	2.91	4.31	.23			746	99	
							44	15	40	1		44	22	33	2					
Y11550.00 12/06/65 1600	5050	2.93 237.	4.2 46	68 F	7.1	1384	132	30	124	10	0.0	375	170	160	16	0.8	.37	872	453	
					8.2		6.59	2.47	5.39	.26		6.15	3.54	4.51	.26			827	146	
							45	17	37	2		43	24	31	2					
Y11550.00 12/21/65 1330	5050			7.2	1305	117	31	117	9.0	0.0	333	156	157	37	0.8	.34	810	420		
							5.84	2.55	5.09	.23		5.46	3.24	4.43	.60			788	147	
							43	19	37	2		40	24	32	4					
Y11550.00 12/29/65 1400	5050	2.59 135.		61 F	7.0	1121	96	25	105	8.0	0.0	307	122	139	10	0.7	.34	655	343	
							4.79	2.06	4.57	.20		5.03	2.54	3.92	.16			656	91	
							41	18	39	2		43	22	34	1					
Y11550.00 01/06/66 1445	5050	2.42 91.0	6.8 71	64 F	7.2	1346	127	29	121	10	0.0	358	160	157	36	0.9	.38	830	436	
					8.0		6.34	2.38	5.26	.26		5.87	3.33	4.43	.58			817	143	
							45	17	37	2		41	23	31	4					
Y11550.00 02/04/66 1330	5050	2.33 75.0	7.4 76	63 F	7.1	1290	113	27	116	9.0	0.0	324	142	153	40	0.9	.45	735	393	
					7.6		5.64	2.22	5.05	.23		5.31	2.95	4.31	.64			760	128	
							43	17	38	2		40	22	33	5					
Y11550.00 03/04/66 1230	5050	2.28 67.0	5.8 59	62 F	7.1	1309	108	27	122	10	0.0	322	132	159	25	1.1	.62	755	381	
					7.3		5.39	2.22	5.31	.26		5.28	2.75	4.48	.40			743	117	
							41	17	40	2		41	21	35	3					
Y11550.00 04/07/66 1310	5050	2.21 49.0	6.0 70	74 F	7.3	1248	105	27	114	8.0	0.0	309	142	146	32	0.9	.41	778	373	
					7.4		5.24	2.22	4.96	.20		5.07	2.95	4.12	.53			728	120	
							42	18	39	2		40	23	33	4					
Y11550.00 05/05/66 1230	5050	2.14 45.0	7.8 92	76 F	8.2	1220	111	29	114	8.0	0.0	322	146	153	26	0.9	.42	765	396	
					7.6		5.54	2.38	4.96	.20		5.28	3.04	4.31	.42			746	132	
							42	18	38	2		40	23	33	3					
Y11550.00 06/08/66 1310	5050	2.16 37.0	7.2 83	73 F	7.5	1212	107	26	110	8.0	0.0	300	132	143	32	0.9	.44	780	374	
					7.5		5.34	2.14	4.79	.20		4.92	2.75	4.03	.52			706	128	
							43	17	38	2		40	23	33	4					
Y11550.00 07/13/66 1230	5050	2.01 22.0	6.6 81	80 F	7.4	1239	105	30	120	7.0	0.0	322	140	158	29	0.8	.48	770	386	
					8.0		5.24	2.47	5.22	.18		5.28	2.91	4.46	.47			748	122	
							40	19	40	1		40	22	34	4					
Y11550.00 08/04/66 1600	5050	1.99 23.0	7.0 92	86 F	8.0	1250	114	30	114	7.0	0.0	337	146	152	35	1.0	.39	820	408	
					7.8		5.69	2.47	4.96	.18		5.53	3.04	4.29	.56			765	132	
							43	19	37	1		41	23	32	4					
Y11550.00 09/07/66 1200	5050	1.99 25.0	7.4 85	73 F	8.0	1226	107	27	116	7.0	0.0	330	139	145	23	0.9	.41	769	378	
					8.0		5.34	2.22	5.05	.18		5.41	2.89	4.09	.37			727	108	
							42	17	39	1		42	23	32	3					

TABLE 0-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLD	EC LAB	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER TDS TH				
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SiO2	SUM	NCH
Chino Creek Near Chino (86)																				
Y21210.05			3.6	70 F	7.6	635	45	13	61	11	0.0	256	36	54	7.0	1.4	.28	385	166	
10/07/65	5050	1.5	40		7.5		2.25	1.07	2.65	.28		4.20	.75	1.52	.11			354	0	
	1626						36	17	42	4		64	11	23	2					
Y21210.05			6.4	61 F	7.1	893	52	12	98	12	0.0	373	33	77	7.0	2.3	.30	480	179	
11/04/65	5050	1.5	65		8.0		2.59	.99	4.26	.31		6.12	.69	2.17	.11			476	0	
	1600						32	12	52	4		67	8	24	1					
Y21210.05				55 F	7.4	968	85	21	89	18	0.0	311	116	54	72	1.6	.35	623	299	
12/06/65	5050	.3			8.4		4.24	1.73	3.87	.46		5.10	2.41	1.52	1.16			609	44	
	1645						41	17	38	4		50	24	15	11					
Y21210.05			8.2	50 F	7.2	1202	114	27	94	26	0.0	358	148	104	56	1.3	.24	768	396	
01/06/66	5050	1.	72		7.6		5.69	2.22	4.09	.67		5.87	3.08	2.93	.90			746	102	
	1525						45	18	32	5		46	24	23	7					
Y21210.05			5.6	55 F	7.1	502	40	8.0	24	30	0.0	178	37	32	25	0.5	.21	272	133	
02/04/66	5050	.5	53		7.4		2.00	.66	1.04	.77		2.92	.77	.90	.40			284	0	
	1415						45	15	23	17		59	15	18	8					
Y21210.05			12.6	56 F	7.1	1033	49	23	106	46	0.0	256	75	96	98	0.6	.50	625	217	
03/04/66	5050	1.	120		8.3		2.45	1.89	4.61	1.18		4.20	1.56	2.71	1.58			620	7	
	1320						24	19	46	12		42	16	27	16					
Y21210.05			8.6	66 F	7.9	957	95	26	66	26	0.0	354	131	52	18	0.6	.18	617	344	
04/07/66	5050	2.	92		8.0		4.74	2.14	2.87	.67		5.81	2.72	1.47	.29			588	54	
	1335						45	21	28	6		56	26	14	3					
Y21210.05			6.8	72 F	7.5	747	52	10	78	19	0.0	178	96	69	25	0.8	.30	475	171	
05/05/66	5050	2.	77		7.5		2.59	.82	3.39	.49		2.92	2.00	1.95	.40			437	25	
	1305						36	11	47	7		40	28	27	6					
Y21210.05			5.0	72 F	7.4	821	60	20	62	34	0.0	307	56	51	25	0.8	.30	490	232	
06/08/66	5050	3.	57		7.5		2.99	1.64	2.70	.87		5.03	1.16	1.44	.40			460	0	
	1345						36	20	33	11		63	14	18	5					
Y21210.05			8.2	73 F	7.5	674	56	15	53	18	0.0	200	53	71	17	0.8	.12	405	201	
07/13/66	5050	2.	94		8.1		2.79	1.23	2.31	.46		3.28	1.10	2.00	.27			382	37	
	1435						41	18	34	7		49	17	30	4					
Y21210.05			6.2	83 F	7.3	646	47	15	56	21	0.0	232	53	51	30	0.6	.25	415	179	
08/04/66	5050	1.	79		8.0		2.35	1.23	2.44	.54		3.80	1.10	1.44	.48			388	0	
	1620						36	19	37	8		56	16	21	7					
Warm Creek Near Colton (50B)																				
Y41100.00			7.8	77 F	7.5	934	44	22	94	13	0.0	214	66	114	43	1.1	.62	660	201	
10/07/65	5050	12.	93		7.2		2.20	1.81	4.09	.33		3.51	1.37	3.21	.69			503	25	
	1110						26	21	49	4		40	16	37	8					
Y41100.00			7.8	76 F	6.9	967	68	9.0	109	13	0.0	200	68	123	72	1.0	.62	520	207	
11/04/65	5050	12.	92		7.3		3.39	.74	4.74	.33		3.28	1.41	3.47	1.16			562	43	
	1150						37	8	52	4		35	15	37	12					
Y41100.00			7.2	70 F	7.0	864	57	12	80	13	0.0	264	46	81	43	0.6	.42	465	192	
12/06/65	5050	10.	80		7.3		2.84	.99	3.48	.33		4.33	.96	2.28	.69			462	0	
	1240						37	13	46	4		52	12	28	8					
Y41100.00			10.0	54 F	7.0	596	61	10	47	7.0	0.0	167	67	51	37	0.5	.21	360	193	
01/06/66	5050	15.	93		8.0		3.04	.82	2.04	.18		2.74	1.39	1.44	.60			363	56	
	1020						50	13	34	3		44	23	23	10					
Y41100.00			10.2	57 F	7.4	482	54	7.0	29	5.0	0.0	165	35	29	29	0.7	.15	263	164	
02/04/66	5050	4.	98		7.8		2.69	.58	1.26	.13		2.71	.73	.82	.47			270	28	
	1015						58	12	27	3		57	15	17	10					
Y41100.00			9.6	55 F	7.0	549	50	13	42	6.0	0.0	181	41	46	31	0.6	.24	380	179	
03/04/66	5050	20.	88		7.4		2.50	1.07	1.83	.15		2.97	.85	1.30	.50			319	30	
	0930						45	19	33	3		53	15	23	9					
Y41100.00			8.2	64 F	7.0	661	55	14	54	7.0	0.0	189	47	63	34	0.8	.31	390	195	
04/07/66	5050	10.	86		7.3		2.74	1.15	2.35	.18		3.10	.98	1.78	.55			368	40	
	0840						43	18	37	3		48	15	28	9					

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLD	EC LAB	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER			TDS SUM	TH NCH
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SiO2		
Warm Creek Near Colton (50B), continued																				
Y41100.00			7.6	74 F	7.5	983	48	23	114	14	0.0	179	76	132	71	1.1	.68	619	215	
05/05/66	5050	10.	80		7.3		2.40	1.89	4.96	.36		2.94	1.58	3.72	1.14			567	68	
							25	20	52	4		31	17	40	12					
Y41100.00			7.6	73 F	7.5	931	52	16	104	14	0.0	222	71	106	47	0.9	.58	560	196	
06/08/66	5050	10.	87		7.3		2.59	1.32	4.52	.36		3.64	1.48	2.99	.76			520	14	
							29	15	51	4		41	17	34	9					
Y41100.00			8.2	84 F	7.1	1027	54	18	126	13	0.0	190	73	153	37	1.4	.56	590	209	
07/08/66	5050	10.	105		7.2		2.69	1.48	5.48	.33		3.12	1.52	4.31	.60			569	53	
							27	15	55	3		33	16	45	6					
Y41100.00			7.8	88 F	7.2	842	43	18	95	12	0.0	210	69	96	35	1.1	.50	505	182	
08/04/66	5050	9.	104		7.2		2.15	1.48	4.13	.31		3.44	1.44	2.71	.56			473	10	
							27	18	51	4		42	18	33	7					
Y41100.00			8.2	78 F	7.3	1027	53	21	119	13	0.0	216	80	140	59	0.8	.66	631	219	
09/07/66	5050	28.	99		7.3		2.64	1.73	5.18	.33		3.54	1.66	3.95	.95			592	42	
							27	18	52	3		35	16	39	9					
Santa Ana River at Colton (51F)																				
Y51080.00		6.19	7.0	79 F	7.3	951	49	17	98	13	0.0	268	72	95	37	1.2	.26	540	193	
10/07/65	5050	30.	85		7.4		2.45	1.40	4.26	.33		4.40	1.50	2.68	.60			514	0	
							29	17	50	4		48	16	29	7					
Y51080.00		4.43	7.4	79 F	7.0	950	50	16	98	14	0.0	254	76	89	53	1.1	.44	520	191	
11/04/65	5050	38.	90		7.5		2.50	1.32	4.26	.36		4.17	1.58	2.51	.85			522	0	
							30	16	50	4		46	17	28	9					
Y51080.00		13.00	7.2	74 F	7.2	890	57	12	83	13	0.0	269	53	81	42	0.8	.44	490	192	
12/06/65	5050	25.	83		7.3		2.84	.99	3.61	.33		4.41	1.10	2.28	.68			474	0	
							37	13	46	4		52	13	27	8					
Y51080.00			8.8	60 F	6.9	758	64	11	73	10	0.0	182	74	74	56	0.7	.41	455	205	
01/06/66	5050	17.	87		7.9		3.19	.90	3.18	.26		2.98	1.54	2.09	.90			452	56	
							42	12	42	3		40	21	28	12					
Y51080.00			9.4	60 F	7.3	624	55	10	48	7.0	0.0	199	46	52	33	0.6	.26	337	178	
02/04/66	5050	15.	94		7.6		2.74	.82	2.09	.18		3.26	.96	1.47	.53			349	15	
							47	14	36	3		52	15	24	9					
Y51080.00			8.6	60 F	6.9	672	54	14	56	9.0	0.0	181	51	63	35	0.7	.32	380	192	
03/04/66	5050	25.	81		7.5		2.69	1.15	2.44	.23		2.97	1.06	1.78	.56			372	44	
							41	18	37	4		47	17	28	9					
Y51080.00			8.2	63 F	8.0	548	58	12	37	6.0	0.0	185	43	38	26	0.6	.24	340	194	
04/07/66	5050	15.	84		7.3		2.89	.99	1.61	.15		3.03	.89	1.07	.42			311	43	
							51	18	29	3		56	16	20	8					
Y51080.00			7.0	75 F	7.3	985	48	24	112	14	0.0	185	79	135	74	1.8	.66	590	219	
05/05/66	5050	30.	82		7.3		2.40	1.97	4.87	.36		3.03	1.64	3.81	1.19			579	67	
							25	21	51	4		31	17	39	12					
Y51080.00			7.4	74 F	7.3	952	51	16	104	14	0.0	249	69	104	42	1.0	.60	560	193	
06/08/66	5050	30.	86		7.3		2.54	1.32	4.52	.36		4.08	1.44	2.93	.68			524	0	
							29	15	52	4		45	16	32	7					
Y51080.00			8.4		7.2	1022	55	17	126	13	0.0	171	75	151	60	1.1	.56	610	207	
07/08/66	5050	30.			7.3		2.74	1.40	5.48	.33		2.80	1.56	4.26	.97			582	67	
							28	14	55	3		29	16	44	10					
Y51080.00			8.0	88 F	7.2	861	47	16	98	12	0.0	207	70	102	35	1.2	.56	520	184	
08/04/66	5050	25.	107		7.4		2.35	1.32	4.26	.31		3.39	1.46	2.88	.56			483	14	
							29	16	52	4		41	18	35	7					
Y51080.00			7.6	78 F	7.3	1014	57	18	117	14	0.0	189	80	138	70	0.8	.60	625	216	
09/07/66	5050	45.	91		7.6		2.84	1.48	5.09	.36		3.10	1.66	3.89	1.13			588	61	
							29	15	52	4		32	17	40	12					
Santa Ana River Number One Tailrace Near Mentone (51B)																				
Y51978.00			9.0	60 F	7.4	232	24	7.0	15	2.0	0.0	120	15	6.0	2.0	0.5	.04	150	89	
10/06/65	5050	15.	90		7.5		1.20	.58	.65	.05		1.97	.31	.17	.03			130	0	
							48	23	26	2		79	13	7	1					

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLO	EC LAB	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SI02	TDS SUM	TH NCH
Santa Ana River Number One Tailrace Near Mentone (51B), continued																				
Y51978.00 11/04/65 1030	5050	11.	9.2 86	54 F	8.0 7.7	252	25 1.25 49	6.0 .49 19	18 .78 30	2.0 .05 2	0.0	124 2.03 76	21 .44 17	6.0 .17 6	1.0 .02 1	0.5	.04	130 140	87 0	
Y51978.00 12/06/65 1100	5050	200.	9.6 88	53 F	8.0 7.8	241	27 1.35 54	4.0 .33 13	17 .74 30	3.0 .08 3	0.0	118 1.94 77	20 .42 17	5.0 .14 6	1.0 .02 1	0.5	.05	155 135	84 0	
Y51978.00 01/05/66 1525	5050	150.	10.0 89	51 F	7.7 7.8	222	22 1.10 49	5.0 .41 18	16 .70 31	2.0 .05 2	0.0	111 1.82 80	14 .29 13	5.0 .14 6	1.0 .02 1	0.5	.04	150 120	76 0	
Y51978.00 02/04/66 0900	5050	20.	11.6 100	49 F	8.0 8.0	302	30 1.50 49	5.0 .41 13	25 1.09 36	2.0 .05 2	0.0	137 2.25 73	30 .62 20	6.0 .17 6	2.0 .03 1	0.8	.05	173 168	96 0	
Y51978.00 03/03/66 1600	5050	40.	8.8 83	60 F	7.9 7.8	338	31 1.55 44	6.0 .49 14	32 1.39 40	3.0 .08 2	0.0	144 2.36 69	39 .81 24	7.0 .20 6	2.0 .03 1	0.9	.08	190 192	102 0	
Y51978.00 04/07/66 0730	5050	5.	9.2 87	57 F	7.8 7.3	405	33 1.65 40	7.0 .58 14	42 1.83 44	3.0 .08 2	0.0	144 2.36 58	68 1.41 35	8.0 .23 6	3.2 .05 1	1.4	.06	260 236	112 0	
Y51978.00 05/05/66 0740	5050	5.	9.6 96	63 F	7.8 8.2	419	35 1.75 41	6.0 .49 11	45 1.96 46	3.0 .08 2	0.0	146 2.39 58	76 1.58 38	5.0 .14 3	2.7 .04 1	1.3	.10	250 246	112 0	
Y51978.00 06/08/66 0810	5050	3.	8.8 92	64 F	8.1 7.7	435	34 1.70 39	7.0 .58 13	46 2.00 46	3.0 .08 2	0.0	144 2.36 56	80 1.66 39	6.0 .17 4	1.0 .02	1.5	.10	260 249	114 0	
Y51978.00 07/08/66 0800	5050	2.	9.2 99	67 F	7.8 7.9	459	38 1.90 41	6.0 .49 11	50 2.18 47	3.0 .08 2	0.0	142 2.33 50	96 2.00 43	11 .31 7	1.5 .02	1.5	.10	280 277	120 3	
Y51978.00 08/03/66 1645	5050	150.	10.2 116	72 F	7.7 7.8	200	22 1.10 55	4.0 .33 17	12 .52 26	2.0 .05 3	0.0	103 1.69 83	11 .23 11	4.0 .11 5	0.0	0.4	.01	103 106	72 0	
Y51978.00 09/06/66 1315	5050		9.0 89	60 F	7.6 7.9	220	24 1.20 53	5.0 .41 18	14 .61 27	2.0 .05 2	0.0	117 1.92 84	12 .25 11	4.0 .11 5	0.0	0.4	.04	130 119	81 0	
Santa Ana River Near Norco (51E)																				
Y61225.00 10/07/65 1510	5050	20.	3.6 43	76 F	7.6 7.5	1477	113 5.64 36	29 2.38 15	165 7.18 46	10 .26 2	0.0	368 6.04 39	171 3.56 23	198 5.58 36	20 .32 2	1.4	.80	920 889	401 99	
Y61225.00 11/04/65 1500	5050	20.	4.4 49	69 F	7.6 7.6	1295	106 5.29 40	26 2.14 16	130 5.66 43	8.0 .20 2	0.0	345 5.66 43	140 2.91 22	155 4.37 33	16 .26 2	1.1	.42	770 752	372 89	
Y61225.00 12/06/65 1525	5050	150.	4.4 47	66 F	7.1 7.4	1340	118 5.89 43	26 2.14 16	126 5.48 40	8.0 .20 1	0.0	320 5.25 39	153 3.18 23	164 4.62 34	35 .56 4	0.9	.46	830 788	402 139	
Y61225.00 01/06/66 1330	5050	80.	6.6 66	61 F	7.0 7.6	1346	114 5.69 41	27 2.22 16	132 5.74 41	10 .26 2	0.0	315 5.17 37	149 3.10 22	169 4.77 34	53 .85 6	0.9	.43	815 810	396 137	
Y61225.00 02/04/66 1250	5050	30.	6.2 65	64 F	7.2 7.6	1311	106 5.29 41	27 2.22 17	123 5.35 41	8.0 .20 2	0.0	312 5.12 39	132 2.75 21	160 4.51 34	48 .77 6	1.2	.58	770 759	376 120	
Y61225.00 03/04/66 1155	5050	60.	5.8 59	62 F	7.5 7.6	1245	98 4.89 39	24 1.97 16	128 5.57 44	9.0 .23 2	0.0	285 4.67 37	128 2.66 21	160 4.51 36	50 .81 6	1.4	.60	755 739	343 110	
Y61225.00 04/07/66 1100	5050	35.	5.4 58	66 F	8.2 7.3	1227	100 4.99 40	25 2.06 16	120 5.22 42	9.0 .23 2	0.0	283 4.64 37	133 2.77 22	152 4.29 35	45 .72 6	1.0	.52	780 724	353 121	
Y61225.00 05/05/66 1100	5050	25.	6.6 76	75 F	7.8 7.6	1239	102 5.09 40	26 2.14 17	122 5.31 42	8.0 .20 2	0.0	299 4.90 38	132 2.75 22	157 4.43 35	42 .68 5	0.9	.48	808 737	362 117	

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLD	EC LAB	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER			TDS SUM	TH NCH
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SiO2		
Santa Ana River Near Norco (51E), continued																				
Y61225.00 06/08/66 1145	5050	30.	67	73 F	7.3 7.5	1183	96 4.79 40	23 1.89 16	116 5.05 42	9.0 .23 2	0.0	273 4.48 38	118 2.45 21	143 4.03 35	45 .72 6	1.0	.48	755 685	334 110	
Y61225.00 07/08/66 1230	5050	25.	86	80 F	7.4 7.3	1239	93 4.64 38	27 2.22 18	120 5.22 42	9.0 .23 2	0.0	294 4.82 39	122 2.54 20	159 4.48 36	40 .64 5	1.1	.52	760 716	343 102	
Y61225.00 08/04/66 1530	5050	23.	101	90 F	7.7 7.4	1212	104 5.19 41	26 2.14 17	120 5.22 41	7.0 .18 1	0.0	327 5.36 42	128 2.66 21	148 4.17 32	41 .66 5	1.0	.50	790 736	367 99	
Y61225.00 09/07/66 1110	5050	18.	23	75 F	7.5 7.8	1224	92 4.59 37	27 2.22 18	126 5.48 44	8.0 .20 2	0.0	311 5.10 41	119 2.48 20	150 4.23 34	35 .56 5	1.1	.50	749 711	341 86	
Santa Ana River Near Arlington (51)																				
Y61400.00 10/07/65 1310	5050	1.60 18.	8.2 98	77 F	7.9 7.6	1057	115 5.74 51	27 2.22 20	75 3.26 29	5.0 .13 1	0.0	329 5.40 48	124 2.58 23	104 2.93 26	23 .37 3	0.6	.14	670 635	398 128	
Y61400.00 11/04/65 1410	5050	1.60 18.0	8.4 92	68 F	7.9 8.0	1066	116 5.79 51	25 2.06 18	78 3.39 30	5.0 .13 1	0.0	325 5.33 47	125 2.60 23	104 2.93 26	29 .47 4	0.6	.14	640 642	393 126	
Y61400.00 12/06/65 1440	5050	3.21 23.0	7.0 77	69 F	7.9 7.8	1307	139 6.94 49	30 2.47 18	102 4.44 32	7.0 .18 1	0.0	370 6.07 44	143 2.97 22	152 4.29 31	26 .42 3	0.7	.13	832 781	471 167	
Y61400.00 01/06/66 1215	5050	3.38 63.0	7.6 79	64 F	7.3 8.0	1286	132 6.59 48	29 2.38 17	103 4.48 33	8.0 .20 1	0.0	361 5.92 43	138 2.87 21	147 4.15 30	43 .69 5	0.9	.20	805 778	449 153	
Y61400.00 02/04/66 1145	5050	3.52 41.0	9.0 94	64 F	8.0 8.0	1264	130 6.49 49	29 2.38 18	97 4.22 32	6.0 .15 1	0.0	367 6.02 45	131 2.72 20	143 4.03 30	42 .68 5	0.8	.16	757 759	444 143	
Y61400.00 03/04/66 1120	5050	3.65 21.0	10.0 95	57 F	8.1 8.0	1229	125 6.24 49	28 2.30 18	93 4.05 32	6.0 .15 1	0.0	358 5.87 45	125 2.60 20	137 3.86 30	37 .60 5	0.8	.20	737 727	427 134	
Y61400.00 04/07/66 1015	5050	3.72 22.0	8.2 84	64 F	8.2 7.4	1151	122 6.09 49	27 2.22 18	90 3.92 32	5.0 .13 1	0.0	354 5.81 47	120 2.50 20	129 3.64 29	26 .42 3	0.8	.18	750 693	416 125	
Y61400.00 05/05/66 1015	5050	3.68 20.0	8.6 93	68 F	8.0 7.5	1119	117 5.84 49	27 2.22 19	83 3.61 31	6.0 .15 1	0.0	344 5.64 48	114 2.37 20	118 3.33 28	24 .39 3	0.7	.16	680 658	403 121	
Y61400.00 06/08/66 1120	5050	3.43 18.0	9.2 103	70 F	8.3 7.7	1112	115 5.74 49	26 2.14 18	86 3.74 32	5.0 .13 1	2.0	329 5.40 47	110 2.29 20	120 3.38 29	28 .45 4	0.7	.14	720 654	394 121	
Y61400.00 07/08/66 1130	5050	3.27 11.0	10.2 126	80 F	8.1 8.1	1052	105 5.24 47	25 2.06 18	88 3.83 34	5.0 .13 1	0.0	309 5.07 46	106 2.20 20	117 3.30 30	25 .41 4	0.7	.15	675 624	365 112	
Y61400.00 08/04/66 1450	5050	3.17 14.0	9.4 127	89 F	8.0 8.0	1037	104 5.19 47	25 2.06 19	84 3.65 33	5.0 .13 1	0.0	317 5.20 48	103 2.14 20	111 3.13 29	26 .42 4	0.7	.15	690 614	363 103	
Y61400.00 09/07/66 0945	5050	3.20 22.0	9.6 105	68 F	8.2 8.0	1091	113 5.64 48	26 2.14 18	86 3.74 32	5.0 .13 1	0.0	344 5.64 49	106 2.20 19	116 3.27 28	29 .47 4	0.8	.16	704 651	389 107	
San Timoteo Creek at Waterman Avenue Near San Bernardino (51G)																				
Y71145.00 10/07/65 0910	5050	1.79 2.4	8.2 89	67 F	7.4 7.6	685	48 2.40 34	15 1.23 18	73 3.18 45	7.0 .18 3	0.0	221 3.62 51	76 1.58 22	48 1.35 19	33 .53 7	1.3	.19	530 410	182 1	
Y71145.00 11/04/65 0900	5050	1.70 1.4	9.6 105	68 F	7.1 8.1	804	48 2.40 29	19 1.56 19	90 3.92 48	11 .28 3	0.0	256 4.20 53	72 1.50 19	63 1.78 22	30 .48 6	1.0	.28	480 460	198 0	

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLD	EC LAB	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER TDS SUM					TH NCH
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SI02	TDS SUM		
San Timoteo Creek at Waterman Avenue Near San Bernardino (51G), continued																					
Y71145.00 12/06/65 1210	5050	2.5	7.0 81	73 F	6.7 7.6	761	33 1.65 22	12 .99 13	107 4.65 62	8.0 .20 3	0.0	153 2.51 35	100 2.08 29	62 1.75 24	58 .93 13	1.4	.40	458 457	132 7		
Y71145.00 01/06/66 0950	5050	1.5	9.6 95	59 F	7.2 8.0	978	52 2.59 27	20 1.64 17	116 5.05 53	11 .28 3	0.0	340 5.58 56	92 1.91 19	77 2.17 22	24 .39 4	1.2	.41	565 560	212 0		
Y71145.00 02/04/66 0945	5050	.23 1.	9.4 97	63 F	7.3 8.0	1043	47 2.35 24	19 1.56 16	127 5.52 57	12 .31 3	0.0	342 5.61 54	80 1.66 16	101 2.85 27	20 .32 3	1.3	.38	570 575	196 0		
Y71145.00 04/07/66 0805	5050	1.	8.6 83	57 F	7.4 7.7	324	35 1.75 52	6.0 .49 15	24 1.04 31	3.0 .08 2	0.0	153 2.51 75	25 .52 15	10 .28 8	3.0 .05 1	0.6	.05	190 182	112 0		
Y71145.00 05/05/66 0830	5050	.5	7.0 74	65 F	7.8 8.0	662	64 3.19 45	18 1.48 21	52 2.26 32	6.0 .15 2	0.0	250 4.10 59	71 1.48 21	31 .87 13	29 .47 7	0.9	.18	430 395	234 29		
Y71145.00 06/08/66 0910	5050	1.5	8.8 95	67 F	8.3 8.1	361	33 1.65 44	7.0 .58 16	32 1.39 37	4.0 .10 3	2.0	149 2.44 68	29 .60 17	13 .37 10	6.0 .10 3	0.8	.06	200 200	112 0		
Y71145.00 07/08/66 0845	5050	3.	8.8 102	74 F	8.1 8.3	573	50 2.50 42	15 1.23 20	50 2.18 36	4.0 .10 2	0.0	215 3.53 59	62 1.29 21	31 .87 14	20 .32 5	1.0	.11	340 338	187 10		
Y71145.00 08/04/66 1200	5050	1.	9.0 125	91 F	9.3 7.8	634	24 1.20 18	13 1.07 16	92 4.00 61	10 .26 4	24 .80 12	137 2.25 35	76 1.58 24	61 1.72 27	7.4 .12 2	1.0	.16	370 376	114 0		
Y71145.00 09/06/66 1400	5050	.5	11.2 144	84 F	9.0 8.4	501	49 2.45 47	13 1.07 21	36 1.57 30	3.0 .08 2	17 .57 11	113 1.85 36	87 1.81 35	23 .65 13	16 .27 5	0.8	.15	330 301	176 55		
Lake Elsinore at State Park (89)																					
Y82200.00 11/10/65 1500	5050		12.0 131	68 F	8.2 8.5	7102	59 2.94 4	66 5.43 7	1526 66.38 88	40 1.02 1	0.0	547 8.97 12	1213 25.23 33	1454 41.00 54	20 .32	1.6	3.30	4710 4651	419 0		
Y82200.00 01/13/66 1535	5050		10.6 96	53 F	8.5 8.4	5612	47 2.35 4	51 4.19 7	1164 50.63 87	29 .74 1	8.0	424 6.95 12	889 18.49 32	1109 31.27 55	16 .26	1.3	2.50	3602 3525	327 0		
Y82200.00 03/10/66 1445	5050		11.6 126	68 F	8.5	3828	60 2.99 8	42 3.45 9	716 31.15 82	19 .49 1	4.0	323 5.30 14	632 13.15 34	694 19.57 51	16 .26 1	1.5	1.50	2370 2344	322 51		
Y82200.00 05/19/66 1200	5050		9.2 104	71 F	7.6 8.4	3747	43 2.15 6	42 3.45 9	708 30.80 83	19 .49 1	0.0	285 4.67 13	646 13.44 36	677 19.09 51	7.4 .12	1.1	1.44	2330 2285	280 47		
Y82200.00 07/20/66 1415	5050		7.4 96	85 F	8.0 8.4	4484	53 2.64 6	44 3.62 8	900 39.15 85	25 .64 1	0.0	371 6.08 13	767 15.95 35	840 23.69 52	10 .16	1.3	1.70	2800 2824	313 9		
Y82200.00 09/14/66 1755	5050		5.6 64	73 F	8.4 8.4	5089	60 2.99 6	49 4.03 8	1040 45.24 85	27 .69 1	11 .37 1	441 7.23 14	826 17.18 33	975 27.50 52	8.7 .14	1.4	2.20	3270 3216	351 0		
Ventura River Near Ventura (61)																					
Z11100.00 10/05/65 0910	5050	5.34	9.2 89	57 F	7.9 7.3	1292	146 7.29 49	41 3.37 23	95 4.13 28	3.0 .08 1	0.0	337 5.53 37	311 6.47 44	98 2.76 19	3.0 .05	0.8	.72	900 864	533 257		
Z11100.00 12/02/65 1215	5050	6.85 52.0	8.4 86	62 F	7.9 8.1	1203	149 7.44 55	35 2.88 21	70 3.05 23	4.0 .10 1	0.0	300 4.92 37	298 6.20 46	72 2.03 15	17 .27 2	0.7	.46	810 793	516 270		
Z11100.00 01/03/66 1015	5050	8.11 54.5	10.8 96	51 F	7.9 7.9	1280	149 7.44 52	41 3.37 23	80 3.48 24	4.0 .10 1	0.0	307 5.03 35	329 6.84 47	79 2.23 15	22 .35 2	0.7	.50	890 856	541 289		
Z11100.00 02/01/66 1035	5050	7.82 30.0	12.8 120	55 F	8.0 8.1	1209	141 7.04 52	43 3.53 26	68 2.96 22	3.0 .08 1	0.0	305 5.00 37	306 6.36 47	63 1.78 13	23 .37 3	0.8	.52	830 798	529 279		

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLD	EC LAB	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER TDS SUM					
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SI02	TDS SUM	TH NCH	
Santa Paula Creek Near Santa Paula (46E)																					
Z21300.00		.39	12.6	64 F	7.7	1404	100	42	158	3.0	0.0	350	309	112	2.0	0.7	.76		920	422	
10/05/65	5050	.8	132		7.7		4.99 32	3.45 22	6.87 45	.08 1		5.74 37	6.43 42	3.16 21	.03				899	135	
Z21300.00		1.33	11.8	60 F	8.0	1359	79	43	158	3.0	0.0	327	292	105	4.0	0.6	.80		880	374	
11/02/65	5050	.4	111		8.1		3.94 27	3.53 24	6.87 48	.08 1		5.36 37	6.07 42	2.96 20	.06				846	106	
Z21300.00		2.36	9.4	58 F	8.0	737	94	22	35	2.0	0.0	201	201	20	3.0	0.5	.12		485	325	
12/02/65	5050	67.0	92		7.8		4.69 58	1.81 22	1.52 19	.05 1		3.30 41	4.18 52	.56 7	.05 1				476	160	
Z21300.00		2.62	10.4	52 F	7.9	643	80	20	28	2.0	0.0	177	173	13	2.0	0.4	.08		420	282	
01/04/66	5050	146.	94		8.0		3.99 58	1.64 24	1.22 18	.05 1		2.90 42	3.60 52	.37 5	.03				405	137	
Z21300.00		2.23	11.6	52 F	8.1	803	100	27	37	1.0	0.0	223	217	22	2.0	0.6	.16		625	361	
02/02/66	5050	51.0	105		8.2		4.99 56	2.22 25	1.61 18	.03		3.66 41	4.51 51	.62 7	.03				516	178	
Z21300.00		2.49	10.2	55 F	8.1	781	96	25	39	1.0	0.0	219	207	21	1.0	0.5	.15		524	343	
03/02/66	5050	30.0			8.2		4.79 56	2.06 24	1.70 20	.03		3.59 42	4.31 51	.59 7	.02				498	163	
Z21300.00		2.39			8.1	814	93	24	42	0.0	0.0	239	197	23	0.0	0.3	.12		618	331	
03/18/66	5867	15.0					4.64 55	1.97 23	1.83 22			3.92 45	4.10 47	.65 7					497	135	
Z21300.00		2.29	9.4	70 F	8.0	821	95	27	46	2.0	0.0	220	222	27	3.2	0.6	.18		560	348	
04/05/66	5050	8.0	105		8.4		4.74 53	2.22 25	2.00 22	.05 1		3.61 40	4.62 51	.76 8	.05 1				531	168	
Z21300.00		2.24	9.8	63 F	8.1	869	94	27	55	2.0	0.0	231	220	34	0.0	0.6	.24		616	346	
05/03/66	5050	9.4	100		8.1		4.69 50	2.22 24	2.39 26	.05 1		3.79 41	4.58 49	.96 10					546	156	
Z21300.00		2.21	9.8	63 F	8.0	876	98	28	57	2.0	0.0	239	228	32	0.3	0.6	.26		610	360	
06/02/66	5050	7.6	101		7.5		4.89 50	2.30 24	2.48 26	.05 1		3.92 41	4.74 50	.90 9					563	164	
Z21300.00		2.22			8.1	909	85	27	67	0.0	0.0	229	223	40	0.0	0.4	.29		671	323	
06/13/66	5867	5.0					4.24 45	2.22 24	2.91 31			3.76 39	4.64 49	1.13 12					555	135	
Z21300.00		2.18	10.4	68 F	8.4	973	107	29	74	2.0	10	259	242	43	0.3	0.6	.42		675	386	
07/06/66	5050	1.8	114		7.7		5.34 49	2.38 22	3.22 29	.05	.33 3	4.25 39	5.03 46	1.21 11					635	157	
Z21300.00		2.16	10.2	74 F	7.9	1015	100	31	79	2.0	0.0	266	249	54	0.5	0.8	.40		700	377	
08/02/66	5050	2.4	119		7.8		4.99 45	2.55 23	3.44 31	.05		4.36 39	5.18 47	1.52 14	.01				647	159	
Z21300.00		2.18	12.4	75 F	8.1	1018	88	32	90	2.0	0.0	234	254	61	0.5	0.6	.46		704	351	
09/05/66	5050	2.4	145		8.2		4.39 40	2.63 24	3.92 36	.05		3.84 35	5.28 49	1.72 16	.01				643	159	
Santa Clara River Near Santa Paula (46A)																					
Z21360.10			9.4	65 F	7.7	2353	245	104	205	8.0	0.0	337	1049	84	3.0	1.4	1.20		2000	1040	
10/05/65	5050	10.	99		7.7		12.23 41	8.55 29	8.92 30	.20 1		5.53 19	21.82 73	2.37 8	.05				1866	763	
Z21360.10			11.4	66 F	8.1	2049	205	93	160	7.0	0.0	336	831	79	8.0	1.2	.95		1640	894	
11/02/65	5050	10.	122		8.1		10.23 41	7.64 31	6.96 28	.18 1		5.51 22	17.28 69	2.23 9	.13 1				1550	618	
Z21360.10			9.0	62 F	8.1	1110	122	40	66	3.0	0.0	249	357	28	3.0	0.9	.52		730	469	
12/02/65	5050	1500.	92		8.1		6.09 49	3.29 27	2.87 23	.08 1		4.08 33	7.43 60	.79 6	.05				742	265	
Z21360.10			10.4	54 F	8.0	1019	120	36	58	3.0	0.0	236	323	24	3.0	0.8	1.05		727	448	
01/04/66	5050	800.	96		8.3		5.99 52	2.96 26	2.52 22	.08 1		3.87 34	6.72 59	.68 6	.05				684	254	

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLD	EC LAB	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER TDS SUM					TH NCH
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SI02	TDS SUM		
Santa Clara River Near Santa Paula (46A), continued																					
Z21360.10 02/02/66 1100	5050	250.	101	11.0 53 F	7.9 8.0	1189	134 6.69 49	45 3.70 27	72 3.13 23	3.0 .08 1	0.0	264 4.33 32	395 8.22 60	34 .96 7	5.0 .08 1	1.2	.72	850 819	520 303		
Z21360.10 03/02/66 1215	5050	80.	101	10.2 59 F	8.1 8.2	1432	155 7.73 47	53 4.36 26	100 4.35 26	4.0 .10 1	0.0	265 4.35 27	505 10.50 64	47 1.33 8	6.0 .10 1	1.2	.76	1076 1002	605 387		
Z21360.10 04/05/66 1340	5050	60.	154	13.2 75 F	7.7 8.3	1887	183 9.13 41	77 6.33 28	157 6.83 30	6.0 .15 1	0.0	249 4.08 18	780 16.22 72	73 2.06 9	11 .18 1	1.2	1.00	1500 1411	774 569		
Z21360.10 05/03/66 0840	5050	50.	95	9.0 65 F	7.8 7.9	1684	173 8.63 45	64 5.26 27	120 5.22 27	6.0 .15 1	0.0	275 4.51 23	626 13.02 67	59 1.66 9	7.4 .12 1	1.2	.88	1310 1192	695 469		
Z21360.10 06/02/66 0925	5050	70.	116	10.6 68 F	8.0 7.5	1876	197 9.83 44	77 6.33 28	143 6.22 28	6.0 .15 1	0.0	293 4.81 22	746 15.52 70	65 1.83 8	10 .16 1	1.3	.96	1510 1390	809 568		
Z21360.10 08/02/66 1120	5050	60.	96	8.8 68 F	7.9 8.0	2422	252 12.57 42	101 8.30 28	208 9.05 30	8.0 .20 1	0.0	347 5.69 19	1023 21.28 72	88 2.48 8	15 .24 1	1.6	1.10	1843 1868	1044 760		
Z21360.10 09/05/66 1220	5050	30.	135	12.4 68 F	7.9 8.2	1858	185 9.23 41	78 6.41 29	151 6.57 29	6.0 .15 1	0.0	278 4.56 21	738 15.35 70	68 1.92 9	6.0 .10	1.2	.96	1516 1370	783 554		
Sespe Creek Near Fillmore (46D)																					
Z22150.00 10/05/65 1500	5050	2.38 .2	11.8 140	76 F	7.9 7.5	1294	122 6.09 42	38 3.12 21	120 5.22 36	4.0 .10 1	0.0	146 2.39 16	432 8.99 61	112 3.16 22	7.0 .11 1	1.5	1.80	950 910	461 341		
Z22150.00 11/02/65 1430	5050	2.38 .1	12.2 136	70 F	8.1 8.3	1410	128 6.39 43	35 2.88 19	127 5.52 37	4.0 .10 1	0.0	162 2.66 18	414 8.61 58	124 3.50 24	1.0 .02	1.3	2.05	960 916	464 331		
Z22150.00 12/02/65 1540	5050	1000.	91	9.8 54 F	8.0 8.1	1010	135 6.74 59	31 2.55 23	45 1.96 17	3.0 .08 1	0.0	233 3.82 34	332 6.91 62	16 .45 4	2.0 .03	11	.35	690 690	465 274		
Z22150.00 01/04/66 1535	5050	4.87 526.	11.2 96	48 F	8.1 8.5	951	137 6.84 62	29 2.38 22	38 1.65 15	3.0 .08 1	0.0	231 3.79 35	326 6.78 62	12 .34 3	2.0 .03	1.2	.28	700 662	461 272		
Z22150.00 02/02/66 1150	5050	4.16 165.	12.4 107	49 F	7.9 8.2	951	119 5.94 55	34 2.79 26	47 2.04 19	2.0 .05	0.0	223 3.66 34	309 6.43 60	21 .59 6	0.0	1.2	.52	660 643	437 254		
Z22150.00 03/02/66 1340	5050	4.04 91.	10.2 94	54 F	8.3 8.3	977	121 6.04 55	32 2.63 24	53 2.31 21	2.0 .05	0.0	230 3.77 35	314 6.53 60	20 .56 5	0.0	1.2	.51	692 656	434 245		
Z22150.00 03/18/66 0945	5867	3.89 65.			8.2	926	100 4.99 50	30 2.47 25	56 2.44 25	0.0	0.0	232 3.80 38	262 5.45 54	27 .76 8	0.0	0.9	.70	707 590	373 183		
Z22150.00 04/05/66 1420	5050	3.49 18.	8.8 94	66 F	7.9 8.3	923	103 5.14 50	30 2.47 24	60 2.61 25	3.0 .08 1	0.0	190 3.12 30	303 6.30 61	28 .79 8	3.6 .06 1	1.2	.76	650 626	381 225		
Z22150.00 05/03/66 0920	5050	9.6 22.	68 F	8.0 8.2	998	109 5.44 49	32 2.63 24	67 2.91 26	3.0 .08 1	0.0	0.0	190 3.12 28	333 6.93 63	33 .93 8	0.	1.4	1.04	665 673	404 248		
Z22150.00 06/02/66 1105	5050	11.6 15.	70 F	7.8 7.9	988	101 5.04 48	29 2.38 22	71 3.09 29	3.0 .08 1	0.0	0.0	170 2.79 26	315 6.55 62	45 1.27 12	0.2	1.4	1.14	693 650	371 232		
Z22150.00 06/13/66 1110	5867	3.09 10.			7.9	1028	94 4.69 43	29 2.38 22	86 3.74 35	0.0	0.0	175 2.87 26	315 6.55 60	51 1.44 13	0.0	1.3	1.27	750 663	354 210		
Z22150.00 07/06/66 1030	5050	12.4 .6	81 F	7.8 7.5	1558	201 10.03 55	47 3.86 21	100 4.35 24	5.0 .13 1	0.0	0.0	203 3.33 18	658 13.69 74	49 1.38 8	0.3	1.5	1.00	1215 1162	695 528		

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLO	EC LAB	MINERAL CONSTITUENTS IN							MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER TDS TH				
							CA	MG	NA	K	CO3	MC03	SO4	CL	NO3	F	B	5102	SUM	TH	NCM		
Santa Clara River at Los Angeles-Ventura County Line (46), continued																							
Z31135.00 01/04/66 1700	5050	130.	85	9.2 54 F	7.8	1530	141	56	131	6.0	0.0	284	501	69	5.0	1.2	.55	1120	582				
							7.04 40	4.60 26	5.70 33	.15 1		4.66 27	10.42 61	1.95 11	.08			1050	349				
Z31135.00 02/02/66 1340	5050	100.	86	9.2 55 F	7.9	1818	172	70	155	6.0	0.0	332	633	82	10	1.4	.64	1370	717				
							8.58 40	5.75 27	6.74 32	.15 1		5.44 26	13.17 62	2.31 11	.16 1			1293	445				
Z31135.00 03/02/66 1510	5050	40.	87	8.6 67 F	8.0	1894	184	72	158	6.0	0.0	346	655	81	11	1.3	.68	1455	756				
							9.18 42	5.92 27	6.87 31	.15 1		5.67 26	13.62 63	2.28 10	.18 1			1339	472				
Z31135.00 03/18/66 1000	5867	3.68 22.			8.0	2068	198	76	210	0.0	0.0	381	792	92	0.0	0.8	.72	1749	807				
							9.88 39	6.25 25	9.14 36			6.25 25	16.47 65	2.59 10				1556	494				
Z31135.00 04/05/66 1535	5050	5.	85	7.4 73 F	8.1	2387	229	92	220	7.0	0.0	359	937	112	13	0.7	.84	1930	950				
							11.43 40	7.56 26	9.57 33	.18 1		5.89 20	19.49 68	3.16 11	.21 1			1787	656				
Z31135.00 05/03/66 1055	5050	3.	86	6.6 85 F	7.9	2494	224	99	245	6.0	0.0	351	999	120	11	1.1	1.00	1990	967				
							11.18 37	8.14 27	10.66 35	.15		5.76 19	20.78 69	3.38 11	.18 1			1878	679				
Z31135.00 06/02/66 1255	5050	3.	96	7.4 85 F	7.8	2625	225	109	276	7.0	0.0	359	1086	139	5.0	1.5	1.00	2135	1010				
							11.23 35	8.96 28	12.01 37	.18 1		5.89 18	22.59 70	3.92 12	.08			2025	716				
Z31135.00 06/13/66 1215	5867	13.52 2.			7.4	3170	239	127	380	0.0	0.0	350	1325	200	0.0	1.2	1.18	2621	1119				
							11.93 31	10.44 27	16.53 42			5.74 15	27.56 71	5.64 14				2445	832				
Z31135.00 07/06/66 1215	5050	2.	95	6.8 92 F	7.8	3520	273	144	436	9.0	0.0	392	1525	200	7.5	2.0	1.24	2957	1274				
							13.62 30	11.84 27	18.97 42	.23 1		6.43 15	31.72 72	5.64 13	.12			2790	952				
Z31135.00 08/02/66 1305	5050	3.73 1.5	96	7.0 90 F	7.8	3441	261	144	422	8.0	0.0	376	1499	196	3.5	2.0	1.30	2890	1244				
							13.02 30	11.84 27	18.36 42	.20		6.17 14	31.18 73	5.53 13	.06			2721	935				
Z31135.00 09/05/66 1440	5050	1.0	105	7.2 84 F	7.7	3549	249	152	448	7.0	0.0	361	1542	212	1.1	2.2	1.34	3010	1247				
							12.43 28	12.49 28	19.49 44	.18		5.92 13	32.07 73	5.98 14	.02			2792	951				
Los Angeles River at Pacific Coast Highway (48)																							
Z61100.00 10/06/65 1200	5239	.48 10.0		86 F	7.5		359	125	6640		0.0	392	190	10555	0.0			17840	1411				
							17.91	10.28	288.84			6.43	3.95	297.65					1089				
Z61100.00 11/03/65 1230	5239	.54 11.5		93 F	7.4		552	238	9800		0.0	551	29	14300	0.0			29118	2357				
							27.54	19.56	426.30			9.04	.60	403.26					1905				
Z61100.00 12/01/65 1100	5239	1.40 126.	77	8.5 55 F	8.0		91	100	360		0.0	163	166	727	14			1735	639				
							4.54	8.22	15.66			2.67	3.45	20.50	.24				505				
Z61100.00 01/05/66 1045	5239	1100.	91	10.3 50 F	--		62	22	380		0.0	146	63	625	8.9			1380	245				
							3.09	1.81	16.53			2.39	1.31	17.63	.14				126				
Z61100.00 02/02/66 1100	5239		85	9.0 55 F	--		74	29	500		0.0	104	89	744	9.7			1444	304				
							3.69	2.38	21.75			1.71	1.85	20.98	.16				218				
Z61100.00 03/02/66 1100	5239	.90 36.0	43	4.4 59 F	8.2		197	175	2850		0.0	255	348	4634	0.4			8423	1212				
							9.83	14.39	123.98			4.18	7.24	130.68	.01				1003				
Z61100.00 04/06/66 1000	5050	.72 18.2	12	1.1 68 F	7.5		234	400	4150			184	1000	7060	0.0			14090	2230				
							11.68	32.88	180.53			3.02	20.80	199.09					2079				
Z61100.00 05/03/66 1540	5050	.68 15.5	87	6.8 84 F	7.9	1673	99	50	185	10	0.0	289	328	203	4.3	0.8	.80	1072	453				
							4.94 28	4.11 24	8.05 46	.26 1		4.74 27	6.82 39	5.72 33	.07			1023	216				

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLD	EC LAB	MILLIGRAMS PER LITER MINERAL CONSTITUENTS IN MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE										MILLIGRAMS PER LITER			
							CA	MG	NA	K	CO3	HC03	SO4	CL	NO3	F	B	SI02	TDS SUM	TH NCH
Los Angeles River at Pacific Coast Highway (48), continued																				
Z61100.00 06/01/66 1100	5239	.62 15.3		68 F	7.3		199 9.93	225 18.50	3500 152.25		0.0	221 3.62	534 11.11	5502 155.16	0.4 .01				9699 1241	1423 1241
Z61100.00 07/06/66 1100	5239	18.9		79 F	7.5		231 11.53	225 18.50	3900 169.65		0.0	262 4.30	579 12.04	7770 219.11	4.3 .07				12448 1288	1503 1288
Z61100.00 08/03/66 1000	5239	.64 18.2		77 F	7.1		240 11.98	380 31.24	4500 195.75		0.0	279 4.58	861 17.91	7887 222.41	0.9 .01				14662 1934	2163 1934
Z61100.00 09/07/66 1500	5239	.46 6.0		87 F	8.7 8.5	1370	86 4.29 30	34 2.79 19	165 7.18 50	9.0 .23 2	24 .80 6	176 2.89 20	316 6.57 45	150 4.23 29	3.2 .05	0.8	.44		900 875	354 170
Los Angeles River at Figueroa Street (47)																				
Z61300.00 10/06/65 0945	5091	.03 .2	3.7 40	68 F	8.2		114 5.69	43 3.53	352 15.31		0.0	361 5.92	395 8.22	333 9.39	0.0				1570 165	461 165
Z61300.00 11/03/65 1100	5091	.06 .2	15.5 166	66 F	8.4		115 5.74	51 4.19	410 17.84		12 .40	351 5.76	452 9.40	375 10.58	1.0 .02				1690 189	497 189
Z61300.00 12/01/65 1040	5091	.44 21.2	9.8 96	58 F	8.4		129 6.44	45 3.70	94 4.09		8.0 .27	233 3.82	334 6.95	76 2.14	27 .43				1095 303	507 303
Z61300.00 01/17/66 1045	5091		9.6 94	58 F	8.3		116 5.79	45 3.70	136 5.92		264 8.79	0.0	307 6.39	121 3.41	19 .31				995 35	475 35
Z61300.00 02/02/66 1030	5091		9.4 87	54 F	7.8		28 1.40	10 .82	22 .96				63 1.31	17 .48	5.7 .09				234 111	111 111
Z61300.00 03/02/66 1100	5091	.13 2.2	9.6 89	54 F	7.5		106 5.29	13 1.07	185 8.05		0.0	157 2.57	325 6.76	149 4.20	12 .19				952 190	318 190
Z61300.00 04/06/66 1100	5091	.05 .5	16.0	72 F	8.2		106 5.29	40 3.29	280 12.18				388 8.07	267 7.53	0.0				1335 8	429 8
Z61300.00 05/03/66 1405	5091	.05 .4		85 F	7.4 8.2	2252	115 5.74 24	48 3.95 17	318 13.83 58	6.0 .15 1	0.0	332 5.44 23	467 9.71 41	301 8.49 36	4.6 .07	0.8	1.30		1455 213	485 213
Z61300.00 07/06/66 1100	5091		10.4 122	75 F	8.3		120 5.99	48 3.95	410 17.84		0.0	334 5.48	480 9.98	382 10.77	0.0				1740 223	497 223
Z61300.00 08/03/66 1040	5091	.03 .2	8.9 104	75 F	8.1		128 6.39	51 4.19	440 19.14		0.0	351 5.76	505 10.50	404 11.39	0.0				1835 241	529 241
Z61300.00 09/05/66 1615	5091	.04 .3	12.0 145	78 F	7.8 7.8	2893	126 6.29 20	54 4.44 14	456 19.84 65	6.0 .15	0.0	416 6.82 22	529 11.00 36	446 12.58 41	8.0 .13	1.5	1.80		1948 1832	537 196
Los Angeles Aqueduct Near San Fernando (70)																				
Z61850.05 10/19/65	1200		8.6 84	58 F	7.9 8.2	339	23 1.15 35	6.0 .49 15	35 1.52 47	4.0 .10 3	0.0	0.0	25 .52 53	16 .45 46	0.8 .01 1	0.5	.60	22	-- 133	82 133
Z61850.05 11/16/65	1200		8.6 84	58 F	8.2	287	20 1.00 36	5.0 .41 15	29 1.26 45	4.0 .10 4	0.0	0.0	16 .33 46	13 .37 51	1.1 .02 3	0.6	.45	18	-- 107	71 107
Z61850.05 12/21/65	1200		10.8 92	47 F	8.2 8.8	300	21 1.05 35	6.0 .49 16	31 1.35 45	4.0 .10 3	0.0	0.0	22 .46 57	12 .34 42	0.4 .01 1	0.5	.43	19	-- 116	77 116

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLO	EC LAB	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER TDS TH				
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SiO2	SUM	NCH
San Gabriel River at Whittier Narrows (50), continued																				
Z71100.90 01/07/66 1110	5050	3000.	10.9 97	51 F	7.7 8.0	277	34 1.70 59	8.0 .66 23	9.0 .39 14	5.0 .13 5	0.0	134 2.20 76	23 .48 17	5.0 .14 5	4.0 .06 2	0.2	.02	170 154	118 8	
Z71100.90 02/07/66 0940	5050	20.	10.0 94	55 F	7.1 7.6	491	44 2.20 46	10 .82 17	32 1.39 29	14 .36 8	0.0	121 1.98 43	70 1.46 31	35 .99 21	13 .21 5	0.5	.16	294 278	151 52	
Z71100.90 03/14/66 1125	5050	15.	10.9 108	59 F	7.6 8.2	1172	95 4.74 39	31 2.55 21	111 4.83 39	7.0 .18 1	0.0	195 3.20 26	288 5.99 49	105 2.96 24	12 .19 2	0.7	.24	780 745	365 205	
Z71100.90 04/08/66 1050	5050	111.	10.2 112	64 F	8.0 8.3	1214	94 4.69 37	32 2.63 21	120 5.22 41	6.0 .15 1	0.0	163 2.67 21	329 6.84 53	114 3.21 25	4.2 .07 1	0.6	.18	820 780	366 233	
Z71100.90 05/06/66 0930	5050	135.	8.6 94	68 F	8.1 8.3	1224	95 4.74 37	32 2.63 21	120 5.22 41	6.0 .15 1	0.0	162 2.66 21	324 6.74 53	113 3.19 25	3.0 .05	0.6	.18	837 773	369 236	
Z71100.90 06/03/66 0930	5050	135.	72 F	8.1	1229	95	34	122	6.0	0.0	154	339	112	3.0	0.6	.14	835 787	377 250		
Z71100.90 09/06/66 2115	5050	300.	9.4 111	76 F	7.5 8.0	1205	87 4.34 35	33 2.71 22	120 5.22 42	6.0 .15 1	0.0	147 2.41 20	323 6.72 55	108 3.05 25	2.7 .04	0.6	.15	803 752	353 232	
San Gabriel River at Azusa Powerhouse (50D)																				
Z71927.10 10/08/65 1300	5050	70.	8.6 96	66 F	7.5 7.9	361	45 2.25 55	16 1.32 32	10 .44 11	4.0 .10 2	0.0	203 3.33 81	29 .60 15	5.0 .14 3	1.0 .02	0.5	.06	230 210	179 12	
Z71927.10 11/05/65 1145	5050	60.	9.8 97	62 F	7.8 8.1	442	62 3.09 65	13 1.07 22	12 .52 11	4.0 .10 2	0.0	251 4.12 86	24 .50 10	5.0 .14 3	2.0 .03 1	0.5	.09	203 246	208 2	
Z71927.10 02/07/66 1130	5050	50.	12.4 107	48 F	8.0 8.0	331	45 2.25 65	10 .82 24	7.0 .30 9	3.0 .08 2	0.0	173 2.84 82	22 .46 13	4.0 .11 3	4.0 .06 2	0.4	.06	170 180	154 12	
Z71927.10 03/14/66 1435	5050	80.	12.4 112	53 F	8.2 8.4	329	44 2.20 61	12 .99 28	7.0 .30 8	4.0 .10 3	0.0	176 2.89 82	22 .46 13	4.0 .11 3	5.0 .08 2	0.5	.06	190 185	160 15	
Z71927.10 04/08/66 1225	5050	85.	8.6 88	62 F	7.7 7.8	384	56 2.79 66	12 .99 23	8.0 .35 8	4.0 .10 2	0.0	215 3.53 84	23 .48 11	4.0 .11 3	5.2 .08 2	0.4	.08	225 218	189 13	
Z71927.10 05/06/66 1330	5050	50.	8.0 86	67 F	7.8 8.0	391	53 2.64 62	13 1.07 25	10 .44 10	5.0 .13 3	0.0	217 3.56 84	24 .50 12	5.0 .14 3	3.0 .05 1	0.4	.06	232 220	186 8	
Z71927.10 06/03/66 1015	5050	50.	62 F	7.9	329	49	12	10	5.0	0.0	200	22	5.0	2.8	0.5	.06	210 204	172 8		
Z71927.10 07/14/66 1200	5050	50.	8.0 88	69 F	7.7 8.0	371	50 2.50 62	12 .99 25	10 .44 11	4.0 .10 2	0.0	200 3.28 85	22 .46 12	4.0 .11 3	1.0 .02 1	0.5	.06	200 202	175 11	
Z71927.10 08/05/66 1145	5050	85.	8.4 96	72 F	7.8 7.4	356	48 2.40 58	14 1.15 28	10 .44 11	5.0 .13 3	0.0	210 3.44 84	24 .50 12	5.0 .14 3	1.3 .02	0.4	.06	205 211	178 6	
Z71927.10 09/06/66 1815	5050	50.	7.6 88	74 F	7.7 7.8	391	51 2.54 61	13 1.07 26	10 .44 11	4.0 .10 2	0.0	217 3.56 84	24 .50 12	5.0 .14 3	1.0 .02	0.5	.08	208 215	181 3	
Rio Hondo at Whittier Narrows (49)																				
Z75100.00 10/08/65 0930	5050	3.02 158.	8.0 92	73 F	7.5 7.9	1232	92 4.59 35	35 2.88 22	123 5.35 41	6.0 .15 1	0.0	142 2.33 18	354 7.36 57	117 3.30 25	2.0 .03	0.6	.16	840 799	374 257	

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

SOUTHERN CALIFORNIA

STATION NUMBER DATE TIME	LAB	G.H. Q	DO SAT	TEMP	PH LAB FLD	EC LAB	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENT PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER			
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SI02	TDS SUM
Rio Hondo at Whittier Narrows (49), continued																			
Z75100.00 11/05/65 0650	5050	1.30 3.8	5.2 51	58 F	7.9 7.8	1145	84 4.19 35	27 2.22 19	120 5.22 44	7.0 .18 2	0.0	195 3.20 27	273 5.68 48	98 2.76 23	7.0 .11 1	0.9	.25	725 713	321 161
Z75100.00 12/07/65 0900	5050	1.27 3.7	8.4 78	54 F	7.6 7.6	859	70 3.49 40	21 1.73 20	80 3.48 39	5.0 .13 1	0.0	203 3.33 38	171 3.56 40	61 1.72 20	13 .21 2	0.9	.24	550 522	261 95
Z75100.00 01/07/66 1010	5050	2.73 3.9	6.6 61	54 F	7.4 7.4	733	72 3.59 47	20 1.64 21	53 2.31 30	5.0 .13 2	0.0	200 3.28 44	135 2.81 38	43 1.21 16	11 .18 2	0.9	.21	438 438	262 98
Z75100.00 02/07/66 0845	5050	1.60 7.0	7.0 66	55 F	7.2 7.4	494	47 2.35 48	12 .99 20	31 1.35 28	8.0 .20 4	0.0	134 2.20 46	77 1.60 33	30 .85 18	9.0 .14 3	0.5	.12	270 280	167 57
Z75100.00 03/14/66 0845	5050	1.79 6.6	5.6 52	60 F	7.5 7.4	1056	93 4.64 42	28 2.30 21	93 4.05 36	6.0 .15 1	0.0	222 3.64 33	243 5.05 45	86 2.43 22	4.0 .06 1	0.9	.24	690 663	347 165
Z75100.00 04/08/66 0945	5050	3.23 204.	11.4 112	59 F	8.0 8.3	1217	94 4.69 37	32 2.63 21	120 5.22 41	6.0 .15 1	0.0	159 2.61 20	334 6.95 54	113 3.19 25	2.6 .04	0.6	.18	830 780	366 236
Z75100.00 05/06/66 0830	5050	2.36 111.	10.0 107	66 F	7.5 8.2	1218	91 4.54 35	35 2.88 22	125 5.44 42	6.0 .15 1	0.0	161 2.64 21	334 6.95 54	112 3.16 25	2.0 .03	0.6	.16	820 785	371 239
Z75100.00 06/03/66 0900	5050	2.18 103.		74 F	7.9 8.0	1214	93 4.64 37	34 2.79 22	118 5.13 40	6.0 .15 1	0.0	159 2.61 20	332 6.91 54	114 3.21 25	2.3 .04	0.7	.19	810 778	372 241
Z75100.00 07/14/66 0845	5050		9.0 97	66 F	7.2 8.2	1005	75 3.74 36	23 1.89 18	103 4.48 44	7.0 .18 2	0.0	207 3.39 33	197 4.10 40	89 2.51 25	10 .16 2	1.2	.34	630 607	282 112
Z75100.00 08/05/66 1245	5050	1.20 8.0	10.2 126	80 F	8.0 8.2	868	74 3.69 38	26 2.14 22	84 3.65 38	6.0 .15 2	0.0	222 3.64 38	189 3.93 41	63 1.78 19	15 .24 3	0.9	.22	600 567	292 110
Z75100.00 09/06/66 2005	5050	2.20 137.	8.8 115	77 F	7.6 8.0	1200	88 4.39 35	32 2.63 21	120 5.22 42	5.0 .13 1	0.0	148 2.43 20	322 6.70 55	107 3.02 25	1.5 .02	0.6	.17	803 749	351 230
Mission Creek at Whittier Narrows (49A)																			
Z76150.00 01/07/66 1050	5050		2.4 40	63 F	7.1 7.2	892	111 5.54 57	19 1.56 16	55 2.39 24	11 .28 3	0.0	240 3.94 41	214 4.45 46	33 .93 10	25 .40 4	0.7	.34	590 587	355 158
Z76150.00 02/07/66 0900	5050	6.19 .5	7.4 74	57 F	7.5 7.2	1078	152 7.58 62	40 3.29 27	28 1.22 10	4.0 .10 1	0.0	234 3.84 32	346 7.20 59	27 .76 6	24 .39 3	0.7	.16	772 737	544 352
Z76150.00 03/14/66 1100	5050	5.82 1.5	8.4 85	61 F	7.7 7.4	770	108 5.39 62	26 2.14 25	24 1.04 12	3.0 .08 1	0.0	237 3.89 45	203 4.22 49	18 .51 6	5.0 .08 1	0.8	.12	530 504	377 182
Z76150.00 04/08/66 1015	5050	5.84 .5	10.4 110	65 F	7.8 7.6	684	96 4.79 62	23 1.89 25	22 .96 12	2.0 .05 1	0.0	227 3.72 48	166 3.45 45	17 .48 6	2.8 .05 1	0.7	.12	500 441	334 148
Z76150.00 05/06/66 0900	5050		8.0 86	67 F	7.5 8.1	500	63 3.14 58	18 1.48 27	17 .74 14	2.0 .05 1	0.0	185 3.03 58	90 1.87 36	12 .34 6	0.5 .01	0.6	.06	305 294	231 80
Z76150.00 09/06/66 1830	5050	6.52 .3	8.6 99	73 F	8.0 8.0	966	93 4.64 36	33 2.71 21	120 5.22 41	7.0 .18 1	0.0	151 2.48 19	344 7.16 56	111 3.13 24	2.8 .05	0.6	.16	810 786	368 244

TABLE D-3
TRACE ELEMENT ANALYSES OF SURFACE WATER
SOUTHERN CALIFORNIA

Station	Station number	Date 1966	Constituents in micrograms per liter																
			Al	Ba	Bi	Cd	Co	Cr	Cu	Fe	Ga	Ge	Mn	Mo	Ni	Pb	Sr	V	
CENTRAL COASTAL DRAINAGE PROVINCE (T)																			
Lake Cachuma near Santa Ynez (44B)	D-81565.00	5-2	220	90				<1	23	10		4	7	5	1	240	3		
Santa Ynez River near Solvang (45A)	D-81440.00	4-4	150	400				1	2	10		<1	7	3	<1	260	2		
LOS ANGELES DRAINAGE PROVINCE (U)																			
Mission Creek at Whittier Narrows (49A)	Z-76150.00	4-8	<100	1,000				<1	2	70		5	4	2	<1	240	3		
Rio Hondo at Whittier Narrows (49)	Z-75100.00	4-8	<100	1,300				<1	12	10		2	12	3	1	460	4		
San Gabriel River at Azusa Powerhouse (50D)	Z-71927.10	4-8	<100	3,600				<1	3	50		195	6	1	<1	360	4		
San Gabriel River at Whittier Narrows (50)	Z-71100.90	4-8	140	500				1	6	130		5	15	3	1	500	5		
Rio Hondo above Spreading Grounds (49B)	Z-69780.00	4-8	140	1,600				3	9	10		1	11	14	2	440	4		
Los Angeles River at Figueroa Street (47)	Z-61300.00	5-3	140	640				<1	5	50		190	11	4	5	260	2		
Los Angeles River at Pacific Coast Highway (48)	Z-61100.00	5-3	260	1,120				<1	3	70		5	37	2	14	130	2		
Santa Clara River at Los Angeles-Ventura County Line (46)	Z-31135.00	4-5	500	500				1	4	220		9	10	9	1	360	4		
Piru Creek below Santa Felicia Dam (46H)	Z-23240.00	5-3	110	50				<1	2	10		7	10	2	1	260	1		
Sespe Creek near Fillmore (46D)	Z-22150.00	5-3	200	60				<1	2	10		<1	7	2	1	440	1		
Santa Clara River at Highway 99 (46F)	Z-21702.00	5-3	700	100				<1	20	30		2	2	2	3	520	6		
Santa Clara River near Santa Paula (46A)	Z-21360.10	4-5	400	240				<1	3	20		<1	18	5	1	360	2		
Santa Paula Creek near Santa Paula (46E)	Z-21300.00	5-3	150	60				<1	2	<10		<1	3	4	1	360	1		
Matilija Creek above Matilija Dam (45B)	Z-15500.00	5-2	200	50				<1	1	10		<1	2	2	1	480	1		
Ventura River near Ventura (61)	Z-11100.00	4-4	<100	600				<1	5	10		1	17	6	1	500	<1		
LAHONTAN DRAINAGE PROVINCE (W)																			
Mojave River, West Fork above Cedar Springs (67C)	V-92300.00	4-6	<100	1,100				<1	1	50		4	1	1	1	240	2		
Mojave River, East Fork of the West Fork (67B)	V-92250.00	4-6	<100	140				3	2	30		3	2	2	1	200	1		
Mojave River, West Fork below Cedar Springs (67D)	V-92200.00	4-6	100	520				1	3	380		7	1	1	1	220	3		

TABLE D-3
TRACE ELEMENT ANALYSES OF SURFACE WATER
SOUTHERN CALIFORNIA

Station	Station number	Date 1966	Constituents in micrograms per liter																
			Al	Ba	Bi	Cd	Co	Cr	Cu	Fe	Ga	Ge	Mn	Mo	Ni	Pb	Sr	V	Zn
LAHONTAN DRAINAGE PROVINCE (W) (continued)																			
Mojave River at the Forks (67a)	V-92150.30	4-6	<100	340					7	2	70		2	3	3	1	170	2	10
Mojave River near Victorville (67)	V-91620.00	4-6	<100	1,000					<1	3	60		5	4	1	1	380	6	16
COLORADO RIVER DRAINAGE PROVINCE (X)																			
Alamo River near Calipatria (60)	W-92100.00	5-9	800	260					<1	6	10		1	29	1	2	760	7	1
Alamo River at International Boundary (59)	W-92020.00	5-10	200	160					5	10	70		1,500	43	6	2	360	10	37
New River at International Boundary (57)	W-91800.00	5-10	400	2,200					<1	2	20		95	12	5	3	2,200	2	6
New River near Westmorland (58)	W-91100.00	5-9	700	440					<1	4	20		3	22	2	<1	840	5	25
All American Canal above Pilot Knob Wasteway (56A)	W-71929.00	5-10	240	1,300					<1	4	140		160	23	2	2	400	5	16
Colorado River near Blythe (56C)	W-71870.05	5-16	260	400					<1	6	70		13	10	3	2	640	4	24
Colorado River below Morelos Dam (56B)	W-71750.00	5-10	520	280					<1	4	20		1	33	1	<1	920	5	27
Colorado River at Yuma, Arizona (56)	W-71700.00	5-10	320	1,900					<1	4	20		4	7	1	1	760	4	14
Salton Sea at Salton Sea State Park (68A)	W-51600.70	5-9	12,000	2,500					<5	6	10		<5	35	<5	<5	7,000	6	32
Whitewater River near Whitewater (68)	W-31450.00	5-9	<100	520					<1	3	10		2	16	2	<1	340	2	2
Whitewater River near Mecca (68B)	W-31070.00	5-9	260	320					<1	7	20		2	65	2	<1	720	18	11
Colorado River below Parker Dam (55)	W-21775.10	5-18	160	300					<1	8	<10		<1	9	2	1	560	3	19
Colorado River near Topock, Arizona (54)	W-21530.00	5-19	<100	320					<1	5	10		1	10	1	1	510	3	400
SANTA ANA DRAINAGE PROVINCE (Y)																			
Lake Elsinore at State Park (89)	Y-82200.00	5-12	<100	260					<1	5	180		55	130	3	3	160	16	50
San Timoteo Creek at Waterman Avenue near San Bernardino (51G)	Y-71145.00	4-7	380	800					<1	4	900		3	4	3	1	240	8	20
Santa Ana River near Arlington (51)	Y-61400.00	4-7	<100	1,040					<1	3	150		13	5	2	<1	360	7	6
Santa Ana River near Norco (51E)	Y-61225.00	4-7	<100	640					<1	5	20		7	7	3	2	320	7	60
Santa Ana No. 1 Tailrace near Mentone (51B)	Y-51978.00	4-7	<100	460					<1	2	5		1	3	1	<1	320	2	9
Santa Ana River at Colton (51F)	Y-51080.00	4-7	<100	360					<1	6	30		6	3	13	1	260	3	15
Warm Creek at Colton (50B)	Y-41100.00	4-7	<100	400					<1	7	180		7	4	18	2	280	3	35

TABLE D-3
TRACE ELEMENT ANALYSES OF SURFACE WATER
SOUTHERN CALIFORNIA

Station	Station number	Date 1966	Constituents in micrograms per liter																
			Al	Ba	Bi	Cd	Co	Cr	Cu	Fe	Ga	Ge	Mn	Mo	Ni	Pb	Sr	V	Zn
SANTA ANA DRAINAGE PROVINCE (Y) (continued)																			
Chino Creek near Chino (86)	Y-21210.05	4-7	<100	960				<1	9	4			18	8	4	2	280	9	2
Santa Ana River below Prado Dam (51A)	Y-11550.00	4-7	<100	760				<1	4	100			16	9	3	1	400	15	21
SAN DIEGO DRAINAGE PROVINCE (Z)																			
San Diego River at Old Mission Dam (65)	X-51230.30	5-11	300	1,100				5	14	80			500	43	11	18	260	15	130
Escondido Creek near Harmony Grove (63)	X-43400.05	5-12	200	640				<1	7	40			150	19	16	1	700	11	30
Santa Margarita River near Fallbrook (51C)	X-21350.00	5-12	<100	1,200				<1	2	120			70	6	1	2	240	5	17

TABLE D-4 MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

An explanation of column headings follows:

Coliform - The two values represent analyses of duplicate samples collected at the same time. The determinations were made by the California Department of Public Health.

Turbidity - The values are shown in Jackson Candle Units and reported as "Units".

MBAS - (Methylene Blue Active Substance). An indicator of the presence of the surface active agents alkyl benzene sulfonate and linear alkyl sulfonate in detergents.

TABLE D-4
MISCELLANEOUS CONSTITUENTS IN SURFACE WATER
SOUTHERN CALIFORNIA

STATION	STATION NUMBER	DATE	COLIFORM (MPN/ML)		MBAS (MG/L)	ARSENIC (MG/L)	PHOSPHATE (MG/L)	TURBIDITY (UNITS)	
Cuyama River Near Garey (44A)	063050.00	12-01-65	230.	620.	.	.	.	150	
	063050.00	01-04-66	6.	23.	.	.	.	< 25	
	063050.00	02-01-66	1.3	2.3	.	.	.	< 25	
	063050.00	04-04-66	6.2	6.2	.	.	.	< 25	
Lake Cachuma Near Santa Ynez (44B)	081565.00	10-04-65	13.	21.	.	.	.	< 25	
	081565.00	11-01-65	0.6	2.3	.	.	.	--	
	081565.00	12-01-65	0.6	0.6	.	.	.	< 25	
	081565.00	01-03-66	0.6	2.3	.	.	.	< 25	
	081565.00	02-01-66	2.3	2.3	.	.	.	< 25	
	081565.00	03-01-66	0.45	0.6	.	.	.	< 25	
	081565.00	04-04-66	0.6	0.45	.	.	.	< 25	
	081565.00	05-02-66	0.6	0.6	.	.	.	< 25	
	081565.00	06-01-66	0.45	0.45	.	.	.	--	
	081565.00	07-05-66	0.45	1.3	.	.	.	< 25	
	081565.00	08-01-66	0.45	0.45	.	.	.	< 25	
	081565.00	09-05-66	23.	0.6	.	.	.	< 25	
	Santa Ynez River Near Solvang (45A)	081440.00	12-01-65	62.	62.	.	.	.	< 25
		081440.00	01-03-66	62.	62.	.	.	.	40
081440.00		02-01-66	23.	23.	.	.	.	< 25	
081440.00		03-01-66	6.2	6.2	.	.	.	< 25	
081440.00		04-04-66	--.	--.	.	.	.	< 25	
081440.00		05-02-66	23.	700.	.	.	.	< 25	
081440.00		06-01-66	6.	4.5	.	.	.	< 25	
Matilija Creek Above Dam (45B)	215500.00	10-05-65	240.	240.	.	.	.	< 25	
	215500.00	11-01-65	4.5	6.	.	.	.	< 25	
	215500.00	12-02-65	2.3	6.2	.	.	.	< 25	
	215500.00	01-03-66	6.2	23.	.	.	.	120	
	215500.00	02-01-66	0.6	0.6	.	.	.	< 25	
	215500.00	03-01-66	6.2	0.6	.	.	.	< 25	
	215500.00	04-05-66	0.6	0.45	.	.	.	< 25	
	215500.00	05-02-66	5.	0.45	.	.	.	< 25	
	215500.00	06-01-66	0.45	0.45	.	.	.	< 25	
	215500.00	07-05-66	1.3	2.3	.	.	.	< 25	
	215500.00	08-01-66	700.	240.	.	.	.	< 25	
	215500.00	09-05-66	23.	23.	.	.	.	< 25	
	Santa Clara River at Los Angeles-Ventura County Line (46)	231135.00	12-02-65	23.	230.	.	.	.	< 25
		231135.00	01-04-66	130.	230.	.	.	.	1900
231135.00		02-02-66	230.	230.	.	.	.	1500	
231135.00		03-02-66	62.	230.	.	.	.	700	
231135.00		04-05-66	500.	620.	.	.	.	4000	

TABLE D-4

MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

SOUTHERN CALIFORNIA

STATION	STATION NUMBER	DATE	COLIFORM (MPN/ML)	MBAS (MG/L)	ARSENIC (MG/L)	PHOSPHATE (MG/L)	TURBIDITY (UNITS)	
Santa Clara River at Los Angeles-Ventura County Line (46)	Z31135.00	05-03-66	62.	62.	.	.	450	
	Z31135.00	06-02-66	23.	23.	.	.	--	
	Z31135.00	07-06-66	62.	23.	.	.	65	
	Z31135.00	08-02-66	23.	62.	.	.	190	
	Z31135.00	09-05-66	6.2	6.2	.	.	< 25	
Santa Clara River Near Santa Paula (46A)	Z21360.10	10-05-65	13.	62.	.	.	< 25	
	Z21360.10	11-02-65	23.	62.	.	.	--	
	Z21360.10	12-02-65	23.	230.	.	.	70	
	Z21360.10	01-04-66	230.	240.	.	.	640	
	Z21360.10	02-02-66	23.	230.	.	.	100	
	Z21360.10	03-02-66	50.	23.	.	.	< 25	
	Z21360.10	04-05-66	130.	13.	.	.	< 25	
	Z21360.10	05-03-66	6.2	62.	.	.	60	
	Z21360.10	06-02-66	2.3	23.	.	.	< 25	
	Z21360.10	08-02-66	29.	62.	.	.	< 25	
	Z21360.10	09-05-66	23.	62.	.	.	< 25	
	Sespe Creek Near Fillmore (46D)	Z22150.00	10-05-65	4.6	240.	.	.	< 25
Z22150.00		11-02-65	6.2	23.	.	.	--	
Z22150.00		12-02-65	23.	23.	.	.	40	
Z22150.00		01-04-66	62.	62.	.	.	75	
Z22150.00		02-02-66	0.6	0.6	.	.	< 25	
Z22150.00		03-02-66	6.2	6.2	.	.	< 25	
Z22150.00		04-05-66	2.3	2.3	.	.	< 25	
Z22150.00		05-03-66	2.3	1.3	.	.	< 25	
Z22150.00		06-02-66	1.3	0.6	.	.	--	
Z22150.00		07-06-66	6.	23.	.	.	< 25	
Z22150.00		08-02-66	0.45	0.6	.	.	< 25	
Z22150.00		09-05-66	2.1	5.0	.	.	< 25	
Santa Paula Creek Near Santa Paula (46E)		Z21300.00	10-05-65	230.	620.	.	.	< 25
		Z21300.00	11-02-65	62.	--.	.	.	--
	Z21300.00	12-02-65	6.	23.	.	.	100	
	Z21300.00	01-04-66	6.2	13.	.	.	30	
	Z21300.00	02-02-66	1.3	0.6	.	.	< 25	
	Z21300.00	03-02-66	6.2	6.2	.	.	< 25	
	Z21300.00	04-05-66	2.3	2.3	.	.	< 25	
	Z21300.00	05-03-66	6.2	0.45	.	.	< 25	
	Z21300.00	06-02-66	0.6	0.45	.	.	--	
	Z21300.00	07-06-66	6.2	13.	.	.	< 25	
	Z21300.00	08-02-66	6.2	23.	.	.	< 25	
	Z21300.00	09-05-66	62.	5.	.	.	< 25	

TABLE D-4
MISCELLANEOUS CONSTITUENTS IN SURFACE WATER
SOUTHERN CALIFORNIA

STATION	STATION NUMBER	DATE	COLIFORM (MPN/ML)	MBAS (MG/L)	ARSENIC (MG/L)	PHOSPHATE (MG/L)	TURBIDITY (UNITS)	
Piru Creek Below Santa Felicia Dam (46H)	Z23240.00	10-05-65	2.3	23.	.	.	75	
	Z23240.00	11-02-65	6.2	6.2	.	.	--	
	Z23240.00	12-02-65	4.5	6.	.	.	< 25	
	Z23240.00	01-04-66	6.	23.	.	.	30	
	Z23240.00	02-07-66	1.3	2.1	.	.	< 25	
	Z23240.00	03-07-66	0.45	0.45	.	.	< 25	
	Z23240.00	04-05-66	6.2	2.3	.	.	125	
	Z23240.00	05-03-66	2.1	6.2	.	.	< 25	
	Z23240.00	06-02-66	0.6	6.2	.	.	--	
	Z23240.00	07-06-66	0.94	2.0	.	.	< 25	
	Z23240.00	08-02-66	1.3	0.6	.	.	35	
	Z23240.00	09-05-66	23.	0.6	.	.	< 25	
	Los Angeles River at Figueroa Street (47)	Z61300.00	10-06-65	7000.	.	.	.	0
Z61300.00		11-03-65	130.	.	.	.	0	
Z61300.00		12-01-65	7000.	.	.	.	--	
Z61300.00		01-17-66	230.	.	.	.	0	
Z61300.00		02-02-66	7000.	.	.	.	--	
Z61300.00		03-02-66	230.	.	.	.	0	
Z61300.00		04-06-66	2400.	.	.	.	0	
Z61300.00		05-03-66	2400.	230.	.	.	< 25	
Z61300.00		07-06-66	130.	.	.	.	0	
Z61300.00		08-03-66	620.	.	.	.	0	
Z61300.00		09-05-66	6.	23.	.	.	< 25	
Los Angeles River at Pacific Coast Highway (48)	Z61100.00	10-06-65	2400.	.	.	.	--	
	Z61100.00	11-03-65	24.	.	.	.	--	
	Z61100.00	12-01-65	6200.	.	.	.	--	
	Z61100.00	01-05-66	620.	.	.	.	--	
	Z61100.00	02-02-66	2100.	.	.	.	--	
	Z61100.00	03-02-66	620.	.	.	.	--	
	Z61100.00	04-06-66	62000.	.	.	.	--	
	Z61100.00	05-03-66	130.	45.	.	.	65	
	Z61100.00	06-01-66	13000.	.	.	.	0	
	Z61100.00	07-06-66	.	7000.	.	.	--	
	Z61100.00	08-03-66	500.	.	.	.	--	
	Z61100.00	09-07-66	.	.	.	1.6	< 25	
	Rio Hondo at Whittier Narrows (49)	Z75100.00	10-08-65	2.3	50.	.	.	< 25
		Z75100.00	11-05-65	240.	240.	.	.	< 25
Z75100.00		12-07-65	62.	230.	.	.	< 25	
Z75100.00		01-07-66	23.	62.	.	.	160	
Z75100.00		02-07-66	700.	700.	.	.	30	

TABLE D-4

MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

SOUTHERN CALIFORNIA

STATION	STATION NUMBER	DATE	COLIFORM (MPN/ML)	MBAS (MG/L)	ARSENIC (MG/L)	PHOSPHATE (MG/L)	TURBIDITY (UNITS)
Rio Hondo at Whittier Narrows (49)	Z75100.00	03-14-66	23.	23.	.	.	< 25
	Z75100.00	04-08-66	23.	2.3	.	.	< 25
	Z75100.00	05-06-66	13.	62.	.	.	< 25
	Z75100.00	06-03-66	2.3	23.	.	.	--
	Z75100.00	07-14-66	13.	130.	.	.	< 25
	Z75100.00	08-05-66	62.	130.	.	.	< 25
	Z75100.00	09-06-66	14.	23.	.	.	< 25
Mission Creek at Whittier Narrows (49A)	Z76150.00	01-07-66	6.2	6.2	.	.	40
	Z76150.00	02-07-66	620.	6.2	.	.	< 25
	Z76150.00	03-14-66	2.3	2.3	.	.	< 25
	Z76150.00	04-08-66	13.	6.2	.	.	< 25
	Z76150.00	05-06-66	2.3	23.	.	.	< 25
	Z76150.00	09-06-66	62.	240.	.	.	< 25
Rio Hondo Above Spreading Grounds (49B)	Z69780.00	10-08-65	23.	62.	0.28	3.6	< 25
	Z69780.00	11-05-65	240.	700.	0.08	2.2	--
	Z69780.00	12-07-65	6.	6.	.	.	360
	Z69780.00	01-07-66	6.2	6.2	.	.	280
	Z69780.00	02-07-66	23.	6.2	.	.	50
	Z69780.00	03-14-66	23.	6.2	.	.	< 25
	Z69780.00	04-08-66	62.	6.2	0.12	1.5	< 25
	Z69780.00	05-06-66	0.45	0.45	0.12	3.1	< 25
	Z69780.00	06-03-66	0.6	2.3	.	.	--
	Z69780.00	09-06-66	62.	240.	.	.	< 25
San Gabriel River at Whittier Narrows (50)	Z71100.90	12-07-65	62.	62.	.	.	250
	Z71100.90	01-07-66	13.	23.	.	.	230
	Z71100.90	02-07-66	700.	700.	.	.	420
	Z71100.90	03-14-66	620.	620.	.	.	< 25
	Z71100.90	04-08-66	230.	23.	.	.	< 25
	Z71100.90	05-06-66	62.	62.	.	.	< 25
	Z71100.90	06-03-66	240.	240.	.	.	--
	Z71100.90	09-06-66	620.	2400.	.	.	< 25
San Gabriel River at Azusa Powerhouse (50D)	Z71927.10	10-08-65	0.45	0.45	.	.	< 25
	Z71927.10	11-05-65	0.45	0.45	.	.	< 25
	Z71927.10	02-07-66	0.6	0.6	.	.	< 25
	Z71927.10	03-14-66	0.45	0.45	.	.	< 25
	Z71927.10	04-08-66	0.6	0.6	.	.	30
	Z71927.10	05-06-66	0.45	0.45	.	.	< 25
	Z71927.10	06-03-66	2.8	5.	.	.	--
	Z71927.10	07-14-66	0.45	0.45	.	.	< 25
	Z71927.10	08-05-66	0.60	0.60	.	.	< 25

TABLE D-4

MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

SOUTHERN CALIFORNIA

STATION	STATION NUMBER	DATE	COLIFORM (MPN/ML)		MBAS (MG/L)	ARSENIC (MG/L)	PHOSPHATE (MG/L)	TURBIDITY (UNITS)	
San Gabriel River at Azusa Powerhouse (50D) Ventura River Near Ventura (61)	Z71927.10	09-06-66	0.60	0.45	.	.	.	< 25	
	Z11100.00	10-05-65	4.5	60.	.	.	.	< 25	
	Z11100.00	12-02-65	230.	230.	.	.	.	750	
	Z11100.00	01-03-66	23.	130.	.	.	.	< 25	
	Z11100.00	02-01-66	0.45	620.	.	.	.	< 25	
	Z11100.00	03-01-66	6.2	2.3	.	.	.	< 25	
	Z11100.00	04-04-66	0.6	0.6	0.08	.	0.	< 25	
	Z11100.00	05-02-66	20.	13.	.	.	.	< 25	
	Z11100.00	06-01-66	6.2	2.3	.	.	.	--	
	Z11100.00	07-05-66	2.3	6.2	.	.	.	< 25	
	Z11100.00	08-01-66	6.2	< 25	
	Z11100.00	09-05-66	700.	62.	0.01	.	0.04	< 25	
	Los Angeles Aqueduct Near San Fernando (70)	Z61850.05	10-19-65	2
		Z61850.05	11-16-65	.	.	.	0.02	.	7
Z61850.05		12-21-65	.	.	.	0.02	.	5	
Z61850.05		01-18-66	.	.	.	0.02	.	8	
Z61850.05		02-24-66	.	.	.	0.03	.	4	
Z61850.05		03-22-66	.	.	.	0.03	.	5	
Z61850.05		04-19-66	.	.	.	0.02	.	3	
Z61850.05		05-17-66	.	.	.	0.03	.	4	
Z61850.05		06-21-66	.	.	.	0.03	.	4	
Z61850.05		07-19-66	.	.	.	0.03	.	7	
Z61850.05		08-16-66	.	.	.	0.03	.	3	
Z61850.05		09-20-66	62.	2300.	.	0.01	.	10	
Mojave River Near Victorville (67)		V91620.00	10-06-65	500
	V91620.00	11-03-65	60.	130.	0.20	.	0.50	< 25	
	V91620.00	12-03-65	130.	230.	.	.	.	30	
	V91620.00	01-05-66	23.	62.	.	.	.	70	
	V91620.00	02-03-66	0.6	2.3	0.28	.	0.66	< 25	
	V91620.00	03-03-66	0.6	6.2	0.14	.	0.6	< 25	
	V91620.00	04-06-66	9.5	62.	.	.	.	< 25	
	V91620.00	05-04-66	240.	62.	.	.	.	< 25	
	V91620.00	06-07-66	6.	62.	.	.	.	--	
	V91620.00	07-07-66	700.	700.	.	.	.	60	
	V91620.00	08-03-66	230.	62.	.	.	.	< 25	
	V91620.00	09-06-66	7000.	230.	.	.	.	< 25	
	Mojave River at The Forks (67A)	V92150.30	10-06-65	4.5	6.	.	.	.	< 25
V92150.30		11-03-65	0.6	6.2	.	.	.	--	
V92150.30		12-03-65	13.	23.	.	.	.	< 25	
V92150.30		01-05-66	23.	23.	.	.	.	60	

TABLE D-4

MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

SOUTHERN CALIFORNIA

STATION	STATION NUMBER	DATE	COLIFORM (MPN/ML)		MBAS (MG/L)	ARSENIC (MG/L)	PHOSPHATE (MG/L)	TURBIDITY (UNITS)
Mojave River at The Forks (67A)	V92150.30	02-03-66	0.45	0.6	.	.	.	< 25
	V92150.30	03-03-66	0.6	6.2	.	.	.	< 25
	V92150.30	04-06-66	6.2	6.2	.	.	.	< 25
	V92150.30	05-04-66	6.2	6.2	.	.	.	< 25
	V92150.30	06-07-66	2.3	2.3	.	.	.	--
	V92150.30	07-07-66	700.	240.	.	.	.	< 25
	V92150.30	08-03-66	4.5	23.	.	.	.	< 25
	V92150.30	09-06-66	23.	23.	.	.	.	< 25
Colorado River Near Topock, Arizona (54)	W21530.00	05-19-66	4.5	6.	.	.	.	< 25
	W21530.00	09-29-66	2.3	23.	.	.	.	< 25
Colorado River Below Parker Dam (55)	W21775.10	05-18-66	700.	240.	.	.	.	< 25
	W21775.10	09-28-66	4.5	4.5	.	.	.	< 25
Colorado River at Yuma, Arizona (56)	W71700.00	11-09-65	24.	24.	1.0	.	0.04	--
	W71700.00	01-11-66	6.2	24.	.	.	.	120
	W71700.00	03-03-66	6.2	6.2	.	.	.	< 25
	W71700.00	05-10-66	620.	2400.	.	.	.	30
	W71700.00	07-19-66	2.3	24.	.	.	.	< 25
	W71700.00	09-13-66	620.	2300.	.	.	.	30
All American Canal Above Pilot Knob Wasteway (56A)	W71929.00	11-09-65	2.3	6.2	.	.	.	--
	W71929.00	01-11-66	2.3	6.2	.	.	.	< 25
	W71929.00	03-08-66	6.2	6.2	.	.	.	< 25
	W71929.00	05-10-66	0.45	0.45	.	.	.	< 25
	W71929.00	07-19-66	13.	2.4	.	.	.	< 25
	W71929.00	09-13-66	0.46	2.3	.	.	.	< 25
Colorado River Below Morelos Dam (56B)	W71750.00	11-09-65	240.	240.	.	.	.	--
	W71750.00	01-11-66	240.	620.	.	.	.	< 25
	W71750.00	03-08-66	< 25
	W71750.00	05-10-66	< 25
	W71750.00	07-19-66	< 25
	W71750.00	09-13-66	< 25
Colorado River Near Blythe (56C)	W71870.05	05-16-66	6.	6.	.	.	.	< 25
	W71870.05	09-26-66	62.	23.	.	.	.	< 25
New River at International Boundary (57)	W91800.00	11-09-65	6200.	62000.	0.86	.	3.4	61
	W91800.00	01-11-66	6200.	6200.	0.82	.	2.3	150
	W91800.00	03-08-66	24000.	24000.	.	.	.	< 25
	W91800.00	05-10-66	75
	W91800.00	07-19-66	< 25
	W91800.00	09-13-66	35
New River Near Westmorland (58)	W91100.00	11-08-65	2400.	24000.	0.32	.	0.76	250
	W91100.00	01-10-66	2400.	6200.	.	.	0.7	350

TABLE D-4
MISCELLANEOUS CONSTITUENTS IN SURFACE WATER
SOUTHERN CALIFORNIA

STATION	STATION NUMBER	DATE	COLIFORM (MPN/ML)	MBAS (MG/L)	ARSENIC (MG/L)	PHOSPHATE (MG/L)	TURBIDITY (UNITS)
New River Near Westmorland (58)	W91100.00	03-07-66	620.	2400.	.	.	250
	W91100.00	05-09-66	2400.	2400.	.	.	250
	W91100.00	07-18-66	620.	24000.	.	.	200
	W91100.00	09-12-66	2300.	23000.	.	.	250
Alamo River at International Boundary (59)	W92020.00	11-09-65	62.	62.	0.40	0.60	--
	W92020.00	01-11-66	6.2	24.	.	.	30
	W92020.00	03-08-66	24.	24.	0.14	0.10	< 25
	W92020.00	05-10-66	2400.	6200.	.	.	45
	W92020.00	07-19-66	620.	130.	.	.	< 25
	W92020.00	09-13-66	230.	620.	.	.	< 25
Alamo River Near Calipatria (60)	W92100.00	11-08-65	240.	620.	0.20	0.32	200
	W92100.00	01-10-66	62.	240.	.	1.10	250
	W92100.00	03-02-66	2400.	2400.	.	.	200
	W92100.00	05-09-66	24000.	24000.	.	.	350
	W92100.00	07-18-66	620.	2400.	.	.	100
	W92100.00	09-12-66	6200.	6200.	.	.	250
Whitewater River Near Whitewater (68)	W31450.00	11-08-65	23.	62.	.	.	< 25
	W31450.00	01-10-66	6.	13.	.	.	180
	W31450.00	03-07-66	62.	240.	.	.	250
	W31450.00	05-09-66	62.	130.	.	.	< 25
	W31450.00	07-18-66	23.	6.	.	.	< 25
	W31450.00	09-12-66	6.2	240.	.	.	< 25
Salton Sea at Salton Sea State Park (68A)	W51600.70	11-08-65	0.45	0.45	.	.	< 25
	W51600.70	01-10-66	0.45	2.3	.	.	40
	W51600.70	03-07-66	0.45	0.45	.	.	< 25
	W51600.70	05-09-66	0.45	0.60	.	.	< 25
	W51600.70	07-15-66	6.2	2.3	.	.	< 25
	W51600.70	09-12-66	0.45	0.45	.	.	< 25
Whitewater River Near Mecca (68B)	W31070.00	11-08-65	130.	620.	0.26	0.28	100
	W31070.00	01-12-66	620.	2400.	.	.	1000
	W31070.00	03-07-66	2300.	230.	.	.	150
	W31070.00	05-09-66	2300.	620.	.	.	225
	W31070.00	07-18-66	21000.	6200.	.	.	350
	W31070.00	09-12-66	6200.	13000.	.	.	325
Warm Creek Near Colton (50B)	Y41100.00	10-07-65	2.3	23.	1.3	33.	< 25
	Y41100.00	11-04-65	2.3	23.	0.88	27.	510
	Y41100.00	12-06-65	21.	62.	0.96	30.	200
	Y41100.00	01-06-66	620.	2400.	0.26	7.50	3800
	Y41100.00	02-04-66	23.	240.	0.28	7.10	190
	Y41100.00	03-04-66	62.	230.	0.40	10.	300

TABLE D-4

MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

SOUTHERN CALIFORNIA

STATION	STATION NUMBER	DATE	COLIFORM (MPN/ML)	MBAS (MG/L)	ARSENIC (MG/L)	PHOSPHATE (MG/L)	TURBIDITY (UNITS)	
San Juan Creek Near Colton (50B)	Y41100.00	04-07-66	7000.	2400.	0.33	.	14.50	300
	Y41100.00	05-05-66	45.	45.	0.59	.	31.05	< 25
	Y41100.00	06-08-66	4.6	4.5	1.08	.	32.00	50
	Y41100.00	07-08-66	700.	700.	0.60	.	32.00	50
	Y41100.00	08-04-66	4.5	4.5	1.00	.	26.00	50
	Y41100.00	09-07-66	6.2	13.	0.96	.	29.00	180
Santa Ana River Near Arlington (51)	Y61400.00	10-07-65	.	.	0.08	.	0.16	< 25
	Y61400.00	11-04-65	23.	62.	0.06	.	0.14	--
	Y61400.00	12-06-65	23.	210.	0.11	.	0.32	120
	Y61400.00	01-05-66	2400.	2400.	0.13	.	2.20	800
	Y61400.00	02-04-66	230.	60.	0.16	.	0.50	160
	Y61400.00	03-04-66	230.	230.	0.10	.	0.40	120
	Y61400.00	04-07-66	62.	130.	0.12	.	0.40	150
	Y61400.00	05-05-66	62.	210.	.	.	.	300
	Y61400.00	06-08-66	23.	13.	0.06	.	0.34	< 25
	Y61400.00	07-08-66	240.	240.	.	.	.	< 25
	Y61400.00	08-04-66	23.	62.	0.08	.	0.22	< 25
	Y61400.00	09-07-66	62.	62.	0.08	.	0.16	< 25
	Santa Ana River Below Prado Dam (51A)	Y11550.00	10-07-65	.	.	0.28	.	2.60
Y11550.00		11-04-65	45.	60.	0.32	.	3.70	--
Y11550.00		12-06-65	2300.	70000.	0.26	.	2.60	7900
Y11550.00		12-21-65	200
Y11550.00		12-29-65	5000
Y11550.00		01-06-66	2300.	2300.	0.26	.	4.10	3000
Y11550.00		02-04-66	23000.	21000.	0.04	.	6.00	450
Y11550.00		03-04-66	62000.	23000.	0.46	.	6.90	300
Y11550.00		04-07-66	2300.	1300.	0.26	.	8.30	800
Y11550.00		05-05-66	45.	230.	.	.	.	80
Y11550.00		06-08-66	2400.	620.	0.28	.	11.00	< 25
Y11550.00		07-13-66	500.	620.	.	.	.	85
Y11550.00		08-04-66	230.	620.	0.18	.	4.50	100
Y11550.00	09-07-66	230.	620.	0.21	.	7.30	110	
Santa Ana River Number One Tailrace Near Mentone (51B)	Y51978.00	10-06-65	6.	6.	.	.	.	< 25
	Y51978.00	11-04-65	6.2	13.	.	.	.	--
	Y51978.00	12-06-65	6.	62.	.	.	.	165
	Y51978.00	01-05-66	2.3	23.	.	.	.	100
	Y51978.00	02-04-66	2.3	0.45	.	.	.	100
	Y51978.00	03-03-66	13.	6.2	.	.	.	< 25
	Y51978.00	04-07-66	62.	5.	.	.	.	< 25
	Y51978.00	05-05-66	1.3	5.	.	.	.	< 25

TABLE D-4
MISCELLANEOUS CONSTITUENTS IN SURFACE WATER
SOUTHERN CALIFORNIA

STATION	STATION NUMBER	DATE	COLIFORM (MPN/ML)		MBAS (MG/L)	ARSENIC (MG/L)	PHOSPHATE (MG/L)	TURBIDITY (UNITS)	
Santa Ana River Number One Tailrace Near Mentone (51B)	Y51978.00	06-08-66	2.3	23.	.	.	.	< 25	
	Y51978.00	07-08-66	23.	2.3	.	.	.	< 25	
	Y51978.00	08-03-66	0.60	23.	.	.	.	< 25	
	Y51978.00	09-06-66	13.	13.	.	.	.	< 25	
Santa Ana River Near Norco (51E)	Y61225.00	10-07-65	.	.	0.56	.	10.00	< 25	
	Y61225.00	11-04-65	230.	500.	0.34	.	6.30	--	
	Y61225.00	12-06-65	23.	62.	0.42	.	9.00	100	
	Y61225.00	01-06-66	700.	700.	0.42	.	10.00	700	
	Y61225.00	02-04-66	62.	62.	0.50	.	11.00	80	
	Y61225.00	03-04-66	230.	230.	0.50	.	11.00	75	
	Y61225.00	04-07-66	62.	230.	0.28	.	11.00	40	
	Y61225.00	05-05-66	210.	7000.	.	.	.	40	
	Y61225.00	06-08-66	620.	620.	0.44	.	15.00	< 25	
	Y61225.00	07-08-66	6200.	620.	.	.	.	< 25	
	Y61225.00	08-04-66	230.	620.	0.27	.	2.75	< 25	
	Y61225.00	09-07-66	2400.	620.	0.30	.	12.00	< 25	
	Santa Ana River at Colton (51F)	Y51080.00	10-07-65	.	.	0.80	.	33.00	400
Y51080.00		11-04-65	6.2	6.2	1.00	.	29.00	--	
Y51080.00		12-06-65	230.	620.	0.94	.	32.00	600	
Y51080.00		01-06-66	23.	62.	0.56	.	14.00	3300	
Y51080.00		02-04-66	62.	130.	0.56	.	13.00	320	
Y51080.00		03-04-66	62.	13.	0.70	.	15.00	300	
Y51080.00		04-07-66	700.	240.	0.20	.	8.80	225	
Y51080.00		05-05-66	4.5	4.5	0.64	.	33.00	80	
Y51080.00		06-08-66	2.3	2.3	1.30	.	32.00	40	
Y51080.00		07-08-66	23.	240.	0.56	.	31.00	40	
Y51080.00		08-04-66	2.3	0.45	1.04	.	26.00	80	
Y51080.00		09-07-66	700.	700.	0.76	.	29.00	260	
San Timoteo Creek at Waterman Avenue Near San Bernardino (51G)		Y71145.00	10-07-65	62.	62.	1.60	.	8.00	150
	Y71145.00	11-04-65	62.	240.	.	.	.	150	
	Y71145.00	12-06-65	50.	62.	0.56	.	46.00	150	
	Y71145.00	01-06-66	0.45	0.60	0.84	.	25.00	200	
	Y71145.00	02-04-66	62.	0.60	2.10	.	28.00	140	
	Y71145.00	04-07-66	700.	700.	0.04	.	0.82	825	
	Y71145.00	05-05-66	130.	230.	0.09	.	0.70	< 25	
	Y71145.00	06-08-66	7000.	7000.	0.04	.	0.34	< 25	
	Y71145.00	07-08-66	2300.	2300.	.	.	.	< 25	
	Y71145.00	08-04-66	45.	60.	0.13	.	0.26	< 25	
	Y71145.00	09-06-66	60.	60.	0.04	.	0.45	< 25	
	Chino Creek Near Chino (86)	Y21210.05	10-07-65	6.	1300.	0.80	.	8.00	< 25


TABLE D-4
MISCELLANEOUS CONSTITUENTS IN SURFACE WATER
SOUTHERN CALIFORNIA

STATION	STATION NUMBER	DATE	COLIFORM (MPN/ML)	MBAS (MG/L)	ARSENIC (MG/L)	PHOSPHATE (MG/L)	TURBIDITY (UNITS)	
Chino Creek Near Chino (86)	Y21210.05	11-04-65	230.	620.	1.40	.	14.00	--
	Y21210.05	12-06-65	62.	620.	0.80	.	9.50	80
	Y21210.05	01-06-66	620.	620.	0.28	.	3.00	80
	Y21210.05	02-04-66	230.	620.	0.48	.	4.50	55
	Y21210.05	03-04-66	620.	620.	0.76	.	30.00	200
	Y21210.05	04-07-66	7000.	7000.	0.19	.	4.60	< 25
	Y21210.05	05-05-66	620.	2300.	0.36	.	11.00	30
	Y21210.05	06-08-66	24000.	70000.	0.18	.	23.00	60
	Y21210.05	07-13-66	600.	2300.	.	.	.	35
	Y21210.05	08-04-66	6200.	2300.	0.28	.	16.00	100
Lake Elsinore at State Park (89)	Y82200.00	11-10-65	13.	23.	.	.	.	750
	Y82200.00	01-13-66	0.60	1.3	.	.	.	180
	Y82200.00	03-10-66	0.60	2.3	.	.	.	70
	Y82200.00	05-19-66	0.60	2.3	.	.	.	70
	Y82200.00	07-20-66	6.2	0.45	.	.	.	100
	Y82200.00	09-14-66	62.	6.2	.	.	.	180
Santa Margarita River Near Fallbrook (51C)	X21350.00	11-10-65	6.2	5.	.	.	.	< 25
	X21350.00	01-13-66	2.3	23.	.	.	.	< 25
	X21350.00	03-10-66	0.6	1.3	.	.	.	< 25
	X21350.00	05-12-66	13.	2.3	.	.	.	< 25
	X21350.00	07-20-66	23.	62.	.	.	.	< 25
	X21350.00	09-14-66	23.	13.	.	.	.	< 25
San Luis Rey River at Pala (62)	X31345.00	01-13-66	6.	23.	.	.	.	45
	X31345.00	03-10-66	0.6	0.6	0.04	.	0.08	< 25
Escondido Creek Near Harmony Grove (63)	X43400.05	11-10-65	62.	230.	1.00	.	32.00	870
	X43400.05	01-13-66	6.	62.	1.10	.	23.00	110
	X43400.05	03-10-66	13.	6.2	0.84	.	5.10	210
	X43400.05	05-12-66	700.	700.	0.48	.	27.00	< 25
	X43400.05	07-20-66	2400.	2400.	.	.	.	< 25
	X43400.05	09-14-66	230.	60.	0.48	.	26.00	< 25
San Diego River at Old Mission Dam (65)	X51230.30	11-10-65	23.	23.	1.00	.	1.30	110
	X51230.30	01-12-66	23.	240.	0.54	.	4.60	270
	X51230.30	03-09-66	62.	62.	.	.	.	2000
	X51230.30	05-11-66	130.	700.	.	.	.	120
	X51230.30	07-20-66	62.	62.	.	.	.	25
Spring Valley Creek Near La Pressa (65B)	X62020.05	11-10-65	6.2	6.2	0.64	.	0.32	< 25
	X62020.05	01-12-66	23.	62.	.	.	.	< 25
	X62020.05	03-09-66	240.	23.	1.05	.	0.36	< 25
	X62020.05	07-20-66	240.	23.	.	.	.	< 25
Tia Juana River at International Boundary (66)	X81100.40	03-10-66	70000.	24000.	.	.	.	1000

SURFACE WATER SAMPLING STATIONS

CENTRAL COASTAL DRAINAGE PROVINCE (T)

- D-6-3050.00 Cuyama River Near Garey (44A)
- D-8-1440.00 Santa Ynez River Near Solvang (45A)
- D-8-1565.00 Lake Cachuma Near Santa Ynez (44B)



SURFACE WATER SAMPLING STATIONS

LOS ANGELES DRAINAGE PROVINCE (U)

Z-1-1100.00 Ventura River Near Ventura (61)
Z-1-5500.00 Matilija Creek Above Dam (45B)
Z-2-1300.00 Santa Paula Creek Near Santa Paula (46E)
Z-2-1360.10 Santa Clara River Near Santa Paula (46A)
Z-2-2150.00 Sespe Creek Near Fillmore (46D)
Z-2-3240.00 Piru Creek Below Santa Felicia Dam (46H)
Z-3-1135.00 Santa Clara River at Los Angeles-Ventura County Line (46)
Z-6-1100.00 Los Angeles River at Pacific Coast Highway (48)
Z-6-1300.00 Los Angeles River at Figueroa Street (47)
Z-6-1850.05 Los Angeles Aqueduct Near San Fernando (70)
Z-6-9780.00 Rio Hondo Above Spreading Grounds (49B)
Z-7-5100.00 Rio Hondo at Whittier Narrows (49)
Z-7-6150.00 Mission Creek at Whittier Narrows (49A)
Z-7-1100.90 San Gabriel River at Whittier Narrows (50)
Z-7-1927.10 San Gabriel River at Azusa Powerhouse (50D)
W-2-1985.05 Colorado River Aqueduct (Upper Feeder) at La Verne (69)

LEGEND

● Z-9-1620.00 SURFACE WATER SAMPLING STATION AND NUMBER (SEE PAGE TO THE LEFT)



KEY MAP



LOCATION OF SURFACE WATER SAMPLING STATIONS
LOS ANGELES DRAINAGE PROVINCE (U)


SURFACE WATER SAMPLING STATIONS

LAHONTAN DRAINAGE PROVINCE (W)

V-9-2150.30 Mojave River at The Forks (67A)

V-9-1620.00 Mojave River Near Victorville (67)

LOCATION OF SURFACE WATER SAMPLING STATIONS
IN THE LAHONTAN DRAINAGE PROVINCE (W)



LOCATION OF SURFACE WATER SAMPLING STATIONS
LAHONTAN DRAINAGE PROVINCE (W)

SURFACE WATER SAMPLING STATIONS

COLORADO RIVER BASIN DRAINAGE PROVINCE (X)

W-2-1530.00 Colorado River Near Topock, Arizona (54)
W-2-1960.00 Colorado River at Colorado River Aqueduct Intake (56D)
W-2-1775.10 Colorado River Below Parker Dam (55)
W-7-1870.05 Colorado River Near Blythe (56C)
W-7-1929.00 All American Canal Above Pilot Knob Wasteway (56A)
W-7-1700.00 Colorado River at Yuma, Arizona (56)
W-7-1750.00 Colorado River Below Morelos Dam (56B)
W-9-2020.00 Alamo River at International Boundary (59)
W-9-2100.00 Alamo River Near Calipatria (60)
W-9-1800.00 New River at International Boundary (57)
W-9-1100.00 New River Near Westmorland (58)
W-3-1450.00 Whitewater River Near Whitewater (68)
W-3-1070.00 Whitewater River Near Mecca (68B)
W-5-1600.70 Salton Sea at Salton Sea State Park (68A)

SURFACE WATER SAMPLING STATIONS

SANTA ANA DRAINAGE PROVINCE (Y)


Y-5-1978.00 Santa Ana River Number One Tailrace Near Mentone (51B)
Y-7-1145.00 San Timoteo Creek at Waterman Avenue Near San Bernardino (51G)
Y-4-1100.00 Warm Creek Near Colton (50B)
Y-5-1080.00 Santa Ana River at Colton (51F)
Y-6-1400.00 Santa Ana River Near Arlington (51)
Y-6-1225.00 Santa Ana River Near Norco (51E)
Y-2-1210.05 Chino Creek Near Chino (86)
Y-1-1550.00 Santa Ana River Below Prado Dam (51A)
Y-8-2200.00 Lake Elsinore at State Park (89)

LEGEND

- Y-5-1978.00 SURFACE WATER SAMPLING STATION AND NUMBER (SEE PAGE TO THE LEFT)



KEY MAP



LOCATION OF SURFACE WATER SAMPLING STATIONS
SANTA ANA DRAINAGE PROVINCE (Y)

SURFACE WATER SAMPLING STATIONS

SAN DIEGO DRAINAGE PROVINCE (Z)

X-2-1350.00 Santa Margarita River Near Fallbrook (51C)
X-3-1345.00 San Luis Rey River at Pala (62)
X-4-3400.05 Escondido Creek Near Harmony Grove (63)
X-5-1230.30 San Diego River at Old Mission Dam (65)
X-6-2020.05 Spring Valley Creek Near La Pressa (65B)
X-8-1100.40 Tia Juana River at International Boundary (66)



LOCATION OF SURFACE WATER SAMPLING STATIONS
SAN DIEGO DRAINAGE PROVINCE (Z)



12

1903
THE

Appendix E

GROUND WATER QUALITY



Appendix E

GROUND WATER QUALITY


This appendix presents ground water quality data collected during the period from October 1, 1965, through September 30, 1966. The data were collected from a number of major ground water sources in Southern California in cooperation with other state, local, and federal agencies. Approximately 2,000 wells were sampled during the 1966 water year.

At the time of field sampling, a temperature measurement is normally made. Comments on current conditions are noted in field books which are available in the files of the Department of Water Resources, Southern District.

Laboratory analyses of ground waters were performed in accordance with "Standard Methods for the Examination of Water and Waste Water", prepared and published jointly by the American Public Health Association, American Water Works Association, and Water Pollution Control Federation, 12th Edition, 1965. In some cases, the methods used were those presented in the U. S. Geological Survey Water Supply Paper 1454, "Methods for Collection and Analysis of Water Samples", 1960.


Two numbering systems are used by the Department to facilitate processing of water quality data. The two systems are the Areal Designation and the State Well Numbering systems as described below.

The Areal Designation System comprises a series of major drainage provinces which are further subdivided into hydrologic units, hydrologic subunits, and hydrologic subareas. A coding system of the form U-04.A2 has been developed as follows:



Figures E-1 through E-6 show the location and code number of the hydrologic subdivision in each drainage province.

The State Well Numbering System is based on township, range, and section subdivisions of the Public Land Survey. The number of a well, assigned in accordance with this system, is referred to as the State Well Number, as illustrated below:



This number identifies and locates the well. In the example, the well is in Township 10 North, Range 11 East, Tract K of Section 8, located in the San Bernardino Base and Meridian. A section is divided into 40-acre tracts as follows:

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Sequence numbers in a tract are generally assigned in chronological order.

The example designates the fourth well to be assigned a number in Tract K.

TABLE E-1 MINERAL ANALYSES OF GROUND WATER

An explanation of column headings follows:

EC x 10⁶ - The specific conductance in micromhos at
25° Centigrade.

TDS - Gravimetric determination of total dissolved
solids in milligrams per liter.

Comp - Total dissolved solids determined by addition
of analyzed constituents.

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE								MILLIGRAMS PER LITER					
					CA	MG	NA	K	CO ₃	HCO ₃	SO ₄	CL	NO ₃	F	B	SiO ₂	TDS 180C 105C COMP	HARD- NESS CACO ₃
PASO ROBLES HYDRO SUBUNIT				T09H0	SALINAS HYDRO UNIT								T0900					
24S/12E-17L 10-18-65	2 M	--	8.0	1443	104 5.19 32	62 5.10 32	132 5.74 36	5 0.13 1	0	266 4.36 27	493 10.26 64	48 1.35 8	6.0 0.10 1	0.7	0.44	--	1070	515
24S/15E-17F 10-21-65	1 M	75	8.1	1637	47 2.35 13	101 8.31 45	175 7.61 41	4 0.10 1	0	482 7.90 43	309 6.43 35	141 3.98 22	4 0.06	0.5	1.40	--	1015	533
25S/12E-16N 10-17-65	1 M	74	8.1	2032	99 4.94 22	108 8.88 40	194 8.44 38	3 0.08	0	267 4.38 20	534 11.12 50	228 6.43 29	8.0 0.13 1	0.6	0.66	--	1410	692
25S/12E-28N 10-17-65	1 M	61	8.2	796	39 1.95 23	38 3.13 37	74 3.22 39	2 0.05 1	0	292 4.79 58	76 1.58 19	60 1.69 20	15.0 0.24 3	0.5	0.44	--	470	254
25S/13E-19R 10-18-65	1 M	72	8.5	531	35 1.75 31	28 2.30 41	34 1.48 27	2 0.05 1	8 0.27 5	220 3.61 65	10 0.21 4	38 1.07 19	23.0 0.37 7	0.7	0.08	--	298	203
25S/14E-330 10-21-65	1 M	65	8.3	622	29 1.45 22	22 1.81 27	76 3.30 50	3 0.08 1	0	307 5.03 77	40 0.83 13	23 0.65 10	3 0.05 1	0.6	0.48	--	354	163
25S/15E- 2C 10-12-65	2 M	70	8.0	1695	60 2.99 16	97 7.98 42	178 7.74 41	4 0.10 1	0	565 9.26 49	255 5.31 28	148 4.17 22	6 0.10 1	0.4	1.43	--	1086	549
25S/15E-21G 10-12-65	1 M	--	8.3	529	32 1.60 30	18 1.48 27	52 2.26 42	2 0.05 1	0	202 3.31 61	21 0.44 8	45 1.27 24	23 0.37 7	0.7	0.24	--	322	154
25S/16E-31J 10-12-65	1 M	70	8.3	1277	53 2.64 20	25 2.06 16	191 8.30 63	3 0.08 1	8 0.27 2	281 4.61 35	247 5.14 39	113 3.19 24	4 0.06	0.8	1.60	--	779	235
26S/12E-22P 10-19-65	2 M	67	8.4	693	34 1.70 24	25 2.06 29	78 3.39 47	2 0.05 1	10 0.33 5	260 4.26 59	33 0.69 10	62 1.75 24	14.0 0.23 3	0.4	0.26	--	380	188
26S/13E-11F 10-21-65	1 M	75	8.3	1082	45 2.25 20	31 2.55 22	153 6.65 58	3 0.08 1	0	350 5.74 50	171 3.56 31	75 2.12 18	4 0.06 1	0.5	0.92	--	668	240
26S/13E-28L 10-19-65	2 M	71	8.3	554	26 1.30 23	22 1.81 31	60 2.61 45	2 0.05 1	10 0.33 6	232 3.80 66	22 0.46 8	42 1.18 20	1.0 0.02	0.5	0.32	--	310	156
26S/14E-35D 10-21-65	1 M	69	7.6	490	45 2.25 45	9 0.74 15	45 1.96 39	3 0.08 2	0	157 2.57 51	21 0.44 9	61 1.72 34	17.0 0.27 5	0.8	0.23	--	288	150
26S/15E-28Q 10-21-65	2 M	70	7.7	4490	394 19.66 37	124 10.20 19	520 22.61 43	6 0.15	0	337 5.52 10	1414 29.44 56	626 17.65 34	0	1.1	1.65	--	3478	1494
26S/16E-15G 10-12-65	1 M	--	8.1	348	31 1.55 44	14 1.15 32	19 0.83 23	1 0.03 1	0	171 2.80 77	6 0.12 3	17 0.48 13	16 0.26 7	0.4	0.12	--	171	135
26S/16E-31B 10-21-65	1 M	74	8.4	1627	36 1.80 11	21 1.73 10	300 13.04 78	2 0.05	8 0.27 2	317 5.20 31	366 7.62 46	102 2.88 17	46 0.74 4	1.2	2.35	--	1055	177
27S/12E- 3C 10-19-65	2 M	59	8.4	733	57 2.84 37	36 2.96 39	42 1.83 24	2 0.05 1	10 0.33 4	279 4.57 60	18 0.37 5	78 2.20 29	9.0 0.15 2	0.3	0.10	--	410	290
27S/13E- 9K 10-19-65	1 M	84	8.4	906	6 0.30 3	3 0.25 3	200 8.70 94	2 0.05 1	5 0.17 2	355 5.82 63	88 1.83 20	51 1.44 16	2 0.03	1.7	3.20	--	570	28
27S/13E-36R 10-21-65	1 M	70	7.7	492	61 3.04 61	9 0.74 15	26 1.13 23	2 0.05 1	0	213 3.49 70	15 0.31 6	34 0.96 19	14 0.23 5	0.4	0.05	--	306	189
27S/15E-13A 10-22-65	1 M	64	7.9	4700	182 9.08 20	61 5.02 11	737 32.04 69	6 0.15	0	246 4.03 9	869 18.09 39	862 24.31 52	32 0.52 1	0.9	3.50	--	3408	706
27S/16E-23N51 10-22-65	1 M	66	8.3	790	36 1.80 22	9 0.74 9	128 5.57 68	5 0.13 2	25 0.83 10	221 3.62 45	71 1.48 18	66 1.86 23	14.0 0.23 3	0.5	0.47	--	464	127
28S/13E-31R 10-14-65	2 M	60	7.9	776	66 3.29 39	43 3.54 42	38 1.65 19	2 0.05 1	0	304 4.98 59	119 2.48 29	34 0.96 11	3.0 0.05 1	0.4	0.04	--	452	342

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10 ⁶	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER				MILLIGRAMS PER LITER								
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
				SALINAS HYDRO UNIT													
PASO ROBLES HYDRO SUBUNIT				T09H0				T0900									
28S/16E-14Q 1 M 10-22-65	66	8.2	556	56 2.79 47	21 1.73 29	32 1.39 23	2 0.05 1	0	185 3.03 52	98 2.04 35	22 0.62 11	9.3 0.15 3	0.4	0.05	--	375	226
28S/18E-20E 1 M 10-12-65	67	8.3	721	55 2.74 39	17 1.40 20	65 2.83 40	2 0.05 1	0	184 3.02 42	45 0.94 13	64 1.80 25	88 1.42 20	0.5	0.36	--	420	207
29S/12E- 8B 1 M 10-10-65	--	7.8	910	56 2.79 30	30 2.47 26	92 4.00 43	3 0.08 1	0	413 6.77 73	72 1.50 16	36 1.02 11	2 0.03	0.1	0.25	--	832	263
29S/14E-26A 1 M 10-13-65	--	7.9	704	72 3.59 52	12 0.99 14	52 2.26 33	2 0.05 1	0	237 3.88 55	50 1.04 15	63 1.78 25	19 0.31 4	0.3	0.04	--	410	229
29S/14E-26A 2 M 10-13-65	--	7.6	509	50 2.50 50	10 0.82 16	39 1.70 34	1 0.03 1	0	193 3.16 62	29 0.60 12	45 1.27 25	5 0.08 2	0.2	0.02	--	316	166
POZO HYDRO SUBUNIT				T09I0													
30S/15E-21E 1 M 10-10-65	--	7.7	790	63 3.14 41	30 2.47 32	48 2.09 27	1 0.03	0	214 3.51 44	145 3.02 38	38 1.07 13	28 0.45 6	0.2	0.23	--	592	281
30S/16E-29F 1 M 10-10-65	--	7.8	890	86 4.29 48	41 3.37 37	30 1.30 14	2 0.05 1	0	291 4.77 51	187 3.89 42	25 0.71 8	0	0.5	0.12	--	676	383
CAMBRIA HYDRO SUBUNIT				T10A0													
SAN CARPOFORO HYDRO SUBAREA				T10A1													
25S/ 6E-16A 2 M 10- 5-65	57	8.4	436	40 2.00 42	28 2.30 48	11 0.48 10	1 0.03 1	8 0.27 6	223 3.65 76	25 0.52 11	13 0.37 8	0	0.2	0.08	--	248	215
ARROYO DE LA CRUZ HYDRO SUBAREA				T10A2													
25S/ 6E-28AS1 M 11-30-65	65	7.9	667	23 1.15 17	45 3.70 56	40 1.74 26	0	0	228 3.74 57	15 0.31 5	87 2.45 37	3 0.05 1	0.1	0	--	385	243
25S/ 6E-34K 1 M 9-26-66	59	8.4	532	--	--	--	--	3 0.10	265 4.34	--	18 0.51	1.0 0.02	--	--	--		
10- 5-65	58	8.3	468	34 1.70 33	32 2.63 51	18 0.78 15	1 0.03 1	0	240 3.93 77	31 0.65 13	18 0.51 10	1.0 0.02	0.2	0.12	--	241	217
25S/ 6E-35N 1 M 11-30-65	--	7.8	420	35 1.75 41	25 2.06 48	11 0.48 11	1 0.03 1	0	195 3.20 75	24 0.50 12	19 0.54 13	2 0.03 1	0.2	0.09	--	224	191
SAN SIMEON HYDRO SUBAREA				T10A3													
26S/ 6E-14AS1 M 10-13-65	--	8.3	729	22 1.10 17	20 1.64 26	83 3.61 57	1 0.03	2 0.07 1	93 1.52 23	27 0.56 9	144 4.06 63	17 0.27 4	0.2	0.02	--	368	137
26S/ 7E-26C 1 M 9-26-66	64	8.3	969	78 3.89 39	50 4.11 41	44 1.91 19	2 0.05 1	0	380 6.23 62	29 0.60 6	112 3.16 32	0.7 0.01	--	0.10	--	598	400
26S/ 7E-36BS1 M 12- 1-65	62	8.0	1085	11 0.55 6	19 1.56 16	171 7.44 78	1 0.03	0	82 1.34 14	39 0.81 9	254 7.16 76	9 0.15 2	0.4	0.03	--	550	106
27S/ 8E- 6G 1 M 9-26-66	58	8.2	606	--	--	--	--	0	300 4.92	--	20 0.56	2.1 0.03	--	--	--		
27S/ 8E- 6A 2 M 12- 2-65	--	7.4	613	47 2.35 36	42 3.45 53	17 0.74 11	1 0.03	0	289 4.74 73	41 0.85 13	29 0.82 13	3 0.05 1	0.3	0.12	--	338	290
27S/ 8E- 9J 1 M 9-26-66	63	8.3	574	52 2.59 42	34 2.80 45	17 0.74 12	1 0.03	0	289 4.74 77	44 0.92 15	16 0.45 7	3.2 0.05 1	--	0.20	--	327	270
27S/ 8E- 9P 2 M 9-26-66	--	8.4	597	54 2.69 42	35 2.88 45	18 0.78 12	1 0.03	2 0.07 1	298 4.88 76	43 0.90 14	19 0.54 8	2.4 0.04 1	--	0.20	--	339	279

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER					MILLIGRAMS PER LITER													
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARO- NESS CACO 3					
SAN LUIS OBISPO HYDRO UNIT																							
CAMBRIA HYDRO SUBUNIT				T10A0										T1000									
SAN SIMEON HYDRO SUBAREA				T10A3																			
27S/ 8E- 9J 1 M 12- 3-65	--	8.0	546	48 2.40 41	33 2.71 46	16 0.70 12	1 0.03 1	0	270 4.43 76	39 0.81 14	19 0.54 9	2 0.03 1	0.3	0.13	--	298	256	291					
27S/ 8E-17A 1 M 12- 3-65	--	8.4	1218	37 1.85 16	33 2.71 23	159 6.91 60	4 0.10 1	10 0.33 3	280 4.59 39	47 0.98 8	204 5.75 49	0.5 0.01	0.5	0.31	--	655	228	633					
27S/ 8E-26D 1 M 12- 7-65	64	7.9	1250	95 4.74 37	71 5.84 46	50 2.17 17	1 0.03	0	507 8.31 65	125 2.60 20	67 1.89 15	4 0.06	0.6	0.20	--	756	529	663					
SANTA ROSA HYDRO SUBAREA				T10A4																			
26S/ 7E-20D 1 M 12- 2-65	--	8.2	3773	84 4.19 12	130 10.69 30	482 20.96 58	2 0.05	6 0.20 1	187 3.06 9	104 2.17 6	1048 29.55 84	15 0.24 1	0.6	0.06	--	2210	745	1964					
27S/ 8E-21R 3 M 9-26-66	58	8.0	1300	--	--	--	--	0	562 9.21	--	98 2.76	0.7 0.01	--	--	--								
10- 5-65	56	8.1	1056	50 2.50 21	80 6.58 56	59 2.57 22	4 0.10 1	0	441 7.23 62	107 2.23 19	79 2.23 19	0.0	0.3	0.18	--	587	454	596					
27S/ 8E-26C 5 M 9-27-66	--	8.4	1120	90 4.49 35	74 6.09 48	50 2.17 17	2 0.05	6 0.20 2	521 8.54 67	113 2.35 19	55 1.55 12	3.6 0.06	--	0.20	--	595	529	650					
27S/ 8E-26D 1 M 9-26-66	59	7.9	1180	--	--	--	--	0	501 8.21	--	73 2.06	3.5 0.06	--	--	--								
27S/ 8E-27G 1 M 7-20-66	58	8.2	1118	93 4.64 36	74 6.09 48	47 2.04 16	1 0.03	--	499 8.18 64	120 2.50 20	73 2.06 16	3 0.05	0.4	0.18	--	648	537	657					
27S/ 8E-34HS1 M 12- 7-65	64	7.6	1400	59 2.94 21	60 4.93 35	140 6.09 44	1 0.03	0	221 3.62 27	29 0.60 4	311 8.77 65	35.0 0.56 4	0.5	0	--	884	394	744					
27S/ 8E-36LS1 M 12- 7-65	--	8.1	1241	80 3.99 28	88 7.24 50	74 3.22 22	1 0.03	0	710 11.64 81	16 0.33 2	83 2.34 16	2 0.03	0.6	0.18	--	670	562	694					
27S/ 9E- 4E 1 M 12- 7-65	--	8.4	1200	90 4.49 38	64 5.26 44	48 2.09 18	1 0.03	33 1.10 9	530 8.69 74	11 0.23 2	55 1.55 13	7.0 0.11 1	0.5	0.16	--	624	488	570					
27S/ 9E-19M 1 M 12- 7-65	--	8.2	1420	122 6.09 42	85 6.99 49	30 1.30 9	1 0.03	62 2.07 14	543 8.90 61	109 2.27 16	45 1.27 9	3 0.05	0.4	0.26	--	864	655	725					
27S/ 9E-21B 1 M 12- 6-65	--	8.1	570	63 3.14 55	27 2.22 39	5 0.22 4	5 0.13 2	0	152 2.49 46	67 1.39 26	53 1.49 28	2 0.03 1	0.4	0.20	--	392	268	297					
27S/ 9E-32P 1 M 12- 7-65	--	8.2	980	100 4.99 42	49 4.03 34	67 2.91 24	1 0.03	22 0.73 6	424 6.95 58	121 2.52 21	59 1.66 14	7.0 0.11 1	0.7	0.09	--	644	451	635					
28S/ 9E- 80 1 M 12- 3-65	--	8.4	1343	59 2.94 21	61 5.02 37	132 5.74 42	1 0.03	12 0.40 3	359 5.88 44	32 0.67 5	227 6.40 48	1 0.02	0.6	0.85	--	707	398	703					
VILLA HYDRO SUBAREA				T10A5																			
27S/ 9E-34L 1 M 12- 7-65	--	7.3	400	36 1.80 46	17 1.40 36	15 0.65 17	1 0.03 1	0	145 2.38 68	9 0.19 5	21 0.59 17	21 0.34 10	0.4	0.05	--	284	160	192					
28S/ 9E-10L 1 M 12- 8-65	--	7.5	480	41 2.05 44	18 1.48 32	25 1.09 23	1 0.03 1	0	202 3.31 72	15 0.31 7	31 0.87 19	7.0 0.11 2	0.8	0.08	--	260	177	238					
28S/ 9E-22N 1 M 12- 7-65	67	7.9	2220	113 5.64 26	95 7.81 36	190 8.26 38	2 0.05	0	585 9.59 45	77 1.60 7	365 10.29 48	3 0.05	0.5	0.52	--	1252	673	1134					
28S/ 9E-23E 1 M 12- 7-65	--	8.4	1220	80 3.99 34	57 4.69 40	70 3.04 26	1 0.03	14 0.47 4	211 3.46 30	222 4.62 40	106 2.99 26	3 0.05	0.6	0.54	--	580	434	658					
28S/ 9E-26E 1 M 9-26-66	63	8.1	1930	--	--	--	--	0	458 7.51	--	278 7.84	131 2.11	--	--	--								

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECx10 ⁶	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE								MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO ₃	HCO ₃	SO ₄	CL	NO ₃	F	B	SIO ₂	TDS 180C 105C COMP
SAN LUIS OBISPO HYDRO UNIT																	
CAMBRIA HYDRO SUBUNIT				T10A0				T1000									
VILLA HYDRO SUBAREA				T10A5													
28S/ 9E-26E 1 M 10- 4-65	65	8.0	1798	.57 2.84 16	86 7.07 40	182 7.91 44	1 0.03	0	359 5.88 33	66 1.37 8	293 8.26 46	143 2.31 13	0.6	0.50	--	1104	496
28S/ 9E-26N 3 M 12- 7-65	63	7.9	950	72 3.59 40	42 3.45 39	43 1.87 21	2 0.05 1	0	371 6.08 67	69 1.44 16	53 1.49 16	3 0.05 1	0.4	0.16	--	460	352
28S/10E-33F11 M 12- 8-65	--	8.4	1300	72 3.59 29	61 5.02 40	90 3.91 31	1 0.03	32 1.07 8	428 7.01 55	35 0.73 6	129 3.64 29	18.0 0.29 2	0.6	0.32	--	708	431
CAYUCOS HYDRO SUBAREA				T10A6													
28S/10E-22DS1 M 12- 8-65	--	7.8	740	55 2.74 38	41 3.37 47	25 1.09 15	1 0.03	0	315 5.16 71	35 0.73 10	39 1.10 15	14 0.23 3	0.5	0.10	--	464	306
28S/10E-31F 1 M 12- 7-65	--	7.7	1580	72 3.59 24	57 4.69 31	152 6.61 44	1 0.03	0	405 6.64 44	45 0.94 6	262 7.39 48	18 0.29 2	1.0	0.30	--	900	414
28S/10E-32A 3 M 9-27-66	63	8.4	1340	--	--	--	--	8 0.27	553 9.06	--	116 3.27	37 0.60	--	--	--		
28S/10E-32A 1 M 12- 8-65	--	8.1	898	55 2.74 27	65 5.35 53	46 2.00 20	1 0.03	0	470 7.70 77	24 0.50 5	63 1.78 18	2 0.03	0.4	0.12	--	505	405
28S/10E-32A 3 M 10- 5-65	61	8.2	1236	41 2.05 15	84 6.91 51	102 4.43 32	10 0.26 2	0	531 8.70 65	43 0.90 7	121 3.41 25	27.0 0.44 3	0.4	0.18	--	681	448
28S/10E-32A 4 M 10- 5-65	62	8.3	1550	37 1.85 12	84 6.91 45	151 6.57 42	7 0.18 1	47 1.57 10	489 8.01 52	55 1.15 7	163 4.60 30	3.0 0.05	0.5	0.29	--	832	438
28S/10E-33E 5 M 9-27-66	65	8.6	1480	--	--	--	--	19 0.63	557 9.13	--	162 4.57	0.8 0.01	--	--	--		
28S/10E-35E 5 M 7-20-66	64	8.3	1497	43 2.15 13	95 7.81 49	136 5.91 37	4 0.10 1	30 1.00 6	575 9.42 58	52 1.08 7	170 4.79 29	0	0.4	0.20	--	867	498
OLD HYDRO SUBAREA				T10A7													
28S/10E-26H 2 M 12- 8-65	66	7.5	980	81 4.04 41	43 3.54 36	50 2.17 22	1 0.03	0	423 6.93 72	64 1.33 14	44 1.24 13	4 0.06 1	0.4	0.15	--	556	379
28S/10E-34N 2 M 12- 8-65	--	7.9	728	55 2.74 34	42 3.45 43	40 1.74 22	1 0.03	0	339 5.56 70	60 1.25 16	38 1.07 14	1 0.02	0.5	0.16	--	380	310
29S/10E- 2C 1 M 12- 8-65	--	8.1	584	13 0.65 11	51 4.19 70	27 1.17 19	0	0	254 4.16 68	11 0.23 4	55 1.55 25	10 0.16 3	0.3	0.10	--	330	242
29S/10E- 3G 1 M 10- 5-65	64	8.1	1660	100 4.99 30	89 7.32 44	97 4.22 25	2 0.05	0	405 6.64 40	92 1.92 11	287 8.09 48	8.0 0.13 1	0.5	0.23	--	1216	616
TORO HYDRO SUBAREA				T10A8													
29S/10E-11H 1 M 9-27-66	59	8.4	1000	--	--	--	--	6 0.20	350 5.74	--	110 3.10	2.5 0.04	--	--	--		
10- 5-65	58	8.0	1200	76 3.79 32	73 6.00 51	45 1.96 17	2 0.05	0	425 6.97 59	70 1.46 12	120 3.38 28	4.0 0.06 1	0.3	0.19	--	732	490
29S/11E- 6L 1 M 9-27-66	66	8.3	840	58 2.89 31	63 5.18 55	31 1.35 14	1 0.03	0	425 6.97 75	70 1.46 16	30 0.85 9	0.3	--	0.20	--	482	404
12- 8-65	--	7.6	868	59 2.94 30	65 5.35 55	33 1.43 15	1 0.03	0	431 7.06 74	79 1.64 17	32 0.90 9	0	0.3	0.10	--	525	415

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE								MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
				SAN LUIS OBISPO HYDRO UNIT								T1000					
SAN LUIS OBISPO HYDRO SUBUNIT MORRO HYDRO SUBAREA				T10B0				T10B1									
11N/36W-13K 5 S 6-9-66	66	8.2	504	48 2.40 49	14 1.15 24	29 1.26 26	3 0.08 2	0 2.13 44	130 0.81 17	39 1.55 32	55 0.30 6	18.7 0.4	0.4 0.41	--	338	178	
29S/10E-25C 2 M 7-21-66	--	7.7	1403	101 5.04 32	97 7.98 50	67 2.91 18	0	-- 8.85 56	540 2.14 14	103 4.60 29	163 0.23 1	14 0.3	0.11	--	917	652	
9-26-66	--	8.2	1610	--	--	--	--	0 8.77	535 --	197 5.56	16 0.26	--	--	--	811		
29S/10E-25E 2 M 9-26-66	--	7.9	3060	--	--	--	--	0 7.29	445 --	653 18.41	8.6 0.14	--	--	--			
29S/10E-25C 2 M 10-4-65	61	8.2	1230	46 2.30 18	89 7.32 59	65 2.83 23	2 0.05	25 0.83 7	276 4.52 36	106 2.21 18	160 4.51 36	23.0 0.37 3	0.4	0.22	--	808	481
29S/11E-1LS1 M 12-9-65	--	8.3	490	42 2.10 44	20 1.64 35	22 0.96 20	1 0.03 1	8 0.27 6	146 2.39 49	71 1.48 31	23 0.65 13	3 0.05 1	0.7	0.08	--	288	187
CHORRO HYDRO SUBAREA				T10B2													
29S/11E-32J 6 S 12-9-65	--	7.6	1550	70 3.49 24	107 8.80 61	50 2.17 15	1 0.03	0 10.13 70	618 1.10 8	53 2.99 21	106 0.23 2	14 0.4	0.15	--	780	615	
29S/11E-9Q 2 M 12-9-65	--	7.2	1610	107 5.34 34	97 7.98 51	50 2.17 14	2 0.05	0 10.49 67	640 2.29 15	110 2.40 15	85 0.55 3	34 0.4	0.20	--	868	667	
29S/11E-19G 2 M 12-9-65	--	7.7	1100	68 3.39 31	66 5.43 50	46 2.00 18	1 0.03	0 6.92 65	422 1.23 12	59 2.40 23	85 0.06 1	4 0.5	0.10	--	636	441	
29S/11E-32J 4 M 9-26-66	--	7.9	1130	--	--	--	--	0 8.26	504 --	93 2.62	0.7 0.01	--	--	--			
29S/11E-32L 1 M 9-28-66	61	8.6	1180	--	--	--	--	24 0.80	498 8.16	88 2.48	6.4 0.10	--	--	--			
29S/11E-32M 1 M 9-27-66	61	8.5	1910	55 2.74 13	133 10.94 54	150 6.52 32	5 0.13 1	29 0.97 5	570 9.34 45	116 2.42 12	273 7.70 37	7.9 0.13 1	--	0.20	--	1110	685
29S/11E-32F 2 M 9-28-66	60	8.5	1200	--	--	--	--	19 0.63	542 8.88	89 2.51	8.7 0.14	--	--	--			
29S/11E-32K 2 M 12-9-65	68	7.5	1238	58 2.89 21	102 8.39 61	54 2.35 17	1 0.03	0 9.18 68	560 1.00 7	48 3.33 25	118 0.08 1	5 0.4	0.10	--	680	564	
29S/11E-32M 1 M 10-4-65	60	8.5	1546	30 1.50 8	129 10.61 58	138 6.00 33	4 0.10 1	19 0.63 4	515 8.44 47	105 2.19 12	232 6.54 36	8.0 0.13 1	0.4	0.10	--	920	606
30S/11E-3D 1 M 9-26-66	--	8.0	1240	56 2.79 21	99 8.14 61	57 2.48 18	1 0.03	0 8.85 67	540 1.00 8	48 3.33 25	118 0.08 1	4.8 0.08 1	--	0.10	--	657	547
12-9-65	--	7.7	1350	61 3.04 22	96 7.90 58	60 2.61 19	1 0.03	0 9.08 66	554 0.96 7	46 3.53 26	125 0.10 1	6 0.6	0.14	--	796	547	
LOS OSOS HYDRO SUBAREA				T10B3													
30S/10E-13B 2 M 7-19-66	61	7.2	1405	59 2.94 24	74 6.09 49	75 3.26 26	3 0.08 1	-- 0.38 3	23 0.46 4	22 11.14 90	395 0.37 3	23 0.1	0.02	--	925	452	
9-28-66	65	6.9	1660	--	--	--	--	0 0.38	23 --	437 12.32	25 0.40	--	--	--			
30S/10E-13L 1 M 7-19-66	62	7.6	202	7 0.35 18	6 0.49 26	24 1.04 54	1 0.03 2	-- 0.66 35	40 0.10 5	5 1.04 54	37 0.11 6	7 0.1	0.02	--	113	42	
9-28-66	70	6.8	203	--	--	--	--	0 0.70	43 --	30 0.85	5.4 0.09	--	--	--			

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE								MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	S10 2	TDS 180C 105C COMP
SAN LUIS OBISPO HYDRO UNIT T1000																	
LOS OSOS HYDRO SUBAREA				T10B3													
30S/11E-7G 3 M 7-19-66	67	6.9	194	8 0.40 22	7 0.58 32	19 0.83 45	1 0.03 2	--	45 0.74 40	3 0.06 3	31 0.87 47	12 0.19 10	0.1	0	--	118 103	49
30S/11E-7O 1 M 9-28-66	64	7.3	213	9 0.45 24	6 0.49 27	20 0.87 47	1 0.03 2	0	31 0.51 29	5 0.10 6	30 0.85 49	18 0.29 17	--	0	--	148 04	47
30S/11E-8J 1 M 9-28-66	75	8.3	3240	--	--	--	--	0	366 6.00	--	730 20.59	60 0.97	--	--	--		
30S/11E-8R 1 M 7-19-66	69	8.4	1263	92 4.59 31	89 7.32 49	68 2.96 20	3 0.08 1	23 0.77 5	690 11.31 76	4 0.08 1	98 2.76 18	4 0.06	0.2	0.10	--	694 721	596
9-28-66	72	8.1	1330	--	--	--	--	0	721 11.82	--	88 2.48	3.9 0.06	--	--	--		
30S/11E-8J 1 M 10-4-65	63	7.9	3311	131 6.54 20	149 12.25 37	330 14.35 43	2 0.05	0	411 6.74 20	97 2.02 6	818 23.07 69	86 1.39 4	0.7	0.36	--	2020 1816	940
30S/11E-13Q 1 M 10-4-65	58	7.8	300	15 0.75 26	7 0.58 20	35 1.52 52	2 0.05 2	0	56 0.92 31	13 0.27 9	50 1.41 47	24.0 0.39 13	0.2	0.25	--	180 174	67
30S/11E-17H 1 M 9-28-66	65	8.6	575	--	--	--	--	11 0.37	210 3.44	--	40 1.13	13 0.21	--	--	--		
30S/11E-18K 1 M 9-28-66	63	7.7	175	7 0.35 23	5 0.41 27	17 0.74 48	1 0.03 2	0	42 0.69 46	1 0.02 1	24 0.68 45	6.6 0.11 7	--	0	--	129 82	38
30S/11E-18Q 1 M 9-28-66	64	7.7	257	--	--	--	--	0	34 0.56	--	34 0.96	26 0.42	--	--	--		
30S/11E-18H 1 M 9-28-66	--	7.6	211	9 0.45 24	6 0.49 26	21 0.91 48	1 0.03 2	0	40 0.66 38	3 0.06 3	29 0.82 47	13 0.21 12	--	0	--	153 102	47
30S/11E-18K 1 M 12-9-65	--	7.5	220	17 0.85 39	5 0.41 19	21 0.91 41	1 0.03 1	0	37 0.61 29	17 0.35 17	35 0.99 47	10 0.16 8	0.3	0.03	--	156 124	63
30S/11E-21E 1 M 12-6-65	--	8.3	1550	76 3.79 25	87 7.15 47	100 4.35 28	1 0.03	49 1.63 11	207 3.39 22	32 0.67 4	340 9.59 63	0.0	0.1	0.08	--	1020 787	547
30S/11E-23FS1 M 12-9-65	--	7.8	530	11 0.55 10	49 4.03 77	15 0.65 12	1 0.03 1	0	246 4.03 78	7 0.15 3	34 0.96 18	3 0.05 1	0.2	0.01	--	312 241	229
SAN LUIS OBISPO CR HYDRO SUBAREA				T10B4													
30S/12E-29Q 1 M 10-4-65	62	8.3	2500	52 2.59 11	127 10.44 43	260 11.30 46	1 0.03	43 1.43 6	343 5.62 23	94 1.96 8	498 14.04 58	76.0 1.23 5	0.7	0.19	--	1588 1320	652
31S/12E-4K 1 M 12-9-65	--	7.2	660	35 1.75 26	50 4.11 62	18 0.78 12	1 0.03	0	325 5.33 79	20 0.42 6	31 0.87 13	7 0.11 2	0.2	0	--	352 322	293
31S/12E-10M 1 M 12-9-65	--	7.6	1080	55 2.74 26	75 6.17 59	35 1.52 15	1 0.03	0	458 7.51 72	49 1.02 10	62 1.75 17	10 0.16 2	0.2	0.06	--	600 512	446
31S/12E-12N 1 M 10-7-65	60	8.1	2490	121 6.04 26	150 12.34 53	111 4.83 21	1 0.03	0	240 3.93 17	12 0.25 1	677 19.09 81	12 0.19 1	0.4	0.11	--	1760 1203	920
31S/12E-16O 1 M 12-9-65	66	7.8	850	33 1.65 20	75 6.17 75	9 0.39 5	1 0.03	0	441 7.23 86	13 0.27 3	30 0.85 10	5 0.08 1	0.4	0.08	--	464 383	391
31S/12E-28Q 1 M 12-13-65	--	7.8	1050	72 3.59 35	44 3.62 35	70 3.04 29	5 0.13 1	0	285 4.67 46	139 2.89 28	85 2.40 23	17 0.27 3	0.5	0	--	620 573	361

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CALCO 3
SAN LUIS OBISPO HYDRO UNIT T1000																	
SAN LUIS OBISPO CR HYDRO SUBAREA T10B4																	
31S/12E-29P 1 M 12-13-65	--	7.1	985	82 4.09 36	58 4.77 47	55 2.39 21	2 0.05	0	512 8.39 75	85 1.77 16	37 1.04 9	3 0.05	0.6	0.16	--	575	443
31S/12E-32D 2 M 8-1-66	--	7.9	1230	59 2.94 22	46 3.78 28	153 6.65 49	5 0.13 1	--	564 9.24 69	66 1.37 10	96 2.71 20	3.5 0.06	1.8	0.39	--	712	336
31S/12E-33F 1 M 12-13-65	--	6.3	455	16 0.80 19	11 0.90 22	54 2.35 57	3 0.08 2	0	54 0.89 21	58 1.21 29	67 1.89 46	9 0.15 4	0.5	0.06	--	290	85
POINT SAN LUIS HYDRO SUBAREA T10B5																	
30S/10E-27R 1 M 12-9-65	--	7.5	1560	96 4.79 32	56 4.61 30	130 5.65 37	3 0.08 1	0	384 6.29 41	30 0.62 4	297 8.38 54	10 0.16 1	0.3	0.20	--	1040	470
PISMO HYDRO SUBAREA T10B6																	
31S/12E-1H 1 M 12-14-65	--	7.4	1233	50 2.50 19	107 8.80 66	46 2.00 15	2 0.05	0	459 7.52 56	51 1.06 8	158 4.46 33	18 0.29 2	0.3	0.06	--	715	565
31S/12E-1N 6 M 12-14-65	--	8.4	2000	71 3.54 18	108 8.88 46	157 6.83 35	0	43 1.43 7	382 6.26 32	81 1.69 9	335 9.45 49	32 0.52 3	0.6	0.14	--	1192	621
31S/12E-12F 3 M 12-14-65	--	7.6	2045	78 3.89 17	173 14.23 63	105 4.57 20	1 0.03	0	710 11.64 52	69 1.44 6	265 7.47 33	110 1.77 8	0.3	0.04	--	1210	907
31S/12E-15H 1 M 12-13-65	--	7.8	1447	17 0.85 5	20 1.64 10	330 14.35 83	15 0.38 2	0	545 8.93 52	165 3.44 20	172 4.85 28	5 0.08	1.2	0.42	--	970	125
31S/13E-7M 1 M 12-14-65	--	8.1	620	35 1.75 28	41 3.37 54	25 1.09 17	1 0.03	0	230 3.77 62	25 0.52 9	59 1.66 27	7 0.11 2	0.1	0.12	--	324	256
31S/13E-16D 2 M 12-14-65	--	7.6	800	64 3.19 35	60 4.93 54	24 1.04 11	1 0.03	0	423 6.93 76	64 1.33 15	25 0.71 8	8 0.13 1	0.5	0.12	--	460	406
31S/13E-18D 1 M 12-14-65	64	7.2	990	54 2.69 29	33 2.71 29	87 3.78 41	6 0.15 2	0	124 2.03 22	21 0.44 5	239 6.74 72	12.0 0.19 2	0.3	0.28	--	792	270
31S/13E-19L 1 M 12-14-65	--	7.7	1100	83 4.14 35	51 4.19 35	78 3.39 29	4 0.10 1	0	450 7.38 64	115 2.39 21	56 1.58 14	8 0.13 1	0.7	0.20	--	652	417
31S/13E-20D 1 M 12-15-65	--	8.2	880	49 2.45 29	49 4.03 48	43 1.87 22	3 0.08 1	20 0.67 8	298 4.88 57	73 1.52 18	51 1.44 17	1.5 0.02	0.5	0	--	584	324
31S/13E-27D 3 M 12-15-65	--	8.4	980	46 2.30 24	66 5.43 57	39 1.70 18	1 0.03	59 1.97 21	300 4.92 51	21 0.44 5	67 1.89 20	22.0 0.35 4	0.2	0.11	--	504	387
31S/13E-29F 4 M 12-15-65	--	8.5	970	75 3.74 39	55 4.52 47	29 1.26 13	1 0.03	67 2.23 23	270 4.43 46	85 1.77 18	38 1.07 11	7.0 0.11 1	0.3	0.10	--	536	413
31S/13E-29F 5 M 10-7-65	60	8.5	843	73 3.64 38	57 4.69 49	28 1.22 13	1 0.03	21 0.70 7	368 6.03 64	82 1.71 18	32 0.90 10	8 0.13 1	0.4	0.10	--	500	417
31S/13E-32N 1 M 11-15-65	--	7.5	1080	32 1.60 18	18 1.48 16	135 5.87 65	2 0.05 1	0	140 2.29 25	0	241 6.80 73	14 0.23 2	0.6	0	--	608	154
31S/13E-33Q 2 M 12-15-65	--	7.6	850	83 4.14 48	35 2.88 34	35 1.52 18	0	0	380 6.23 76	25 0.52 6	50 1.41 17	4 0.06 1	0.8	0.05	--	484	351
32S/12E-4K 2 M 12-15-65	--	7.6	2250	127 6.34 26	128 10.53 43	167 7.26 29	24 0.61 2	0	813 13.33 54	208 4.33 18	232 6.54 26	31 0.50 2	0.6	0.57	--	1368	844
32S/12E-13J 2 M 10-7-65	61	7.6	5144	194 9.68 19	174 14.31 28	635 27.61 53	16 0.41 1	0	548 8.98 17	224 4.66 9	1353 38.15 74	5 0.08	0.4	0.45	--	3294	1200
32S/12E-15J 1 M 10-7-65	61	7.9	3142	139 6.94 21	140 11.51 34	340 14.78 44	12 0.31 1	0	804 13.18 39	248 5.16 15	533 15.03 45	0	0.6	0.90	--	1929	923

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10 ⁶	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE								MILLIGRAMS PER LITER						
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3	
SAN LUIS OBISPO HYDRO UNIT T1000																			
PISMO HYDRO SUBAREA T10B6																			
32S/12E-24P 1-17-66	2 M	76	8.3	1035	101 5.04 45	32 2.63 23	79 3.43 31	5 0.13 1	24 0.80 7	332 5.44 49	147 3.06 28	62 1.75 16	0	0.3	0.05	--	651	384	
32S/12E-24R 1-17-66	3 M	72	8.0	1065	103 5.14 45	36 2.96 26	74 3.22 28	5 0.13 1	0	345 5.65 50	158 3.29 29	79 2.23 20	1.0 0.02	0.2	0	--	670	405	
32S/13E-6M 11-15-65	1 M	--	8.3	2050	71 3.54 16	24 1.97 9	383 16.65 74	16 0.41 2	88 2.93 13	653 10.70 48	54 1.12 5	268 7.56 34	1 0.02	0.5	2.65	--	1356	276	
32S/13F-31H 10-7-65	3 M	60	7.7	1403	148 7.39 46	74 6.09 38	61 2.65 16	1 0.03	0	408 6.69 42	291 6.06 38	89 2.51 16	48 0.77 5	0.6	0.12	--	995	675	
ARROYO GRANDE HYDRO SUBUNIT T10C0 ARROYO GRANDE HYDRO SUBAREA T10C1																			
11N/36W-13K 6-9-66	6 S	68	8.4	997	94 4.69 42	37 3.04 27	75 3.26 29	5 0.13 1	12 0.40 4	209 3.43 31	284 5.91 54	40 1.13 10	1.0 0.02	0.3	0.06	--	718	387	
32S/12E-24R 1-18-66	1 M	63	7.6	1687	113 5.64 36	47 3.87 25	137 5.96 38	3 0.08 1	0	187 3.06 20	87 1.81 12	345 9.73 62	67 1.08 7	0.2	0.08	--	1082	476	
32S/12E-24R 1-18-66	2 M	62	8.1	758	75 3.74 49	23 1.89 25	45 1.96 26	2 0.05 1	0	203 3.33 45	94 1.96 26	71 2.00 27	9.5 0.15 2	0.2	0	--	458	282	
32S/12E-24R 1-19-66	3 M	67	7.8	1051	110 5.49 48	45 3.70 32	50 2.17 19	3 0.08 1	0	376 6.16 55	167 3.48 31	54 1.52 14	1 0.02	0.2	0	--	640	460	
32S/13E-12Q 10-7-65	2 M	62	8.2	967	102 5.09 45	51 4.19 37	48 2.09 18	1 0.03	0	334 5.47 48	173 3.60 32	76 2.14 19	10.0 0.16 1	0.7	0.06	--	660	464	
32S/13E-29G 10-7-65	2 M	60	7.9	938	99 4.94 47	46 3.78 36	40 1.74 17	2 0.05	0	350 5.74 55	148 3.08 29	43 1.21 12	27 0.44 4	0.4	0.12	--	610	436	
32S/13E-30F 1-20-66	1 M	--	8.0	2767	201 10.03 36	81 6.66 24	250 10.87 39	6 0.15 1	0	173 2.84 10	381 7.93 28	586 16.53 59	33 0.53 2	0.4	0.11	--	1900	835	
32S/13E-30F 1-20-66	2 M	66	7.6	970	94 4.69 47	38 3.13 32	47 2.04 21	2 0.05 1	0	280 4.59 45	152 3.16 31	68 1.92 19	27 0.44 4	0.2	0.08	--	580	391	
32S/13E-30F 1-19-66	3 M	68	7.8	1047	109 5.44 50	40 3.29 30	49 2.13 19	4 0.10 1	0	321 5.26 48	182 3.79 34	69 1.95 18	1 0.02	0.3	0.05	--	642	437	
32S/13E-30H 10-7-65	2 M	60	7.8	778	52 2.59 37	26 2.14 30	52 2.26 32	2 0.05 1	0	86 1.41 20	81 1.69 23	76 2.14 30	122 1.97 27	0.3	0.03	--	463	237	
32S/13E-30L 10-7-65	2 M	61	8.0	1156	113 5.64 47	53 4.36 36	46 2.00 17	3 0.08 1	0	298 4.88 40	151 3.14 26	130 3.67 30	24 0.39 3	0.3	0.04	--	725	500	
32S/13E-30N 1-22-66	1 M	68	10.3	1112	112 5.59 53	3 0.25 2	93 4.04 38	25 0.64 6	19 0.63 5	0	365 7.60 66	115 3.24 28	3 0.05	0.5	0.08	--	683	292	
32S/13E-30N 1-21-66	2 M	67	7.5	1376	148 7.39 47	63 5.18 33	71 3.09 20	5 0.13 1	0	232 3.80 25	483 10.06 65	54 1.52 10	0	0.5	0.12	--	1069	629	
32S/13E-30N 1-22-66	3 M	65	7.5	1226	132 6.59 48	59 4.85 35	54 2.35 17	3 0.08 1	0	410 6.72 50	250 5.21 38	57 1.61 12	1 0.02	0.5	0.08	--	804	572	
32S/13E-30P 1-20-66	1 M	--	7.4	1099	106 5.29 47	48 3.95 35	43 1.87 17	2 0.05	0	306 5.02 45	134 2.79 25	105 2.96 26	27 0.44 4	0.4	0.04	--	653	462	
32S/13E-30R 10-7-65	1 M	61	7.8	781	51 2.54 35	25 2.06 28	59 2.57 35	3 0.08 1	0	73 1.20 16	123 2.56 35	68 1.92 26	106 1.71 23	0.3	0.02	--	474	230	
32S/13E-31J 7-18-66	3 M	58	7.9	2166	222 11.08 43	135 11.10 43	82 3.57 14	2 0.05	--	397 6.51 25	644 13.41 52	131 3.69 14	126 2.03 8	0.6	0.08	--	1595	1110	
																	1538		

TABLE E-1
ANALYSES OF GROUND WATER

SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER					
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIU 2	TDS 180C 105C COMP	HARD- NESS CALO 3	
SANTA MARIA-CUYAMA HYDRO UNIT																			
				T10C0										T1200					
ARROYO GRANDE HYDRO SUBUNIT				T10C1															
ARROYO GRANDE HYDRO SUBAREA																			
32S/13E-31H 3 M 7-18-66	61	8.2	1570	166 8.28 45	88 7.24 39	65 2.83 15	1 0.03	--	425 6.97 39	343 7.14 40	99 2.79 15	70 1.13 6	0.6	0.09	--	1036 1042	777		
32S/13E-31H 7 M 7-18-66	67	8.5	1788	194 9.68 47	82 6.74 33	92 4.00 19	4 0.10	38 1.27 6	365 5.98 29	368 7.66 37	146 4.12 20	91 1.47 7	0.6	0.06	--	1249 1195	822		
32S/13E-31C 1 M 1-22-66	63	7.8	4543	100 4.99 11	108 8.88 19	708 30.78 67	45 1.15 3	0	551 9.03 20	355 7.39 16	1008 28.43 63	3.7 0.06	0.8	0.55	--	2592 2600	694		
32S/13E-31F 2 M 1-21-66	--	8.1	1298	138 6.89 47	62 5.10 34	62 2.70 18	4 0.10 1	0	338 5.54 38	364 7.58 52	48 1.35 9	1.0 0.02	0.5	0.08	--	952 846	600		
32S/13E-31F 3 M 1-21-66	72	7.4	1436	158 7.88 48	63 5.18 32	72 3.13 19	4 0.10 1	0	225 3.69 23	521 10.85 66	50 1.41 9	1 0.02	0.4	0.13	--	1055 980	654		
32S/13E-31F 4 M 1-21-66	78	7.4	997	76 3.79 37	32 2.63 26	86 3.74 36	4 0.10 1	0	327 5.36 52	126 2.62 26	80 2.26 22	0	0.3	0.16	--	548 565	321		
32S/13E-32M 4 M 7-18-66	62	8.3	1207	138 6.89 49	65 5.35 38	43 1.87 13	2 0.05	22 0.73 5	395 6.47 46	231 4.81 34	60 1.69 12	24 0.39 3	0.4	0.05	--	773 780	612		
32S/13E-32A 1 M 10-7-65	60	7.6	935	77 3.84 42	38 3.13 34	50 2.17 24	2 0.05 1	0	53 0.87 10	194 4.04 44	76 2.14 23	128 2.06 23	0.2	0.10	--	630 591	349		
32S/13E-32H 1 M 10-7-65	67	8.2	828	79 3.94 44	37 3.04 34	43 1.87 21	2 0.05 1	0	200 3.28 37	166 3.46 39	52 1.47 17	42.0 0.68 8	0.5	0.04	--	540 520	349		
32S/13E-33M 2 M 7-18-66	59	8.0	1914	212 10.58 48	105 8.64 39	61 2.65 12	2 0.05	--	423 6.93 32	501 10.43 47	85 2.40 11	138 2.23 10	0.8	0.08	--	1411 1313	962		
NIPOMO MESA HYDRO SUBAREA				T10C2															
11N/35W-5L 1 S 10-11-65	69	8.0	700	57 2.84 39	27 2.22 30	50 2.17 30	3 0.08 1	0	151 2.47 34	156 3.25 45	52 1.47 20	6.0 0.10 1	0.3	0.06	--	430 426	253		
11N/35W-7R 1 S 10-8-65	70	8.0	1178	125 6.24 47	49 4.03 30	70 3.04 23	4 0.10 1	0	178 2.92 22	443 9.22 69	43 1.21 9	2.8 0.05	0.4	0.18	--	880 825	514		
11N/35W-9G 1 S 10-13-65	--	7.8	626	42 2.10 35	24 1.97 32	45 1.96 32	2 0.05 1	0	139 2.28 37	107 2.23 36	56 1.58 26	4 0.06 1	0.2	0.06	--	381 349	204		
11N/35W-9P 1 S 10-11-65	65	7.8	293	12 0.60 24	5 0.41 16	34 1.48 58	2 0.05 2	0	49 0.80 31	11 0.23 9	50 1.41 54	11 0.18 7	0.1	0.01	--	206 149	51		
11N/35W-12F 1 S 10-8-65	71	8.2	528	37 1.85 37	13 1.07 21	48 2.09 41	2 0.05 1	0	127 2.08 41	30 0.62 12	84 2.37 46	2.2 0.04 1	0.2	0.05	--	290 279	146		
				T1100															
10N/24W-6C 1 S 10-12-65	--	7.7	5866	369 18.41 27	225 18.50 27	708 30.78 45	4 0.10	--	258 4.23 6	1492 31.06 46	1097 30.94 46	99 1.60 2	1.1	1.00	--	4370 4123	1847		
10N/24W-9L 1 S 10-12-65	--	7.8	9860	457 22.80 16	678 55.76 39	1444 62.79 44	13 0.33	0	234 3.84 3	5561 115.78 83	709 19.99 14	37 0.60	1.4	4.10	--	10013 9020	3931		
10N/24W-9Q 1 S 10-12-65	--	7.8	2824	392 19.56 53	137 11.27 30	145 6.30 17	4 0.10	0	239 3.92 11	1370 28.52 78	130 3.67 10	23 0.37 1	0.6	0.82	--	2504 2320	1543		
11N/26W-2G 1 S 10-22-65	71	8.1	3115	56 2.79 9	29 2.38 7	615 26.74 84	3 0.08	0	239 3.92 12	794 16.53 51	398 11.22 35	35 0.56 2	0.9	1.30	--	2050 2050	259		
29S/17E-13R 1 M 10-22-65	71	8.2	880	38 1.90 22	13 1.07 13	126 5.48 65	1 0.03	0	161 2.64 31	119 2.48 29	81 2.28 27	68.0 1.10 13	0.9	0.63	--	530 527	149		
29S/18E-28L 1 M 10-22-65	69	7.9	1143	71 3.54 31	20 1.64 14	145 6.30 55	1 0.03	0	168 2.75 24	260 5.41 47	74 2.09 18	80.0 1.29 11	0.6	0.68	--	750 735	259		

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10 ⁶	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				TDS 180C 105C COMP	HARD- NESS CACO ₃	
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO ₂			
				T1100														
30S/18E-2N 10-22-65	1 M	65	7.9	884	77 3.84 42	22 1.81 20	80 3.48 38	1 0.03	0	229 3.75 41	158 3.29 36	54 1.52 17	39 0.63 7	0.3	0.26	--	600	283
30S/18E-12N 10-22-65	1 M	72	8.2	613	39 1.95 31	16 1.32 21	68 2.96 47	1 0.03	0	218 3.57 57	58 1.21 19	32 0.90 14	38 0.61 10	0.6	0.24	--	425	16
				T12A0				SANTA MARIA-CUYAMA HYDRO UNIT				T1200						
9N/33W-6G 4-12-66	1 S	63	7.7	1014	95 4.74 43	51 4.19 38	50 2.17 19	2 0.05	--	248 4.06 37	286 5.95 54	34 0.96 9	3.0 0.05	0.5	0.05	--	741	447
9N/33W-6G 11-8-65	1 S	--	8.1	986	93 4.64 41	54 4.44 39	50 2.17 19	2 0.05	0	259 4.25 38	295 6.14 55	28 0.79 7	5 0.08 1	0.6	0.12	--	490	454
9N/33W-12R 4-12-66	1 S	64	8.0	1124	100 4.99 39	60 4.93 39	63 2.74 22	2 0.05	--	262 4.29 35	329 6.85 55	35 0.99 8	14 0.23 2	0.4	0.15	--	847	496
9N/33W-18R 4-12-66	1 S	70	7.2	798	64 3.19 43	14 1.15 15	70 3.04 41	2 0.05	--	157 2.57 34	49 1.02 14	127 3.58 48	19 0.31 4	0.4	0.08	--	505	217
9N/34W-8H 11-8-65	4 S	65	7.8	934	92 4.59 44	39 3.21 31	58 2.52 24	3 0.08	0	253 4.15 41	229 4.77 47	42 1.18 12	5 0.08 1	0.3	0.09	--	668	390
10N/34W-3P 4-12-66	2 S	62	7.5	1335	145 7.24 49	55 4.52 31	68 2.96 20	3 0.08	--	271 4.44 30	396 8.24 56	54 1.52 10	26 0.42 3	0.6	0.11	--	1025	588
10N/34W-17F 4-12-66	1 S	63	7.9	1909	206 10.28 46	89 7.32 32	112 4.87 22	4 0.10	--	271 4.44 20	708 14.74 66	89 2.51 11	45 0.73 3	0.8	0.16	--	1580	881
10N/34W-29N 6-2-66	1 S	68	8.0	1010	101 5.04 50	33 2.71 27	54 2.35 23	3 0.08	0	244 4.00 39	248 5.16 50	39 1.10 11	4.8 0.08 1	0.5	0.14	--	648	388
10N/34W-34E 6-2-66	2 S	69	8.0	1010	96 4.79 45	44 3.62 34	50 2.17 20	3 0.08	0	244 4.00 38	262 5.45 51	39 1.10 10	4.2 0.07 1	0.5	0.13	--	668	421
10N/35W-4C 11-8-65	1 S	62	7.9	1776	197 9.83 46	89 7.32 34	98 4.26 20	4 0.10	0	277 4.54 21	708 14.74 68	69 1.95 9	20 0.32 1	0.7	0.28	--	1400	858
10N/35W-7F 4-13-66	1 S	63	8.2	2380	228 11.38 47	114 9.38 39	73 3.17 13	3 0.08	10 0.33 1	195 3.20 13	795 16.55 69	129 3.64 15	6.6 0.11	0.7	0.23	--	1704	1039
10N/35W-9N 4-13-66	1 S	63	8.1	2320	208 10.38 44	84 6.91 29	146 6.35 27	5 0.13	0	292 4.79 20	780 16.24 68	95 2.68 11	11.6 0.19 1	1.3	0.25	--	1632	865
10N/35W-14D 4-13-66	1 S	63	7.5	1622	167 8.33 45	69 5.67 31	101 4.39 24	2 0.05	--	293 4.80 26	505 10.51 57	91 2.57 14	38 0.61 3	0.7	0.14	--	1204	701
		65	8.1	1619	165 8.23 44	71 5.84 32	100 4.35 23	4 0.10	0	291 4.77 26	509 10.60 58	87 2.45 13	37 0.60 3	0.7	0.16	--	1230	704
10N/35W-21C 11-8-65	1 S	63	8.0	1656	134 6.69 36	70 5.76 31	133 5.78 32	4 0.10	0	312 5.11 28	415 8.64 47	139 3.92 21	42 0.68 4	0.5	0.28	--	1155	623
11N/34W-29P 4-12-66	2 S	64	8.0	1078	95 4.74 43	42 3.45 31	64 2.78 25	2 0.05	--	167 2.74 25	264 5.50 49	73 2.06 19	51 0.82 7	0.5	0.08	--	769	410
11N/35W-18M 4-12-66	1 S	--	8.3	1388	142 7.09 44	64 5.26 33	81 3.52 22	4 0.10	8 0.27 2	199 3.26 21	509 10.60 68	53 1.49 10	1 0.02	0	0.14	--	1026	618
11N/35W-26M 4-12-66	1 S	62	8.3	872	88 4.39 47	32 2.63 28	51 2.22 24	2 0.05	10 0.33 4	162 2.66 29	222 4.62 50	50 1.41 15	18 0.29 3	0	0.06	--	570	351
		63	8.0	693	66 3.29 46	23 1.89 26	44 1.91 27	2 0.05	0	155 2.54 35	148 3.08 43	45 1.27 18	19 0.31 4	0.3	0.06	--	440	259

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3	
SANTA MARIA-CUYAMA HYDRO UNIT T1200																		
11N/36W-13R 1 S 4-12-66	--	8.1	1215	112 5.59 41	54 4.44 33	78 3.39 25	4 0.10 1	--	167 2.74 20	446 9.29 69	47 1.33 10	2.5 0.04	0.5	0.17	--	861	502	
11- 8-65	--	8.0	1282	132 6.59 44	60 4.93 33	78 3.39 23	4 0.10 1	0	254 4.16 28	461 9.60 64	41 1.16 8	1 0.02	0.5	0.16	--	970	576	
SISQUOC HYDRO SUBUNIT T1280																		
8N/29W-20J 1 S 10-10-65	--	8.2	1230	119 5.94 48	57 4.69 38	40 1.74 14	1 0.03	14 0.47 4	482 7.90 65	148 3.08 25	27 0.76 6	0	0.3	0.20	--	816	532	
9N/33W-12R 1 S 11- 8-65	64	8.2	1085	99 4.94 39	62 5.10 40	58 2.52 20	2 0.05	0	282 4.62 37	332 6.91 55	28 0.79 6	14 0.23 2	0.6	0.16	--	790	502	
11N/28W-27R 1 S 3-11-66	--	7.7	857	60 2.99 33	24 1.97 21	95 4.13 45	3 0.08 1	--	279 4.57 50	182 3.79 41	26 0.73 8	6.2 0.10 1	0.3	0.12	--	564	248	
CUYAMA VALLEY HYDRO SUBUNIT T12C0																		
3N/23W-12NS1 S 6-15-66	--	8.2	433	36 1.80 39	9 0.74 16	45 1.96 43	3 0.08 2	0	233 3.82 84	16 0.33 7	15 0.42 9	0.0	0.4	0.05	--	260	127	
7N/23W-19K 1 S 9-23-66	85	8.2	2050	259 12.92 51	108 8.88 35	79 3.43 14	4 0.10	0	174 2.85 11	1090 22.69 88	13 0.37 1	0.4 0.01	--	0.20	--	1680	1091	
7N/23W-23G 1 S 6-28-66	57	7.6	2786	392 19.56 49	193 15.87 39	108 4.70 12	4 0.10	0	249 4.08 10	1717 35.75 89	10 0.28 1	0.4 0.01	2.4	0.18	--	2760	1773	
7N/24W-12QS1 S 7-10-66	--	8.3	1159	138 6.89 52	40 3.29 25	72 3.13 23	2 0.05	8 0.27 2	161 2.64 20	463 9.64 74	16 0.45 3	6 0.10 1	0.6	0.03	--	885	509	
8N/23W-11DS1 S 5-18-66	71	8.0	511	50 2.50 47	11 0.90 17	44 1.91 36	2 0.05	0	234 3.84 71	31 0.65 12	17 0.48 9	26.5 0.43 8	0.6	0.03	--	310	170	
8N/23W-34L 1 S 5-12-66	62	8.2	371	52 2.59 67	6 0.49 13	18 0.78 20	1 0.03	--	196 3.21 82	10 0.21 5	14 0.39 10	6.3 0.10 3	0.2	0.01	--	206	154	
8N/24W- 7A 1 S 7-14-66	--	8.3	1722	222 11.08 49	98 8.06 35	82 3.57 16	4 0.10	12 0.40 2	157 2.57 12	892 18.57 84	20 0.56 3	5 0.08	1.2	0.14	--	1449	958	
8N/25W-19DS1 S 7- 1-66	62	7.6	1510	152 7.58 35	91 7.48 35	151 6.57 30	2 0.05	0	578 9.47 44	570 11.87 55	13 0.37 2	0.6 0.01	1.8	0.24	--	1310	754	
9N/23W-29E 1 S 6-16-66	--	8.5	5441	128 6.39 12	15 1.23 2	1060 46.09 86	5 0.13	14 0.47 1	216 3.54 6	622 12.95 24	1333 37.59 69	5.5 0.09	2.4	2.28	--	3357	381	
9N/23W-31P 1 S 6-16-66	--	8.5	446	2 0.10 2	0	108 4.70 97	1 0.03	5 0.17 3	246 4.03 83	18 0.37 8	8 0.23 5	3.6 0.06 1	0.4	0.03	--	271	5	
9N/24W- 7B 1 S 5-12-66	69	7.8	1244	98 4.89 36	27 2.22 16	150 6.52 48	3 0.08	0	232 3.80 28	444 9.24 67	16 0.45 3	17 0.27 2	1.3	0.64	--	910	356	
9N/24W-19F 1 S 4-26-66	--	7.7	1888	246 12.28 51	98 8.06 33	86 3.74 15	4 0.10	--	196 3.21 13	967 20.13 85	15 0.42 2	3.5 0.06	1.4	0.20	--	1523	1018	
9N/24W-30R 1 S 6-30-66	61	8.2	1798	235 11.73 50	101 8.31 35	76 3.30 14	4 0.10	0	185 3.03 13	956 19.90 85	13 0.37 2	2.0 0.03	1.4	0.18	--	1570	1003	
9N/24W-33J 1 S 6-16-66	--	8.0	1103	52 2.59 23	11 0.90 8	176 7.65 68	3 0.08	0	258 4.23 38	193 4.02 36	100 2.82 25	1.7 0.03	0.8	0.33	--	618	175	
9N/25W- 6K 1 S 5- 5-66	67	8.0	1214	118 5.89 42	48 3.95 28	93 4.04 29	4 0.10 1	0	242 3.97 28	463 9.64 69	13 0.37 3	0.8 0.01	0.6	0.19	--	785	492	
9N/25W- 8R 1 S 5- 6-66	--	7.7	1721	203 10.13 47	93 7.65 35	88 3.83 18	4 0.10	0	242 3.97 18	831 17.30 79	17 0.48 2	12.0 0.19 1	0.8	0.13	--	1440	890	
9N/25W-13B 1 S 4-26-66	60	8.1	1842	247 12.33 52	97 7.98 34	74 3.22 14	4 0.10	--	169 2.77 12	967 20.13 86	12 0.34 1	4.0 0.06	1.4	0.18	--	1605	1016	

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS	MILLIGRAMS PER LITER				MILLIEQUIVALENTS PER LITER				MILLIGRAMS PER LITER				
						CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
SANTA MARIA-CUYAMA HYDRO UNIT T1200																		
CUYAMA VALLEY HYDRO SUBUNIT T12C0																		
9N/25W-14H 1 S	7-1-66	--	7.9	1884	199.41	123.42	93.17	3.08	0	182.13	977.86	15.2	2.0	1.4	0.14	--	1650	1003
9N/25W-33Q 1 S	7-1-66	--	7.9	2417	276.42	169.42	116.15	3.08	--	297.15	1290.83	17.1	1.1	1.9	0.14	--	2197	1385
9N/27W-2R 2 S	8-18-66	--	8.4	1050	87.39	35.26	88.35	2.05	4.13	232.34	335.62	13.3	0.6	--	0	--	710	361
10N/24W-20L 1 S	5-5-66	--	7.9	1776	107.28	51.22	216.49	3.08	0	282.24	452.50	154.23	38.0	1.6	6.30	--	1218	477
10N/25W-15N 1 S	7-13-66	67	7.3	3236	359.45	126.26	264.29	6.15	0	171.7	1193.63	282.20	250	1.0	2.12	--	2710	1415
CUYAMA VALLEY HYDRO SUBUNIT T12C0																		
10N/25W-16J 1 S	7-13-66	--	7.7	3636	489.49	161.27	264.23	7.18	0	310.10	1708.73	154.9	250	1.0	1.16	--	3375	1884
10N/25W-17J 2 S	5-5-66	67	7.6	2053	261.49	100.31	117.19	5.13	0	185.11	1069.84	32.3	16.0	1.0	0.42	--	1760	1063
10N/25W-17M 1 S	5-5-66	64	7.9	2347	327.50	138.35	108.14	5.13	0	234.12	1289.83	39.3	40.0	1.0	0.32	--	2130	1385
10N/25W-18M 1 S	5-5-66	63	7.9	1838	253.52	98.33	82.15	4.10	0	193.13	999.85	14.2	3.5	1.1	0.23	--	1620	1035
10N/25W-20H 1 S	4-26-66	62	7.4	1794	233.51	93.34	77.15	4.10	--	178.13	911.85	15.2	4.0	1.4	0.18	--	1525	965
10N/25W-21G 1 S	4-26-66	62	7.5	2217	309.52	123.34	98.14	4.10	--	232.13	1186.84	20.2	25.0	1.8	0.24	--	2020	1278
10N/25W-22E 1 S	4-26-66	63	7.7	2076	280.52	110.33	90.14	4.10	--	201.12	1080.84	19.2	21.2	1.4	0.20	--	1840	1152
10N/25W-22H 1 S	5-5-66	65	7.5	1745	225.51	88.33	80.16	4.10	0	159.12	892.84	28.4	11.0	1.0	0.19	--	1430	924
10N/25W-23E 1 S	4-26-66	71	7.6	2254	234.44	83.26	185.30	5.13	--	137.9	914.72	178.19	4.7	1.1	1.50	--	1810	926
10N/25W-30D 1 S	7-14-66	65	8.2	1742	234.51	96.34	79.15	4.10	--	169.12	909.84	20.2	18	0.8	0.17	--	1608	980
10N/25W-30F 2 S	5-5-66	64	7.9	1776	225.48	106.37	76.14	4.10	0	176.13	927.84	17.2	22	1.0	0.18	--	1550	998
10N/25W-32G 1 S	9-23-66	65	8.0	1880	218.48	104.38	74.14	3.08	0	191.13	949.85	11.1	3.1	--	0.10	--	1550	972
10N/25W-32H 1 S	5-10-66	62	7.8	1776	224.49	102.37	75.14	4.10	0	185.13	899.82	18.2	30	1.3	0.14	--	1540	979
10N/26W-4G 1 S	9-23-66	--	8.1	3450	398.45	168.31	246.24	4.10	0	164.6	1860.87	106.7	0.5	--	2.60	--	1685	
10N/26W-4R 3 S	7-14-66	72	7.5	1956	214.42	85.27	178.30	5.13	--	121.8	1033.86	48.5	2	0.9	0.95	--	1780	884
10N/26W-9R 3 S	5-5-66	64	7.8	1984	271.53	95.31	93.16	5.13	0	185.12	1051.85	22.2	10.0	0.9	0.25	--	1710	1067
10N/26W-24J 4 S	7-14-66	67	8.0	2329	316.48	139.35	125.17	4.10	--	188.10	1218.81	54.5	76	1.1	0.17	--	2187	1361

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER					
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3	
CUYAMA VALLEY HYDRO SUBUNIT					SANTA MARIA-CUYAMA HYDRO UNIT													T1200	
10N/26W-24R 7-14-66	1 S	63	7.6	3547	492 24.55 50	202 16.61 34	169 7.35 15	5 0.13	--	180 2.95 6	1596 33.23 70	167 4.71 10	420 6.77 14	1.0	0.38	--	3287	2060	
10N/27W-3L 4-6-66	1 S	70	7.9	1050	98 4.89 44	37 3.04 27	74 3.22 29	1 0.03	--	220 3.61 33	310 6.45 59	31 0.87 8	2.0 0.03	0.6	0.08	--	748	397 662	
10N/27W-3H 4-6-66	1 S	68	7.6	4909	586 29.24 43	252 20.72 30	428 18.61 27	7 0.18	--	392 6.42 9	2862 59.59 86	111 3.13 5	1 0.02	1.2	0.53	--	5055	2500 4441	
9-23-66	--	7.9	5080	607 30.29 43	258 21.22 30	415 18.04 26	6 0.15	0	405 6.64 9	2930 61.00 86	103 2.90 4	0.8 0.01	--	0.50	--	4690	2578 4519		
10N/27W-5L 4-7-66	1 S	94	7.9	1953	101 5.04 25	24 1.97 10	308 13.39 65	4 0.10	0	132 2.16 10	656 13.66 66	172 4.85 23	0.0	1.4	0.68	--	1430	351 1332	
10N/27W-6A 4-14-66	1 S	78	7.4	1686	101 5.04 28	28 2.30 13	240 10.44 58	5 0.13 1	0	200 3.28 18	570 11.87 65	104 2.93 16	4.5 0.07	0.9	0.42	--	1215	367 1152	
10N/27W-22D 4-15-66	1 S	71	8.0	664	63 3.14 44	27 2.22 31	39 1.70 24	1 0.03	--	201 3.29 46	149 3.10 43	16 0.45 6	19 0.31 4	0.3	0	--	333	268 413	
10N/27W-23R 8-18-66	1 S	--	8.0	1780	179 8.93 44	84 6.91 34	104 4.52 22	3 0.08	0	229 3.75 18	791 16.47 79	25 0.71 3	0.4 0.01	--	0.10	--	1420	793 1299	
10N/27W-26A 10-11-65	1 S	--	7.6	1733	175 8.73 42	86 7.07 34	110 4.78 23	4 0.10	0	238 3.90 19	747 15.55 76	34 0.96 5	0.5 0.01	0.6	0.08	--	1357	791 1274	
10N/28W-2E 4-14-66	1 S	67	7.9	726	71 3.54 44	42 3.45 43	25 1.09 13	1 0.03	0	276 4.52 56	151 3.14 39	15 0.42 5	3.5 0.06 1	0.4	0	--	520	350 445	
10N/28W-5P 4-6-66	1 S	65	8.0	759	93 4.64 57	19 1.56 19	44 1.91 23	1 0.03	--	274 4.49 55	113 2.35 29	34 0.96 12	24 0.39 5	0.3	0	--	468	310 463	
10N/28W-10G 4-15-66	2 S	--	8.0	895	104 5.19 52	46 3.78 38	21 0.91 9	2 0.05 1	--	404 6.62 64	156 3.25 32	14 0.39 4	1 0.02	0.5	0	--	533	449 543	
10N/28W-13D 4-14-66	1 S	--	8.6	588	2 0.10 2	0	140 6.09 98	2 0.05 1	19 0.63 11	232 3.80 64	10 0.21 4	39 1.10 18	14 0.23 4	1.1	0.17	--	388	5 341	
10N/28W-13P 4-14-66	1 S	--	8.2	666	34 1.70 23	5 0.41 6	118 5.13 71	1 0.03	--	296 4.85 67	96 2.00 28	12 0.34 5	5 0.08 1	0	0	--	405	106 417	
10N/28W-24C 4-6-66	2 S	--	8.0	989	93 4.64 46	48 3.95 39	35 1.52 15	1 0.03	--	337 5.52 54	202 4.21 41	17 0.48 5	2 0.03	0.3	0.04	--	623	430 564	
10N/28W-24CS1 4-14-66	1 S	58	7.7	932	124 6.19 55	42 3.45 31	36 1.57 14	1 0.03	--	413 6.77 62	187 3.89 35	12 0.34 3	0.0	0.4	0.01	--	669	482 605	
11N/27W-30N 4-6-66	1 S	--	7.4	4673	613 30.59 49	232 19.08 31	285 12.39 20	8 0.20	0	139 2.28 4	1832 38.14 61	765 21.57 35	3.0 0.05	1.6	0.12	--	4380	2485 3808	
11N/27W-31M 4-14-66	1 S	66	8.0	1634	91 4.54 26	33 2.71 15	234 10.17 58	4 0.10 1	0	207 3.39 19	580 12.08 69	75 2.12 12	2.5 0.04	1.0	0.48	--	1200	363 1123	
11N/27W-32R 4-6-66	1 S	66	7.7	4056	504 25.15 43	249 20.48 35	303 13.17 22	9 0.23	--	276 4.52 8	2471 51.45 89	58 1.64 3	2 0.03	1.5	0.60	--	4140	2283 3734	
11N/28W-16F 4-5-66	1 S	73	7.6	2814	141 7.04 23	94 7.73 25	359 15.61 51	7 0.18 1	--	289 4.74 15	837 17.43 57	301 8.49 28	0.0	0.7	0.77	--	2087	739 1883	
11N/28W-22A 4-5-66	1 S	72	7.7	4066	216 10.78 24	156 12.83 28	497 21.61 48	7 0.18	--	295 4.84 11	1180 24.57 55	553 15.59 35	2.5 0.04	1.0	0.83	--	2976	1181 2758	
11N/28W-26B 3-11-66	1 S	--	7.6	3510	399 19.91 43	178 14.64 32	260 11.30 24	11 0.28 1	--	265 4.34 9	1747 36.37 78	200 5.64 12	0.0	1.8	0.56	--	3296	1729 2928	

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SI 2	TDS 180C 105C COMP	HARD- NESS CACO 3
SAN ANTONIO HYDRO UNIT T1300																	
11N/28W-33E99 S 4-6-66	72	7.8	1275	123 6.14 42	71 5.84 40	62 2.70 18	2 0.05	-- 6.11 42	373 7.25 50	348 0.99 7	35 0.03	2 0.03	0.5	0.06	--	930 827	599
11N/32W-13N 1 S 10-13-65	--	7.9	1872	163 8.13 36	121 9.95 44	106 4.61 20	2 0.05	0 10.47 47	639 9.91 44	476 1.95 9	69 0.02	1 0.02	0.7	0.38	--	1320 1253	905
30S/16E-20 1 M 10-10-65	--	7.7	460	43 2.15 44	20 1.64 34	23 1.00 21	3 0.08 2	0 3.46 72	211 0.48 10	23 0.85 10	30 10	0 0.02	0.2	0.12	--	368 246	190
31S/16E-4J 1 M 10-10-65	--	8.2	790	101 5.04 65	24 1.97 25	17 0.74 10	1 0.03	24 0.80 10	269 4.41 55	105 2.19 27	21 0.59 7	0 0.02	0.1	0	--	608 425	351
31S/16E-35KS1 M 10-10-65	--	7.9	820	94 4.69 55	29 2.38 28	33 1.43 17	2 0.05 1	0 5.51 63	336 1.71 20	82 1.47 17	52 0.06 1	4 0.06 1	0.1	0.12	--	608 461	354
T1300																	
7N/32W-18 1 S 4-13-66	--	8.4	629	55 2.74 44	20 1.64 26	41 1.78 29	2 0.05 1	11 0.37 6	176 2.88 45	11 0.23 4	86 2.43 38	26 0.42 7	0.2	0.02	--	383 339	219
8N/32W-30H 6 S 4-13-66	64	8.2	808	65 3.24 39	29 2.38 28	62 2.70 32	3 0.08 1	-- 2.47 30	151 3.52 43	169 2.17 26	77 0.08 1	5 0.08 1	0.4	0.05	--	494 485	281
8N/33W-20R 1 S 11-5-65	--	8.0	1213	84 4.19 34	49 4.03 33	95 4.13 33	2 0.05	0 5.08 41	310 4.14 33	199 3.21 26	114 0.01 26	0.5 0.01	0.3	0.19	--	779 696	411
4-13-66	--	8.4	1490	134 6.69 48	43 3.54 25	85 3.70 26	5 0.13 1	22 0.73 5	376 6.16 43	197 4.10 29	116 3.27 23	0.8 0.01	0.7	0.21	--	860 789	512
8N/34W-16G 1 S 4-13-66	74	8.1	930	82 4.09 51	23 1.89 23	45 1.96 24	5 0.13 2	0 3.93 47	240 2.87 35	138 1.47 18	52 0.03 18	1.6 0.03	0.5	0.10	--	548 465	299
8N/34W-16G 2 S 11-5-65	70	8.2	783	70 3.49 45	15 1.23 16	68 2.96 38	3 0.08 1	0 3.34 43	204 1.60 21	77 2.82 36	100 0.02 36	1 0.02	0.4	0.08	--	493 435	236
8N/34W-23B 3 S 11-5-65	65	7.9	1241	90 4.49 36	35 2.88 23	115 5.00 40	5 0.13 1	0 3.70 30	226 2.60 21	125 5.89 47	209 0.35 3	22 0.35 3	0.3	0.18	--	795 713	369
4-13-66	65	7.8	1300	90 4.49 37	35 2.88 24	108 4.70 39	5 0.13 1	0 3.52 28	215 2.77 22	133 5.87 47	208 0.30 2	18.8 0.30 2	0.3	0.16	--	836 704	369
9N/35W-18R 1 S 11-8-65	65	8.0	794	64 3.19 41	17 1.40 18	70 3.04 39	3 0.08 1	0 2.82 37	172 1.02 13	49 3.41 45	121 0.34 4	21 0.34 4	0.5	0.08	--	480 430	230
LOMPOC HYDRO SUBUNIT T14A0																	
6N/31W-7K 1 S 4-19-66	64	8.5	1190	97 4.84 45	40 3.29 31	60 2.61 24	0	4 0.13 1	236 3.87 34	286 5.95 52	43 1.21 11	18.6 0.30 3	--	1.20	--	799 666	407
6N/31W-7P 1 S 4-21-66	64	8.5	1800	107 5.34 32	91 7.48 44	92 4.00 24	0	6 0.20 1	234 3.84 23	485 10.10 60	88 2.48 15	6.2 0.10 1	--	1.40	--	1345 992	642
6N/34W-13D 1 S 6-1-66	--	7.6	1229	115 5.74 42	66 5.43 39	58 2.52 18	5 0.13 1	0 8.88 64	542 2.52 18	121 2.37 17	84 0.0 17	0.0	0.3	0.10	--	795 716	559
7N/31W-23N 5 S 4-12-66	63	8.1	875	42 2.10 22	68 5.59 59	40 1.74 18	1 0.03	-- 4.67 48	285 3.81 39	183 0.99 10	35 0.21 2	13 0.21 2	0.5	0.35	--	566 523	385
7N/33W-30B 1 S 4-7-66	66	7.9	1220	50 2.50 21	36 2.96 25	150 6.52 54	4 0.10 1	-- 0.67 6	41 0.60 5	29 10.46 87	371 0.32 3	20.0 0.32 3	0.5	0.16	--	1040 681	273
7N/34W-19J 1 S 4-8-66	71	7.9	1387	122 6.09 42	38 3.13 22	115 5.00 35	6 0.15 1	-- 2.67 19	163 5.98 42	287 5.44 38	193 0.10 1	6 0.10 1	0.3	0.2	--	1007 848	461
7N/34W-19J 3 S 4-8-66	67	7.9	1669	144 7.19 41	51 4.19 24	143 6.22 35	6 0.15 1	-- 2.39 14	146 8.47 49	407 6.40 37	227 0.11 1	7 0.11 1	0.4	0.24	--	1239 1057	569
7N/34W-20K 5 S 4-8-66	70	8.1	1078	97 4.84 42	35 2.88 25	83 3.61 32	3 0.08 1	-- 3.41 31	208 4.27 38	205 3.47 31	123 0.0 31	0 0.0	0.2	0.13	--	738 649	386

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	ECX10	MINERAL	CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
LOMPOC HYDRO SUBUNIT				T14A0				SANTA YNEZ HYDRO UNIT					T1400					
7N/34W-20L 1 S 4- 8-66	71	7.9	1293	117 5.84 44	35 2.88 22	101 4.39 33	4 0.10 1	-- 2.75 21	168 5.43 41	261 5.02 38	178	0	0.2	0.21	--	900	436	
7N/34W-20M 2 S 4- 8-66	69	7.8	1348	109 5.44 39	31 2.55 18	131 5.70 41	6 0.15 1	-- 3.65 27	223 3.60 27	173 6.12 45	217	6 0.10 1	0.4	0.26	--	859	400	
7N/34W-24FS1 S 10-15-65	62	7.7	342	6 0.30 10	5 0.41 14	49 2.13 74	2 0.05 2	0 0.85 28	52 0.08 3	4 2.09 69	74	1 0.02 1	0.1	0.08	--	179	36	
7N/34W-28G 1 S 4- 7-66	66	8.3	2530	162 8.08 32	103 8.47 33	198 8.61 34	5 0.13 1	18 0.60 2	245 4.02 16	772 16.07 63	167	7.7 0.12	1.6	1.12	--	1784	828	
7N/34W-29K 2 S 4- 7-66	65	8.1	2800	222 11.08 39	136 11.18 40	130 5.65 20	7 0.18 1	-- 5.06 18	309 16.55 60	795 6.01 22	213	3.5 0.06	0.6	0.59	--	2112	1114	
7N/34W-34F 4 S 4-21-66	68	8.3	1498	125 6.24 44	47 3.87 27	92 4.00 28	0	2 0.07	201 3.29 23	375 7.81 54	116	6.2 0.10 1	--	1.30	--	1063	506	
7N/34W-34P 4 S 9-26-66	65	8.2	1460	114 5.69 36	70 5.76 36	101 4.39 27	6 0.15 1	0 5.33 33	325 7.66 48	368 2.96 19	105	0	--	0.80	--	1061	573	
7N/34W-35H 1 S 4- 7-66	65	8.2	3150	138 6.89 22	86 7.07 22	397 17.26 55	11 0.28 1	30 1.00 3	460 7.54 24	384 7.99 26	503	38.4 0.62 2	0.6	1.30	--	1928	699	
7N/35W-17K 1 S 7-27-66	66	7.4	8403	315 15.72 17	311 25.58 28	1125 48.92 54	22 0.56 1	0 8.60 9	525 17.91 19	860 65.42 71	2320	5.0 0.08	0.9	0.30	--	6560	2067	
7N/35W-17M 1 S 7-27-66	80	7.7	3584	105 5.24 42	53 4.36 35	50 2.17 17	28 0.72 6	0 6.08 17	371 0.44 1	21 28.20 81	1000	5.0 0.08	1.1	0.70	--	2050	480	
7N/35W-17QX1 S 7-27-66	107	7.8	9434	34 1.70 2	31 2.55 3	2100 91.31 94	46 1.18 1	0 25.36 26	1547 0.69 1	33 71.91 73	2550	20 0.32	1.9	5.35	--	5610	213	
7N/35W-18J 1 S 7-27-66	60	7.3	5556	62 3.09 6	96 7.90 14	1000 43.48 79	35 0.89 2	0 8.08 15	493 1.98 4	95 43.99 81	1560	9.9 0.16	1.1	1.00	--	3160	550	
7N/35W-18J 2 S 7-27-66	66	7.3	29412	241 12.03 3	985 81.01 22	6150 267.40 73	192 4.91 1	0 4.16 1	254 31.69 9	1522 332.76 90	11800	5.0 0.08	1.2	2.50	--	22730	4656	
7N/35W-18H 2 S 7-27-66	63	9.0	17241	15 0.75	409 33.64 18	3375 146.75 80	112 2.86 2	53 1.77 1	88 1.44 1	452 9.41 5	6100	12 0.19	0.9	1.60	--	11140	1721	
7N/35W-18J 1 S 10- 1-65	--	7.8	5682	63 3.14 6	91 7.48 14	975 42.39 79	36 0.92 2	0 8.28 15	505 1.71 3	82 43.99 81	1560	8 0.13	0.5	1.06	--	3125	531	
7N/35W-22J 2 S 4- 8-66	64	7.6	2770	228 11.38 36	139 11.43 36	192 8.35 27	10 0.26 1	-- 5.79 19	353 15.03 48	722 10.29 33	365	10 0.16 1	0.5	0.49	--	2140	1141	
7N/35W-22M 1 S 4- 8-66	64	8.1	1816	122 6.09 33	48 3.95 22	188 8.17 45	4 0.10 1	-- 3.80 21	232 3.73 21	179 10.46 58	371	1.0 0.02	0.2	0.15	--	1135	502	
7N/35W-23E 2 S 4- 4-66	65	7.5	2800	216 10.78 39	81 6.66 24	233 10.13 36	8 0.20 1	0 6.64 25	405 9.70 37	466 9.81 37	348	7.0 0.11	0.6	0.97	--	1824	873	
7N/35W-24K 2 S 4- 8-66	65	8.0	3180	183 9.13 32	85 6.99 24	292 12.70 44	6 0.15 1	0 4.67 16	285 8.54 29	410 15.51 54	550	15.0 0.24 1	0.7	0.62	--	1924	807	
7N/35W-25D 1 S 4- 8-66	65	7.8	2601	184 9.18 30	143 11.76 39	209 9.09 30	9 0.23 1	-- 3.85 13	235 17.36 58	834 8.49 29	301	5 0.08	0.5	0.72	--	2086	1048	
7N/35W-33J 3 S 4- 8-66	67	8.1	1309	128 6.39 49	39 3.21 25	74 3.22 25	5 0.13 1	-- 3.75 29	229 2.94 22	141 6.43 49	228	2 0.03	0.2	0.03	--	873	480	
7N/35W-36J99 S 4- 7-66	--	7.9	2800	165 8.23 29	156 12.83 45	165 7.17 25	2 0.05	0 8.77 31	535 12.93 45	621 6.99 24	248	3.3 0.05	0.7	0.40	--	1796	1054	

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER						
				CA	NA	K		CO 3	HCO 3	SO 4	CL	NO 3	F	B	S10 2	TDS 180C 105C COMP	HARD- NESS CACO 3	
				SANTA YNEZ HYDRO UNIT														
SANTA RITA HYDRO SUBUNIT				T1480				T1400										
6N/30W-7C 4-13-66	4 S	68	8.6	634	29 1.45 22	52 4.28 64	22 0.96 14	1 0.03	21 0.70 10	238 3.90 57	12 0.25 4	63 1.78 26	11 0.18 3	0.1	0.02	--	318	287
6N/30W-24H 4-13-66	1 S	--	8.2	601	48 2.40 38	30 2.47 40	31 1.35 22	1 0.03	-- 2.98 47	182 2.81 44	135 2.81 44	20 0.56 9	2 0.03	0.5	0.10	--	326	244
6N/32W-17J 5-10-66	2 S	61	8.4	1880	124 6.19 34	82 6.74 37	125 5.44 30	0	4 0.13 1	217 3.56 19	520 10.83 58	144 4.06 22	6.2 0.10 1	--	1.90	--	1382	647
9-27-66		67	7.9	1980	187 9.33 40	100 8.22 35	127 5.52 24	5 0.13 1	0 7.05 32	430 11.24 51	540 3.89 18	138 3.89 18	0	--	0.90	--	1561	878
6N/32W-18H 4-7-66	1 S	63	8.2	3150	265 13.22 41	176 14.47 45	101 4.39 14	3 0.08	34 1.13 4	504 8.26 26	790 16.45 51	201 5.67 18	27.2 0.44 1	1.7	0.70	--	2328	1386
6N/33W-8G 4-20-66	4 S	66	8.3	2000	149 7.44 38	95 7.81 40	101 4.39 22	0	2 0.07	248 4.06 20	586 12.20 61	123 3.47 17	6.2 0.10 1	--	1.20	--	1540	763
9-21-66		66	8.2	1990	163 8.13 35	137 11.27 48	92 4.00 17	6 0.15 1	0 5.28 24	322 13.32 61	640 13.32 61	117 3.30 15	5 0.08	--	0.50	--	1637	971
6N/33W-11M 4-1-66	1 S	60	7.7	1592	144 7.19 38	90 7.40 40	93 4.04 22	4 0.10 1	0 6.47 35	395 9.22 50	443 9.22 50	100 2.82 15	1.3 0.02	0.6	0.34	--	1200	730
7N/30W-33M 4-13-66	1 S	--	8.6	729	28 1.40 16	74 6.09 71	24 1.04 12	2 0.05 1	33 1.10 13	356 5.83 68	19 0.40 5	39 1.10 13	6 0.10 1	0.2	0.02	--	378	375
BUELLTON HYDRO SUBUNIT				T14C0														
6N/31W-7P 9-22-66	1 S	64	8.0	1780	160 7.98 37	115 9.46 44	90 3.91 18	5 0.13 1	0 7.87 40	480 9.26 47	445 9.26 47	87 2.45 13	0	--	0.50	--	1359	873
6N/31W-21K 9-20-66	1 S	66	8.3	1200	87 4.34 31	80 6.58 48	65 2.83 20	4 0.10 1	2 0.07 1	315 5.16 39	315 6.56 49	51 1.44 11	10 0.16 1	--	0	--	848	546
SANTA YNEZ HYDRO SUBUNIT				T14D0														
6N/30W-7C 11-5-65	4 S	65	8.3	653	30 1.50 22	52 4.28 63	22 0.96 14	2 0.05 1	12 0.40 6	251 4.11 61	11 0.23 3	66 1.86 28	8 0.13 2	0.2	0.05	--	379	289
6N/30W-30B 4-22-66	1 S	62	8.6	1070	78 3.89 38	47 3.87 38	57 2.48 24	0	5 0.17 2	232 3.80 38	240 5.00 49	34 0.96 9	12.4 0.20 2	--	1.20	--	743	388
9-20-66		66	8.2	950	68 3.39 33	54 4.44 43	55 2.39 23	3 0.08 1	0 3.51 34	214 5.68 56	273 5.68 56	33 0.93 9	5.0 0.08 1	--	0.50	--	647	392
6N/30W-30C 4-22-66	1 S	62	8.5	1550	107 5.34 38	68 5.59 40	68 2.96 21	0	5 0.17 1	259 4.25 30	395 8.22 59	46 1.30 9	6.2 0.10 1	--	1.20	--	1139	547
6N/34W-12C 4-1-66	4 S	65	7.8	2900	196 9.78 34	168 13.82 48	109 4.74 17	8 0.20 1	0 7.08 26	432 14.47 54	695 14.47 54	184 5.19 19	7.0 0.11	0.4	0.56	--	2516	1181
7N/30W-33M 11-5-65	1 S	--	8.4	773	30 1.50 17	75 6.17 71	23 1.00 11	2 0.05 1	15 0.50 6	398 6.52 76	18 0.37 4	38 1.07 13	5 0.08 1	0.2	0.07	--	470	384
HEADWATER HYDRO SUBUNIT				T14E0														
6N/30W-24H 11-5-65	1 S	59	8.1	920	90 4.49 45	45 3.70 37	42 1.83 18	2 0.05	0 4.23 42	258 5.16 52	248 5.16 52	22 0.62 6	0	0.5	0.34	--	664	410
ARGUELLO HYDRO SUBUNIT				T15A0														
5N/31W-28Q 7-13-66	1 S	--	7.3	807	157 7.83 89	0	22 0.96 11	1 0.03	0 4.56 53	278 5.3 53	156 3.25 38	28 0.79 9	0.0	0.4	0	--	575	392

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE								MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
				SANTA BARBARA HYDRO UNIT								T1500					
SOUTH COAST HYDRO SUBUNIT GOLFTA HYDRO SUBAREA				T15C0				T15C1									
4N/25W-21N 4 S 4-6-66	--	8.2	870	82 4.09 43	31 2.55 27	63 2.74 29	1 0.03	--	360 5.90 63	103 2.14 23	44 1.24 13	4 0.06 1	0.5	0.09	--	540	332
4N/25W-22R 3 S 4-6-66	62	7.6	916	97 4.84 49	31 2.55 26	55 2.39 24	1 0.03	--	290 4.75 48	168 3.50 36	35 0.99 10	35 0.56 6	0.6	0.13	--	622	370
4N/25W-26B 2 S 4-6-66	66	8.0	689	59 2.94 41	29 2.38 34	40 1.74 25	1 0.03	--	179 2.93 41	156 3.25 45	30 0.85 12	8 0.13 2	0.3	0.04	--	464	266
4N/26W-24F 7 S 4-6-66	68	7.9	1579	115 5.74 36	59 4.85 30	124 5.39 34	1 0.03	--	358 5.87 38	62 1.29 8	249 7.02 45	90 1.45 9	0.8	0.39	--	1005	530
4N/28W-8N 3 S 4-6-66	--	8.6	1135	63 3.14 27	31 2.55 22	133 5.78 50	2 0.05	19 0.63 5	247 4.05 35	175 3.64 31	118 3.33 28	5 0.08 1	0.4	0.27	--	690	285
4N/28W-12K 2 S 4-6-66	70	7.8	1211	116 5.79 44	43 3.54 27	90 3.91 29	2 0.05	--	268 4.39 34	322 6.70 51	69 1.95 15	3 0.05	0.6	0.13	--	867	467
4N/28W-17R 1 S 4-6-66	--	8.4	1045	37 1.85 18	23 1.89 18	147 6.39 62	9 0.23	17 0.57 5	310 5.08 48	29 0.60 6	142 4.00 38	14 0.23 2	0.2	0.41	--	570	187
CARPINTERIA HYDRO SUBAREA				T15C4													
4N/25W-28N 3 S 4-6-66	65	7.7	1075	95 4.74 41	41 3.37 29	79 3.43 30	3 0.08	--	354 5.80 50	160 3.33 29	84 2.37 21	1.0 0.02	0.4	0.21	--	690	406
4N/25W-29D 3 S 4-6-66	--	7.9	779	83 4.14 50	24 1.97 24	51 2.22 27	1 0.03	--	312 5.11 61	120 2.50 30	27 0.76 9	2 0.03	0.4	0.08	--	486	306
4N/29W-14A 2 S 4-6-66	--	7.5	3514	80 3.99 11	148 12.17 34	441 19.17 54	9 0.23	--	487 7.98 22	264 5.50 15	770 21.71 60	72 1.16 3	0.3	0.44	--	2117	809
9N/34W-8H 4 S 4-12-66	67	8.1	848	64 3.19 36	39 3.21 36	54 2.35 27	3 0.08	--	169 2.77 31	230 4.79 54	46 1.30 15	3.5 0.06 1	0	0.11	--	587	320
				VENTURA RIVER HYDRO UNIT				U0200									
LOWER VENTURA RIVER HYDRO SUBUNIT U02A0																	
2N/23W-5L 1 S 10-11-65	71	7.9	2415	196 9.78 39	72 5.92 23	218 9.48 37	8 0.20	0	270 4.43 18	484 10.08 40	369 10.41 42	8.0 0.13 1	0.5	0.70	--	1670	786
2N/23W-5P 1 S 10-11-65	70	7.9	4087	384 19.16 46	124 10.20 24	286 12.44 30	11 0.28	0	208 3.41 8	521 10.85 26	976 27.52 66	12.0 0.19	0.5	0.72	--	3513	1469
2N/23W-14K 1 S 6-3-66	--	7.2	1507	136 6.79	38 3.13	150 6.52	--	--	376 6.16	411 8.56	69 1.95	--	0.4	0.50	--	1180	496
2N/23W-36A 1 S 6-3-66	--	7.4	1342	120 5.99	37 3.04	119 5.17	--	--	262 4.29	404 8.41	55 1.55	--	0.6	0.32	--	997	452
UPPER VENTURA RIVER HYDRO SUBUNIT U02B0																	
4N/23W-9B 1 S 10-14-65	--	7.8	1056	127 6.34 54	35 2.88 25	56 2.43 21	2 0.05	0	268 4.39 38	279 5.81 50	46 1.30 11	10.0 0.16 1	0.7	0.60	--	710	461
4N/23W-14G 1 S 10-21-65	--	7.7	1919	207 10.33 49	51 4.19 20	147 6.39 30	5 0.13	0	429 7.03 34	358 7.45 36	225 6.35 30	1.0 0.02	0.5	0.52	--	1280	727
4N/23W-33M 1 S 12-22-65	--	7.5	1692	202 10.08 53	51 4.19 22	110 4.78 25	3 0.08	0	383 6.28 33	384 7.99 42	164 4.62 24	4.5 0.07	0.7	0.52	--	1210	714
5N/24W-15M 1 S 10-10-65	--	7.9	960	110 5.49 57	33 2.71 28	33 1.43 15	1 0.03	0	438 7.18 73	60 1.25 13	50 1.41 14	0.0	0.4	0.14	--	640	410

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	6 ECX10	MINERAL CONSTITUENTS IN			MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER					
				CA	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3	
SANTA YNEZ HYDRO UNIT																	
SANTA RITA HYDRO SUBUNIT				T1480									T1400				
6N/30W-7C 4 S 4-13-66	68	8.6	634	29 1.45 22	52 4.28 64	22 0.96 14	1 0.03	21 0.70 10	238 3.90 57	12 0.25 4	63 1.78 26	11 0.18 3	0.1	0.02	--	318	287
6N/30W-24H 1 S 4-13-66	--	8.2	601	48 2.40 38	30 2.47 40	31 1.35 22	1 0.03	-- 2.98 47	182 2.81 44	135 2.81 44	20 0.56 9	2 0.03	0.5	0.10	--	326	244
6N/32W-17J 2 S 5-10-66	61	8.4	1880	124 6.19 34	82 6.74 37	125 5.44 30	0	4 0.13 1	217 3.56 19	520 10.83 58	144 4.06 22	6.2 0.10 1	--	1.90	--	1382	647
9-27-66	67	7.9	1980	187 9.33 40	100 8.22 35	127 5.52 24	5 0.13 1	0 7.05 32	430 11.24 51	540 11.24 51	138 3.89 18	0	--	0.90	--	1561	878
6N/32W-18H 1 S 4-7-66	63	8.2	3150	265 13.22 41	176 14.47 45	101 4.39 14	3 0.08	34 1.13 4	504 8.26 26	790 16.45 51	201 5.67 18	27.2 0.44 1	1.7	0.70	--	2328	1386
6N/33W-8G 4 S 4-20-66	66	8.3	2000	149 7.44 38	95 7.81 40	101 4.39 22	0	2 0.07	248 4.06 20	586 12.20 61	123 3.47 17	6.2 0.10 1	--	1.20	--	1540	763
9-21-66	66	8.2	1990	163 8.13 35	137 11.27 48	92 4.00 17	6 0.15 1	0 5.28 24	322 13.32 61	640 13.32 61	117 3.30 15	5 0.08	--	0.50	--	1637	971
6N/33W-11M 1 S 4-1-66	60	7.7	1592	144 7.19 38	90 7.40 40	93 4.04 22	4 0.10 1	0 6.47 35	395 6.47 50	443 9.22 50	100 2.82 15	1.3 0.02	0.6	0.34	--	1200	730
7N/30W-33M 1 S 4-13-66	--	8.6	729	28 1.40 16	74 6.09 71	24 1.04 12	2 0.05 1	33 1.10 13	356 5.83 68	19 0.40 5	39 1.10 13	6 0.10 1	0.2	0.02	--	378	375
BUELLTON HYDRO SUBUNIT				T14C0													
6N/31W-7P 1 S 9-22-66	64	8.0	1780	160 7.98 37	115 9.46 44	90 3.91 18	5 0.13 1	0	480 7.87 40	445 9.26 47	87 2.45 13	0	--	0.50	--	1359	873
6N/31W-21K 1 S 9-20-66	66	8.3	1200	87 4.34 31	80 6.58 48	65 2.83 20	4 0.10 1	2 0.07 1	315 5.16 39	315 6.56 49	51 1.44 11	10 0.16 1	--	0	--	848	546
SANTA YNEZ HYDRO SUBUNIT				T14D0													
6N/30W-7C 4 S 11-5-65	65	8.3	653	30 1.50 22	52 4.28 63	22 0.96 14	2 0.05 1	12 0.40 6	251 4.11 61	11 0.23 3	66 1.86 28	8 0.13 2	0.2	0.05	--	379	289
6N/30W-30B 1 S 4-22-66	62	8.6	1070	78 3.89 38	47 3.87 38	57 2.48 24	0	5 0.17 2	232 3.80 38	240 5.00 49	34 0.96 9	12.4 0.20 2	--	1.20	--	743	388
9-20-66	66	8.2	950	68 3.39 33	54 4.44 43	55 2.39 23	3 0.08 1	0 3.51 34	214 5.68 56	273 5.68 56	33 0.93 9	5.0 0.08 1	--	0.50	--	647	392
6N/30W-30C 1 S 4-22-66	62	8.5	1550	107 5.34 38	68 5.59 40	68 2.96 21	0	5 0.17 1	259 4.25 30	395 8.22 59	46 1.30 9	6.2 0.10 1	--	1.20	--	1139	547
6N/34W-12C 4 S 4-1-66	65	7.8	2900	196 9.78 34	168 13.82 48	109 4.74 17	8 0.20 1	0 7.08 26	432 14.47 54	695 14.47 54	184 5.19 19	7.0 0.11	0.4	0.56	--	2516	1181
7N/30W-33M 1 S 11-5-65	--	8.4	773	30 1.50 17	75 6.17 71	23 1.00 11	2 0.05 1	15 0.50 6	398 6.52 76	18 0.37 4	38 1.07 13	5 0.08 1	0.2	0.07	--	470	384
HEADWATER HYDRO SUBUNIT				T14E0													
6N/30W-24H 1 S 11-5-65	59	8.1	920	90 4.49 45	45 3.70 37	42 1.83 18	2 0.05	0 4.23 42	258 5.16 52	248 5.16 52	22 0.62 6	0	0.5	0.34	--	664	410
ARGUELLO HYDRO SUBUNIT				T15A0													
5N/31W-28Q 1 S 7-13-66	--	7.3	807	157 7.83 89	0	22 0.96 11	1 0.03	0 4.56 53	278 5.56 53	156 3.25 38	28 0.79 9	0.0	0.4	0	--	575	392

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE								MILLIGRAMS PER LITER					
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
				SANTA BARBARA HYDRO UNIT														
SOUTH COAST HYDRO SUBUNIT GOLFTA HYDRO SUBAREA				T15C0				T15C1				T1500						
4N/25W-21N 4- 6-66	4 S	--	8.2	870	82 4.09 43	31 2.55 27	63 2.74 29	1 0.03	--	360 5.90 63	103 2.14 23	44 1.24 13	4 0.06 1	0.5	0.09	--	540 506	332
4N/25W-22R 4- 6-66	3 S	62	7.6	916	97 4.84 49	31 2.55 26	55 2.39 24	1 0.03	--	290 4.75 48	168 3.50 36	35 0.99 10	35 0.56 6	0.6	0.13	--	622 565	370
4N/25W-26B 4- 6-66	2 S	66	8.0	689	59 2.94 41	29 2.38 34	40 1.74 25	1 0.03	--	179 2.93 41	156 3.25 45	30 0.85 12	8 0.13 2	0.3	0.04	--	464 411	266
4N/26W-24F 4- 6-66	7 S	68	7.9	1579	115 5.74 36	59 4.85 30	124 5.39 34	1 0.03	--	358 5.87 38	62 1.29 8	249 7.02 45	90 1.45 9	0.8	0.39	--	1005 877	530
4N/28W- 8N 4- 6-66	3 S	--	8.6	1135	63 3.14 27	31 2.55 22	133 5.78 50	2 0.05	19 0.63 5	247 4.05 35	175 3.64 31	118 3.33 28	5 0.08 1	0.4	0.27	--	690 668	285
4N/28W-12K 4- 6-66	2 S	70	7.8	1211	116 5.79 44	43 3.54 27	90 3.91 29	2 0.05	--	268 4.39 34	322 6.70 51	69 1.95 15	3 0.05	0.6	0.13	--	867 777	467
4N/28W-17R 4- 6-66	1 S	--	8.4	1045	37 1.85 18	23 1.89 18	147 6.39 62	9 0.23 2	17 0.57 5	310 5.08 48	29 0.60 6	142 4.00 38	14 0.23 2	0.2	0.41	--	570 571	187
CARPINTERIA HYDRO SUBAREA				T15C4														
4N/25W-28N 4- 6-66	3 S	65	7.7	1075	95 4.74 41	41 3.37 29	79 3.43 30	3 0.08 1	--	354 5.80 50	160 3.33 29	84 2.37 21	1.0 0.02	0.4	0.21	--	690 638	406
4N/25W-29D 4- 6-66	3 S	--	7.9	779	83 4.14 50	24 1.97 24	51 2.22 27	1 0.03	--	312 5.11 61	120 2.50 30	27 0.76 9	2 0.03	0.4	0.08	--	486 462	306
4N/29W-14A 4- 6-66	2 S	--	7.5	3514	80 3.99 11	148 12.17 34	441 19.17 54	9 0.23 1	--	487 7.98 22	264 5.50 15	770 21.71 60	72 1.16 3	0.3	0.44	--	2117 2024	809
9N/34W- 8H 4-12-66	4 S	67	8.1	848	64 3.19 36	39 3.21 36	54 2.35 27	3 0.08 1	--	169 2.77 31	230 4.79 54	46 1.30 15	3.5 0.06 1	0	0.11	--	587 523	320
LOWER VENTURA RIVER HYDRO SUBUNIT U02A0				VENTURA RIVER HYDRO UNIT				U0200										
2N/23W- 5L 10-11-65	1 S	71	7.9	2415	196 9.78 39	72 5.92 23	218 9.48 37	8 0.20 1	0	270 4.43 18	484 10.08 40	369 10.41 42	8.0 0.13 1	0.5	0.70	--	1670 1489	786
2N/23W- 5P 10-11-65	1 S	70	7.9	4087	384 19.16 46	124 10.20 24	286 12.44 30	11 0.28 1	0	208 3.41 8	521 10.85 26	976 27.52 66	12.0 0.19	0.5	0.72	--	3513 2417	1469
2N/23W-14K 6- 3-66	1 S	--	7.2	1507	136 6.79	38 3.13	150 6.52	--	--	376 6.16	411 8.56	69 1.95	--	0.4	0.50	--	1180	496
2N/23W-36A 6- 3-66	1 S	--	7.4	1342	120 5.99	37 3.04	119 5.17	--	--	262 4.29	404 8.41	55 1.55	--	0.6	0.32	--	997	452
UPPER VENTURA RIVER HYDRO SUBUNIT U02B0																		
4N/23W- 9B 10-14-65	1 S	--	7.8	1056	127 6.34 54	35 2.88 25	56 2.43 21	2 0.05	0	268 4.39 38	279 5.81 50	46 1.30 11	10.0 0.16 1	0.7	0.60	--	710 688	461
4N/23W-14G 10-21-65	1 S	--	7.7	1919	207 10.33 49	51 4.19 20	147 6.39 30	5 0.13 1	0	429 7.03 34	358 7.45 36	225 6.35 30	1.0 0.02	0.5	0.52	--	1280 1206	727
4N/23W-33M 12-22-65	1 S	--	7.5	1692	202 10.08 53	51 4.19 22	110 4.78 25	3 0.08	0	383 6.28 33	384 7.99 42	164 4.62 24	4.5 0.07	0.7	0.52	--	1210 1108	714
5N/24W-15M 10-10-65	1 S	--	7.9	960	110 5.49 57	33 2.71 28	33 1.43 15	1 0.03	0	438 7.18 73	60 1.25 13	50 1.41 14	0.0	0.4	0.14	--	640 503	410

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10 ⁶	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE								MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SiO ₂	TDS 105C COMP
				VENTURA RIVER HYDRO UNIT								U0200					
OJAI HYDRO SUBUNIT				U02C0				U02C1									
UPPER OJAI HYDRO SUBAREA																	
4N/22W-12N 1 S	--	8.2	965	68	22	123	2	0	487	14	56	30.0	0.3	1.48	--	591	260
10- 1-65				3.39	1.81	5.35	0.05		7.98	0.29	1.58	0.48					556
				32	17	50			77	3	15	5					
OJAI HYDRO SUBAREA				U02C2													
4N/22W- 5L 8 S	--	8.1	846	104	23	42	1	0	218	188	37	30.0	0.5	0.04	--	579	354
10- 1-65				5.19	1.89	1.83	0.03		3.57	3.91	1.04	0.48					533
				58	21	20			40	43	12	5					
4N/22W- 6K 7 S	72	7.8	1806	157	37	167	2	0	251	256	302	8.5	0.6	0.46	--	1185	544
10- 1-65				7.83	3.04	7.26	0.05		4.11	5.33	8.52	0.14					1054
				43	17	40			23	29	47	1					
4N/22W- 7C 1 S	65	7.9	776	99	20	38	1	0	248	174	22	4.0	0.5	0	--	504	329
10-14-65				4.94	1.64	1.65	0.03		4.06	3.62	0.62	0.06					480
				60	20	20			49	43	7	1					
4N/22W- 9B 5 S	--	8.1	937	121	33	40	1	0	303	201	32	21.0	0.6	0.08	--	662	438
10- 1-65				6.04	2.71	1.74	0.03		4.97	4.18	0.90	0.34					599
				57	26	17			48	40	9	3					
4N/22W- 9B 5 S	--	7.4	700	73	20	25	4	0	152	165	24	3.0	0.5	0.25	--	480	264
10-21-65				3.64	1.64	1.09	0.10		2.49	3.44	0.68	0.05					389
				56	25	17	2		37	52	10	1					
4N/23W- 2B 1 S	65	7.5	1093	121	44	41	1	0	312	150	99	30.0	0.3	0	--	706	483
10-14-65				6.04	3.62	1.78	0.03		5.11	3.12	2.79	0.48					640
				53	32	16			44	27	24	4					
4N/23W-11D 1 S	--	8.5	567	43	18	47	1	17	195	11	49	14.0	0.5	0	--	307	182
10-14-65				2.15	1.48	2.04	0.03	0.57	3.20	0.23	1.38	0.23					296
				38	26	36	1	10	57	4	25	4					
OJAI HYDRO SUBAREA				U02C2													
4N/23W-12H 2 S	--	7.8	866	105	28	36	1	0	248	191	25	33.0	0.5	0	--	568	377
10-14-65				5.24	2.30	1.57	0.03		4.06	3.98	0.71	0.53					541
				57	25	17			44	43	8	6					
	--	8.2	697	69	25	37	1	0	119	188	25	29.0	0.4	0	--	448	275
10-21-65				3.44	2.06	1.61	0.03		1.95	3.91	0.71	0.47					433
				48	29	23			28	56	10	7					
4N/23W-12K 2 S	--	7.8	2043	209	46	150	2	0	316	231	360	30.0	0.5	0	--	1410	711
10-14-65				10.43	3.78	6.52	0.05		5.18	4.81	10.15	0.48					1184
				50	18	31			25	23	49	2					
	--	7.4	1988	209	44	143	2	0	317	230	340	27.0	0.5	0	--	1291	703
10-21-65				10.43	3.62	6.22	0.05		5.20	4.79	9.59	0.44					1151
				51	18	31			26	24	48	2					
4N/23W-14G 1 S	--	7.9	2011	202	55	126	4	0	420	344	223	0.0	0.6	0.47	--	1260	731
10-14-65				10.08	4.52	5.48	0.10		6.88	7.16	6.29						1162
				50	22	27			34	35	31						
5N/23W- 3J 2 S	--	7.5	1417	152	35	110	2	0	300	292	144	0.0	0.7	0.23	--	968	523
10-20-65				7.58	2.88	4.78	0.05		4.92	6.08	4.06						883
				50	19	31			33	40	27						
				SANTA CLARA-CALLEGUAS HYDRO UNIT								U0300					
OXNARD PLAIN HYDRO SUBUNIT				U03A0				U03A1									
OXNARD HYDRO SUBAREA																	
1N/21W- 3L 1 S	--	7.4	1006	88	28	83	--	--	238	238	58	3	0.3	0.39	--	736	335
6- 3-66				4.39	2.30	3.61			3.90	4.96	1.64	0.05					616
				43	22	35			37	47	16						
	--	8.0	955	82	29	80	2	0	194	238	59	2.5	0.4	0.22	--	665	324
10-27-65				4.09	2.38	3.48	0.05		3.18	4.96	1.66	0.04					588
				41	24	35	1		32	50	17						
1N/21W- 4F 1 S	68	8.1	3200	345	114	135	6	0	244	820	407	2.0	1.0	0.84	--	2760	1331
4-18-66				17.22	9.38	5.87	0.15		4.00	17.07	11.48	0.03					1951
				53	29	18			12	52	35						
1N/21W- 5A 3 S	--	7.8	2291	284	97	143	6	--	243	998	118	3	0.9	0.84	--	1991	1108
4-18-66				14.17	7.98	6.22	0.15		3.98	20.78	3.33	0.05					1770
				50	28	22	1		14	74	12						
1N/21W- 6L 2 S	--	8.1	1310	131	45	99	4	0	242	413	56	1.5	0.9	0.61	--	972	512
10-22-65				6.54	3.70	4.30	0.10		3.97	8.60	1.58	0.02					870
				45	25	29	1		28	61	11						
1N/21W- 6R 3 S	--	7.7	1680	181	60	62	4	0	195	516	109	1.5	0.9	0.60	--	1248	699
10-19-65				9.03	4.93	2.70	0.10		3.20	10.74	3.07	0.02					1031
				54	29	16	1		19	63	18						

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE								MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO ₃	HCO ₃	SO ₄	CL	NO ₃	F	B	SIO ₂	TDS 180C 105C COMP
SANTA CLARA-CALLEGUAS HYDRO UNIT U0300																	
OXNARD PLAIN HYDRO SUBUNIT OXNARD HYDRO SUBAREA				U03A0													
				U03A1													
1N/21W- 9A 1 S 4-19-66	68	7.8	1700	180 8.98 48	69 5.67 30	90 3.91 21	4 0.10 1	0	270 4.43 23	603 12.55 66	67 1.89 10	2.1 0.03	0.9	0.84	--	1280 1150	733
1N/21W- 9M 1 S 10-19-65	69	8.2	900	73 3.64 40	23 1.89 21	78 3.39 37	6 0.15 2	9 0.30 3	239 3.92 45	147 3.06 35	52 1.47 17	3.0 0.05 1	0.6	0.33	--	1008 509	277
1N/21W-17C 2 S 4-19-66	--	7.8	5500	651 32.48 56	237 19.49 34	134 5.83 10	7 0.18	0	144 2.36 4	515 10.72 18	1599 45.09 77	1.9 0.03	0.9	0.78	--	4844 3217	2601
1N/21W-18Q 1 S 5-12-66	--	7.9	1162	110 5.49	36 2.96	95 4.13	--	--	278 4.56	329 6.85	45 1.27	--	0.7	0.52	--	893	423
1N/21W-25C 2 S 4-12-66	--	8.6	1200	126 6.29 46	44 3.62 27	82 3.57 26	3 0.08 1	11 0.37 3	211 3.46 26	402 8.37 62	39 1.10 8	6.6 0.11 1	1.0	0.55	--	888 819	496
1N/21W-30A 1 S 10-10-65	--	8.2	1500	148 7.39 50	42 3.45 23	87 3.78 26	6 0.15 1	24 0.80 6	232 3.80 26	371 7.72 53	71 2.00 14	8.0 0.13 1	0.7	0.64	--	1032 872	542
1N/21W-30A 1 S 4- 6-66	--	8.2	1460	126 6.29 42	49 4.03 27	103 4.48 30	2 0.05	19 0.63 4	209 3.43 23	432 8.99 61	58 1.64 11	6.7 0.11 1	1.4	0.68	--	940 900	516
1N/21W-30F 1 S 4-15-66	68	7.9	1100	75 3.74 35	28 2.30 22	103 4.48 42	5 0.13 1	0	287 4.70 44	216 4.50 42	46 1.30 12	5.5 0.09 1	0.1	0.39	--	456 620	302
1N/21W-30K 1 S 4- 6-66	67	7.8	1250	130 6.49 48	37 3.04 22	90 3.91 29	5 0.13 1	0	254 4.16 31	344 7.16 54	65 1.83 14	3.6 0.06	0.9	0.72	--	848 801	477
1N/21W-31J 1 S 4-12-66	--	7.6	1190	83 4.14 34	37 3.04 25	113 4.91 40	5 0.13 1	0	231 3.79 31	325 6.77 56	55 1.55 13	3.2 0.05	0.6	0.48	--	840 736	359
1N/21W-31L 1 S 4-12-66	--	7.7	1000	66 3.29 33	28 2.30 23	96 4.17 42	5 0.13 1	0	273 4.47 45	174 3.62 36	64 1.80 18	5.0 0.08 1	0.8	0.45	--	632 573	280
1N/21W-32A 1 S 9- 7-66	--	8.3	1650	101 5.04 30	41 3.37 20	194 8.44 50	6 0.15 1	0	285 4.67 28	321 6.68 40	189 5.33 32	2.2 0.04	--	0.50	--	988 995	421
1N/21W-32G 1 S 3- 2-66	68	7.7	1203	107 5.34 41	38 3.13 24	102 4.43 34	5 0.13 1	--	234 3.84 29	305 6.35 49	100 2.82 22	1.0 0.02	0.5	0.56	--	845 774	424
1N/21W-32Q 1 S 3- 2-66	66	7.4	1426	80 3.99 27	40 3.29 23	166 7.22 49	4 0.10 1	--	217 3.56 24	227 4.73 33	221 6.23 43	1.5 0.02	0.4	0.32	--	893 847	364
1N/21W-32C 1 S 4-12-66	--	8.1	1150	88 4.39 38	27 2.22 19	111 4.83 42	4 0.10 1	0	234 3.84 34	326 6.79 60	23 0.65 6	3.2 0.05	1.0	0.46	--	840 699	331
1N/21W-32K 1 S 4-12-66	--	7.8	1300	86 4.29 33	41 3.37 26	116 5.04 39	6 0.15 1	--	237 3.88 30	346 7.20 55	67 1.89 15	3.2 0.05	0.9	0.51	--	864 783	383
1N/22W- 3F 4 S 5-12-66	--	7.9	1488	154 7.68 47	53 4.36 27	100 4.35 27	--	--	292 4.79 29	482 10.04 60	59 1.66 10	19 0.31 2	0.7	0.61	--	1159 1012	602
10-18-65	69	7.5	1570	157 7.83 51	46 3.78 25	83 3.61 24	4 0.10 1	0	226 3.70 24	482 10.04 65	56 1.58 10	8.0 0.13 1	0.8	0.89	--	912 949	581
11- 5-65	--	7.6	1464	139 6.94 45	52 4.28 27	100 4.35 28	--	--	284 4.65 30	438 9.12 59	56 1.58 10	14.0 0.23 1	0.7	0.63	--	1034 940	561
1N/22W- 5M 1 S 4-15-66	67	8.1	1200	106 5.29 39	48 3.95 29	95 4.13 31	4 0.10 1	0	185 3.03 23	432 8.99 67	46 1.30 10	6.0 0.10 1	0.9	0.64	--	880 829	462
1N/22W- 5K 1 S 4-15-66	--	8.3	1200	122 6.09 45	46 3.78 28	80 3.48 26	3 0.08 1	7 0.23 2	227 3.72 27	403 8.39 62	41 1.16 9	3.2 0.05	0.9	0.68	--	920 818	494
1N/22W- 5R 1 S 4-19-66	--	7.9	1151	131 6.54 51	32 2.63 20	82 3.57 28	4 0.10 1	--	242 3.97 31	354 7.37 58	45 1.27 10	1 0.02	--	0.63	--	799 769	459

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	6 ECX10 ⁶	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
SANTA CLARA-CALLEGUAS HYDRO UNIT U0300																	
OXNARD PLAIN HYDRO SUBUNIT				U03A0													
OXNARD HYDRO SUBAREA				U03A1													
1N/22W- 6B 1 S 7-20-66	--	7.8	1085	118 5.89 45	41 3.37 26	88 3.83 29	4 0.10 1	0	246 4.03 30	393 8.18 62	37 1.04 8	2.5 0.04	0.9	0.68	--	900 806	463
1N/22W- 6A 1 S 4-19-66	--	7.7	1237	129 6.44 45	45 3.70 26	91 3.96 28	4 0.10 1	--	246 4.03 29	401 8.35 60	49 1.38 10	4 0.06	0.9	0.65	--	907 845	507
1N/22W- 7D 1 S 11-16-65	--	7.6	1206	112 5.59 44	39 3.21 25	93 4.04 31	--	--	248 4.06 32	361 7.52 59	43 1.21 9	0.0	0.7	0.55	--	920 771	440
4-18-66	--	8.6	1120	120 5.99 47	38 3.13 25	80 3.48 27	3 0.08 1	12 0.40 3	208 3.41 27	371 7.72 61	40 1.13 9	0.9 0.01	1.0	0.69	--	856 769	456
1N/22W- 7H 1 S 4-15-66	--	8.5	1204	119 5.94 44	45 3.70 27	90 3.91 29	4 0.10 1	19 0.63 5	202 3.31 25	387 8.06 60	48 1.35 10	1 0.02	1.0	0.70	--	871 814	482
1N/22W- 8B 2 S 4-19-66	--	8.3	1440	121 6.04 42	46 3.78 26	101 4.39 31	4 0.10 1	18 0.60 4	222 3.64 25	415 8.64 60	49 1.38 10	1.6 0.03	1.4	0.77	--	980 867	491
1N/22W- 8K 3 S 10-18-65	--	8.3	1370	126 6.29 47	43 3.54 26	80 3.48 26	5 0.13 1	20 0.67 5	185 3.03 22	401 8.35 62	53 1.49 11	1.0 0.02	1.1	0.78	--	876 822	492
4-15-66	68	8.4	1230	122 6.09 44	47 3.87 28	85 3.70 27	3 0.08 1	5 0.17 1	218 3.57 26	387 8.06 59	65 1.83 13	0.9 0.01	1.0	0.82	--	932 824	498
1N/22W- 8L 2 S 4-19-66	--	8.6	1380	114 5.69 43	43 3.54 27	92 4.00 30	3 0.08 1	28 0.93 7	195 3.20 23	393 8.18 60	46 1.30 10	1.7 0.03	1.7	0.77	--	956 819	462
1N/22W- 9L 2 S 4-25-66	68	7.7	3734	405 20.21 51	159 13.08 33	145 6.30 16	7 0.18	0	108 1.77 4	471 9.81 25	999 28.17 71	1.2 0.02	1.3	0.64	--	3080 2242	1666
1N/22W- 9D 1 S 4-19-66	67	8.0	1450	148 7.39 47	54 4.44 28	85 3.70 24	3 0.08 1	0	252 4.13 26	486 10.12 63	48 1.35 8	23.5 0.38 2	1.0	0.75	--	1056 973	592
1N/22W- 9M 1 S 4-19-66	--	8.4	1340	132 6.59 44	52 4.28 29	91 3.96 27	2 0.05	13 0.43 3	222 3.64 24	445 9.26 62	54 1.52 10	3.4 0.05	1.0	0.73	--	1036 903	544
1N/22W-14K 1 S 5-12-66	--	7.8	1258	121 6.04	40 3.29	99 4.30	--	--	259 4.25	395 8.22	47 1.33	--	0.8	0.56	--	961	467
1N/22W-14D 1 S 4-13-66	--	8.0	1550	147 7.34 48	44 3.62 23	100 4.35 28	4 0.10 1	0	256 4.20 27	460 9.58 61	62 1.75 11	2.9 0.05	0.8	1.05	--	812 948	548
1N/22W-14F 1 S 4-11-66	--	7.9	1330	128 6.39 48	44 3.62 27	75 3.26 24	4 0.10 1	0	251 4.11 31	408 8.49 65	16 0.45 3	0.6 0.01	0.6	0.79	--	984 800	501
1N/22W-14K 1 S 4-13-66	--	8.1	1400	125 6.24 45	36 2.96 21	106 4.61 33	4 0.10 1	0	250 4.10 29	405 8.43 60	55 1.55 11	0.0	0.9	0.48	--	720 855	460
1N/22W-14R 3 S 4-13-66	--	8.3	1350	117 5.84 44	39 3.21 24	95 4.13 31	4 0.10 1	19 0.63 5	232 3.80 28	354 7.37 55	60 1.69 13	2.0 0.03	0.5	0.42	--	640 805	453
1N/22W-15B 3 S 4-11-66	--	8.2	1450	134 6.69 46	41 3.37 23	100 4.35 30	5 0.13 1	13 0.43 3	218 3.57 24	427 8.89 61	60 1.69 12	6.5 0.10 1	0.6	0.57	--	796 895	503
1N/22W-15C 1 S 4- 7-66	--	7.7	5100	575 28.69 56	204 16.78 33	129 5.61 11	8 0.20	0	200 3.28 6	496 10.33 20	1328 37.45 73	1.6 0.03	0.9	0.74	--	4080 2842	2275
1N/22W-15L 1 S 4- 8-66	--	7.8	1820	180 8.98 50	61 5.02 28	90 3.91 22	4 0.10 1	0	233 3.82 21	422 8.79 48	201 5.67 31	2.7 0.04	1.0	0.94	--	1152 1077	701
1N/22W-15P 1 S 4- 8-66	--	7.7	1900	189 9.43 51	63 5.18 28	90 3.91 21	6 0.15 1	0	229 3.75 20	408 8.49 46	226 6.37 34	1.3 0.02	0.9	0.76	--	1224 1097	731
1N/22W-16D 1 S 4- 7-66	--	7.9	1300	122 6.09 47	36 2.96 23	85 3.70 29	5 0.13 1	0	237 3.88 30	374 7.79 60	50 1.41 11	0.0	0.4	1.00	--	624 790	453

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL	CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SiO 2	TDS 180C 105C COMP	HARD- NESS LACO 3
SANTA CLARA-CALLEGUAS HYDRO UNIT U0300																		
OXNARD PLAIN HYDRO SUBUNIT OXNARD HYDRO SUBAREA				U03A0	U03A1													
1N/22W-17M 4-19-66	3 S	66	8.2	705	7 0.35 5	29 2.38 35	91 3.96 58	4 0.10 1	0	80 1.31 19	210 4.37 64	41 1.16 17	0.6 0.01	0.6	0.62	--	405 423	137
1N/22W-17C 4-4-66	1 S	--	7.7	2000	186 9.28 47	63 5.18 26	114 4.96 25	6 0.15 1	0	218 3.57 18	371 7.72 39	298 8.40 43	0.0	0.8	0.50	--	1240 1146	724
1N/22W-17D 4-8-66	2 S	--	8.1	1350	124 6.19 46	43 3.54 26	85 3.70 27	5 0.13 1	0	236 3.87 29	406 8.45 63	41 1.16 9	1.7 0.03	0.9	0.80	--	884 823	487
1N/22W-17J 10-20-65	2 S	68	8.2	1900	200 9.98 56	50 4.11 23	85 3.70 21	7 0.18 1	27 0.90 5	157 2.57 14	391 8.14 46	222 6.26 35	0.0	0.8	0.65	--	1348 1061	705
3-15-66		65	8.0	1341	95 4.74 35	53 4.36 32	101 4.39 32	5 0.13 1	--	138 2.26 17	320 6.66 50	159 4.48 33	2 0.03	0.7	0.76	--	893 804	455
1N/22W-17Q 10-20-65	1 S	68	7.7	11000	437 21.81 20	232 19.08 18	1500 65.22 61	21 0.54 1	0	20 0.33	1162 24.19 22	3015 85.02 78	2.0 0.03	0.7	0.68	--	7388 6380	2046
1N/22W-17O 3-15-66	1 S	66	7.1	6698	261 13.02 21	124 10.20 16	910 39.57 63	12 0.31	--	22 0.36 1	338 7.04 11	2034 57.36 89	0	0.4	0.79	--	4142 3691	1162
1N/22W-18L 5-9-66	2 S	68	8.4	1134	126 6.29 49	35 2.88 22	84 3.65 28	4 0.10 1	14 0.47 4	220 3.61 28	378 7.87 60	39 1.10 8	0.3	0.7	0.64	--	815 790	459
1N/22W-18E 4-15-66	1 S	--	8.3	1120	123 6.14 49	36 2.96 24	75 3.26 26	3 0.08 1	7 0.23 2	220 3.61 29	369 7.68 61	35 0.99 8	1.6 0.03	0.8	0.68	--	856 759	455
1N/22W-18P 4-15-66	1 S	--	8.2	1190	127 6.34 51	29 2.38 19	82 3.57 29	3 0.08 1	14 0.47 4	205 3.36 27	361 7.52 60	43 1.21 10	0.6 0.01	0.6	0.70	--	872 762	436
1N/22W-19A 10-19-65	1 S	--	8.3	1425	124 6.19 43	34 2.80 20	118 5.13 36	5 0.13 1	17 0.57 4	182 2.98 21	440 9.16 63	60 1.69 12	8.0 0.13 1	0.8	0.59	--	932 897	450
4-19-66		--	8.3	1130	124 6.19 50	36 2.96 24	75 3.26 26	3 0.08 1	8 0.27 2	218 3.57 29	362 7.54 60	38 1.07 9	1.6 0.03	0.9	0.70	--	840 756	458
1N/22W-20K 5-5-66	2 S	--	7.5	40650	1073 53.54 10	1052 86.52 16	8800 382.62 73	94 2.40	--	137 2.25	2308 48.05 9	16994 479.23 90	3.0 0.05	1.9	2.60	--	31700 30396	7009
1N/22W-20K 5-5-66	3 S	67	7.3	10290	810 40.42 37	257 21.14 19	1100 47.83 44	20 0.51	--	221 3.62 3	708 14.74 13	3260 91.93 83	0.5 0.01	1.5	0.80	--	6930 6266	3080
1N/22W-20K 5-5-66	4 S	--	7.5	1095	98 4.89 41	33 2.71 23	96 4.17 35	9 0.23 2	--	314 5.15 43	268 5.58 47	38 1.07 9	2.7 0.04	0.5	0.66	--	747 700	380
1N/22W-20E 5-12-66	2 S	--	8.0	1222	125 6.24	35 2.88	91 3.96	--	--	262 4.29	377 7.85	42 1.18	--	0.3	0.37	--	932	456
1N/22W-20H 4-21-66	5 S	68	7.9	990	70 3.49 34	29 2.38 23	98 4.26 41	6 0.15 1	--	211 3.46 33	281 5.85 57	37 1.04 10	0.0	0.6	0.72	--	687 626	294
1N/22W-20H 4-21-66	6 S	67	7.4	39526	1175 58.63 11	1099 90.38 17	8640 375.67 71	54 1.38	--	185 3.03 1	2304 47.97 9	16756 472.52 90	3.0 0.05	1.9	2.60	--	31196 30126	7456
1N/22W-20H 4-21-66	7 S	67	7.7	2513	271 13.52 52	78 6.41 25	139 6.04 23	7 0.18 1	--	228 3.74 14	366 7.62 29	514 14.49 56	0.5 0.01	0.7	0.60	--	2110 1489	997
1N/22W-20E 4-18-66	1 S	--	7.7	1139	126 6.29 49	34 2.80 22	82 3.57 28	4 0.10 1	--	237 3.88 31	363 7.56 60	43 1.21 10	1 0.02	0.6	0.61	--	807 771	455
1N/22W-20E 11-16-65	2 S	--	7.7	1178	122 6.09 49	29 2.38 19	93 4.04 32	--	--	261 4.28 34	336 7.00 56	43 1.21 10	0.0	0.4	0.38	--	900 752	424
1N/22W-20H 1-13-66	1 S	--	7.5	47200	1078 53.79 10	1216 100.00 18	8970 390.02 71	75 1.92	0	185 3.03 1	800 16.66 3	18490 521.42 96	3.0 0.05	1.2	2.85	--	40888 30727	7696

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SiO 2	TDS 180C 105C COMP
SANTA CLARA-CALLEGUAS HYDRO UNIT U0300																	
OXNARD PLAIN HYDRO SUBUNIT OXNARD HYDRO SUBAREA				U03A0	U03A1												
1N/22W-20K 1 S 1-14-66	--	7.5	47400	.772 38.52 7	1195 98.28 18	9660 420.02 75	145 3.71 1	0 3.03 1	185 16.66 3	800 549.90 97	19500	3.0 0.05	1.2	3.60	--	42504 32171	6845
1N/22W-20R 1 S 10-19-65	68	7.4	3500	932 46.51 12	980 80.60 21	5770 250.88 66	128 3.27 1	0 0.46	28 71.52 19	3435 310.20 81	11000	4.0 0.06	0.8	2.00	--	27972 22266	6361
3-15-66	67	7.3	20243	441 22.01 10	466 38.32 17	3640 158.27 72	66 1.69 1	-- 0.36	22 19.28 9	926 207.13 91	7345	0.0 0.0	0.7	1.84	--	13477 12897	3019
1N/22W-21B 1 S 4-7-66	--	7.8	4200	422 21.06 50	107 8.80 21	279 12.13 29	8 0.20	0 3.87 9	236 9.89 23	475 28.85 68	1023	2.5 0.04	0.7	0.46	--	3420 2434	1494
1N/22W-21B 3 S 10-26-65	--	8.0	1310	127 6.34 50	29 2.38 19	85 3.70 29	6 0.15 1	0 3.33 27	203 7.70 62	370 1.30 11	46	2.0 0.03	0.6	0.60	--	836 766	436
4-7-66	--	7.9	1300	130 6.49 51	33 2.71 21	78 3.39 27	2 0.05	0 3.79 29	231 7.99 62	384 1.07 8	38	2.9 0.05	0.7	0.68	--	860 783	460
1N/22W-21E 9 S 1-14-66	--	8.5	40000	1650 82.34 20	785 64.56 15	6280 273.05 65	50 1.28	10 0.33	8 0.13	663 13.80 3	14270	3.2 0.05	1.2	1.85	--	33316 23718	7351
1N/22W-21E10 S 1-13-66	--	7.5	47200	1140 56.89 11	1158 95.23 18	8490 369.15 71	63 1.61	0 3.41	208 17.95 3	862 499.99 96	17730	3.2 0.05	1.2	1.60	--	38140 29551	7612
1N/22W-21F 1 S 1-13-66	--	7.5	44300	1405 70.11 14	1055 86.76 17	8160 354.80 69	28 0.72	0 4.67	285 16.86 3	810 481.94 96	17090	3.0 0.05	1.2	1.60	--	34640 28694	7850
1N/22W-21J 4 S 4-7-66	--	7.3	1500	150 7.49 49	39 3.21 21	102 4.43 29	2 0.05	0 4.21 27	257 9.45 62	454 1.61 10	57	5.0 0.08 1	0.8	1.34	--	1092 937	535
1N/22W-21L 1 S 11-4-65	67	7.4	5621	530 26.45 47	194 15.95 28	315 13.70 24	10 0.26	0 0.20	12 5.98 11	287 48.93 89	1735	9.0 0.15	0.4	0.63	--	4640 3087	2122
1N/22W-21L 4 S 1-12-66	--	7.5	39600	1360 67.86 18	1015 83.47 22	5250 228.27 60	50 1.28	0 4.41	269 16.91 5	812 349.96 94	12410	3.0 0.05	1.1	1.65	--	32924 21035	7573
1N/22W-21L 5 S 1-12-66	--	7.5	39700	1194 59.58 14	1111 91.37 22	6250 271.75 64	80 2.05	0 5.20	317 16.80 4	807 410.03 95	14540	3.0 0.05	1.2	2.00	--	35668 24144	7554
1N/22W-21L 6 S 1-13-66	--	7.6	30600	1082 53.99 15	728 59.87 17	5550 241.31 68	62 1.59	0 4.26	260 16.76 5	805 327.68 94	11620	3.0 0.05	1.1	1.70	--	24432 19981	5698
1N/22W-21M 1 S 1-13-66	--	7.4	47500	1279 63.82 13	1130 92.93 19	7610 330.88 68	63 1.61	0 3.87	236 18.53 4	890 457.69 95	16230	2.5 0.04	1.2	2.50	--	40728 27324	7844
1N/22W-21M 2 S 1-13-66	--	7.1	44000	1950 97.31 21	990 81.42 17	6670 290.01 62	62 1.59	0 4.56	278 16.84 4	809 441.33 95	15650	3.0 0.05	1.2	1.95	--	37352 26274	8944
1N/22W-21M 3 S 1-13-66	--	7.7	17600	465 23.20 12	365 30.02 16	3140 136.53 72	30 0.77	0 7.51	458 16.55 9	795 166.38 87	5900	2.5 0.04	1.0	1.35	--	11444 10925	2663
1N/22W-21E 4 S 1-13-66	--	7.5	47200	1810 90.32 17	780 64.15 12	8370 363.93 70	115 2.94 1	0 4.23	258 18.01 4	865 491.24 96	17420	3.0 0.05	1.2	2.65	--	40368 29494	7730
1N/22W-21E 5 S 1-13-66	--	7.4	47200	1150 57.39 11	1165 95.81 18	8900 386.97 71	62 1.59	0 3.72	227 22.53 4	1082 505.06 95	17910	3.0 0.05	1.2	1.70	--	37536 30387	7666
1N/22W-21E 6 S 1-14-66	--	7.7	47400	1022 51.00 9	1166 95.89 17	9540 414.80 74	60 1.53	0 3.59	219 16.26 3	781 536.65 96	19030	3.1 0.05	1.2	1.80	--	36400 31713	7350
1N/22W-21E 7 S 1-11-66	--	8.0	1400	126 6.29 43	34 2.80 19	125 5.44 37	5 0.13 1	0 3.93	240 6.14 42	295 4.37 30	155	1.3 0.02	0.9	0.50	--	868 861	455

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER				MILLIGRAMS PER LITER								
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
SANTA CLARA-CALLEGUAS HYDRO UNIT U0300																	
OXNARD PLAIN HYDRO SUBUNIT OXNARD HYDRO SUBAREA				U03A0		U03A1											
1N/22W-21E 8 S 1-12-66	--	7.4	9050	1075 53.64 15	3450 283.73 77	700 30.44 8	15 0.38	0	163 2.67 2	489 10.18 9	3591 101.27 89	1.5 0.02	0.9	0.47	--	7740 9403	6882
1-12-66	--	7.4	9050	1075 53.64 48	345 28.37 25	700 30.44 27	15 0.38	0	163 2.67 2	489 10.18 9	3591 101.27 89	1.5 0.02	0.9	0.47	--	7740 6298	4104
1N/22W-22K 3 S 3-16-66	68	7.7	6123	425 21.21 25	284 23.36 28	920 40.00 47	8 0.20	0	334 5.47 6	3368 70.12 83	315 8.88 10	13 0.21	1.9	3.50	--	6090 5503	2230
1N/22W-22H 3 S 3-17-66	66	7.6	1776	230 11.48 53	61 5.02 23	115 5.00 23	6 0.15 1	0	315 5.16 24	671 13.97 64	93 2.62 12	12 0.19 1	0.7	0.86	--	1460 1344	826
1N/22W-22A 1 S 10-18-65	--	8.3	1350	140 6.99 53	39 3.21 24	62 2.70 20	13 0.33 2	27 0.90 7	212 3.47 26	348 7.25 54	60 1.69 13	3.0 0.05	0.9	0.73	--	920 798	510
1N/22W-22C 1 S 4-8-66	--	8.1	2700	309 15.42 54	102 8.39 29	108 4.70 16	4 0.10	0	203 3.33 12	427 8.89 32	565 15.93 56	3.1 0.05	0.9	0.74	--	2032 1620	1191
1N/22W-22H 1 S 10-23-65	68	7.8	2100	244 12.18 59	52 4.28 21	95 4.13 20	7 0.18 1	0	224 3.67 18	350 7.29 35	340 9.59 47	2.0 0.03	0	0.70	--	1644 1201	824
1N/22W-22H 2 S 10-23-65	67	7.8	4050	470 23.45 59	127 10.44 26	125 5.44 14	7 0.18	0	220 3.61 9	401 8.35 21	975 27.50 70	1.0 0.02	0	0.74	--	3164 2215	1696
3-17-66	68	7.8	3256	365 18.21 53	123 10.12 29	134 5.83 17	6 0.15	--	132 2.16 6	381 7.93 23	850 23.97 70	2.0 0.03	0.7	0.67	--	2962 1927	1418
1N/22W-22H 3 S 10-23-65	67	7.6	2200	229 11.43 53	61 5.02 23	112 4.87 22	14 0.36 2	0	329 5.39 25	677 14.10 65	71 2.00 9	6.0 0.10	0.3	0.68	--	1432 1333	823
1N/22W-22H 4 S 3-17-66	65	7.5	2836	403 20.11 55	115 9.46 26	156 6.78 18	19 0.49 1	--	307 5.03 14	1319 27.46 75	126 3.55 10	30.0 0.48 1	1.2	2.00	--	2559 2322	1480
1N/22W-22H 5 S 10-18-65	67	7.8	2040	197 9.83 49	66 5.43 27	100 4.35 22	10 0.26 1	0	201 3.29 17	379 7.89 40	309 8.71 44	0.0	0.8	0.78	--	1424 1161	764
3-17-66	65	8.1	1880	180 8.98 49	56 4.61 25	102 4.43 24	7 0.18 1	0	244 4.00 22	355 7.39 40	248 6.99 38	1.0 0.02	0.8	0.83	--	1268 1071	680
1N/22W-22J 2 S 4-7-66	--	8.1	1600	176 8.78 49	55 4.52 25	100 4.35 24	5 0.13 1	0	219 3.59 21	356 7.41 43	226 6.37 37	0.9 0.01	0.9	0.82	--	1364 1028	666
1N/22W-22J 3 S 4-8-66	--	7.5	5300	602 30.04 56	193 15.87 30	163 7.09 13	8 0.20	0	191 3.13 6	414 8.62 16	1461 41.20 78	5.0 0.08	0.7	1.30	--	4244 2942	2297
1N/22W-22K 1 S 4-8-66	--	7.8	3000	320 15.97 55	101 8.31 28	112 4.87 17	6 0.15 1	0	182 2.98 10	431 8.97 31	616 17.37 59	2.5 0.04	1.0	0.76	--	2319 1680	1215
1N/22W-22K 2 S 10-19-65	66	7.7	2700	281 14.02 53	78 6.41 24	132 5.74 22	10 0.26 1	0	236 3.87 15	384 7.99 30	517 14.58 55	1.0 0.02	1.1	0.81	--	1960 1521	1022
3-17-66	69	7.8	2380	258 12.87 51	81 6.66 27	124 5.39 21	6 0.15 1	--	207 3.39 14	372 7.75 32	476 13.42 55	0	0.6	0.71	--	1973 1420	977
1N/22W-22R 5 S 10-20-65	--	8.5	1350	125 6.24 48	36 2.96 23	81 3.52 27	7 0.18 1	36 1.20 9	231 3.79 29	303 6.31 48	56 1.58 12	10.0 0.16 1	0.8	0.28	--	788 769	460
4-5-66	--	8.2	1300	122 6.09 46	38 3.13 24	90 3.91 29	5 0.13 1	5 0.17 1	299 4.90 37	322 6.70 50	49 1.38 10	12.5 0.20 1	0.6	0.84	--	800 792	461
1N/22W-23A 1 S 4-15-66	--	8.0	1400	124 6.19 45	36 2.96 21	107 4.65 33	4 0.10 1	0	248 4.06 29	396 8.24 59	59 1.66 12	0.0	0.8	1.00	--	1092 850	458

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	ECX10 ⁶	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
					SANTA CLARA-CALLEGUAS HYDRO UNIT U0300													
OXNARD PLAIN HYDRO SUBUNIT					U03A0													
OXNARD HYDRO SUBAREA					U03A1													
1N/22W-23C	1 S	--	8.1	1180	114	41	59	3	0	191	339	49	2.0	1.1	0.75	--	840	453
10-19-65					5.69	3.37	2.57	0.08		3.13	7.06	1.38	0.03					703
					49	29	22	1		27	61	12						
4-	7-66	--	7.7	1300	125	36	73	4	0	262	366	53	3.0	0.9	0.76	--	912	460
					6.24	2.96	3.17	0.10		4.29	7.62	1.49	0.05					790
					50	24	25	1		32	57	11						
1N/22W-23E	2 S	66	7.9	2000	209	56	100	7	0	252	349	302	1.0	0	0.78	--	1472	753
10-18-65					10.43	4.61	4.35	0.18		4.13	7.27	8.52	0.02					1149
					53	24	22	1		21	36	43						
3-	17-66	68	8.0	2600	255	83	128	10	0	231	360	496	1.0	0.8	0.81	--	1920	978
					12.72	6.83	5.57	0.26		3.79	7.50	13.99	0.02					1448
					50	27	22	1		15	30	55						
1N/22W-23E	3 S	69	7.2	9500	487	304	1040	8	0	370	3962	222	17.0	1.3	6.55	--	9625	2467
10-23-65					24.30	25.00	45.22	0.20		6.06	82.49	6.26	0.27					6230
					26	26	48			6	87	7						
3-	17-66	67	7.9	1100	81	35	88	3	0	239	222	77	5.4	1.4	0.59	--	640	346
					4.04	2.88	3.83	0.08		3.92	4.62	2.17	0.09					631
					37	27	35	1		36	43	20	1					
1N/22W-23N	2 S	--	7.1	2200	26	50	146	390	0	249	340	372	20.0	1.3	0.70	--	1388	271
4- 5-66					1.30	4.11	6.35	9.97		4.08	7.08	10.49	0.32					1468
					6	19	29	46		19	32	48	1					
1N/22W-23Q	1 S	--	8.1	1760	164	55	102	6	0	200	447	166	1.6	0.9	0.74	--	1142	636
4- 5-66					8.18	4.52	4.43	0.15		3.28	9.31	4.68	0.03					1042
					47	26	26	1		19	54	27						
1N/22W-23R	1 S	--	8.2	1600	162	46	103	5	17	225	455	102	1.5	0.8	1.05	--	868	593
4-12-66					8.08	3.78	4.48	0.13	0.57	3.69	9.47	2.88	0.02					1004
					49	23	27	1	3	22	57	17						
1N/22W-25J	1 S	--	8.3	1280	86	39	110	8	5	260	291	49	27.5	0.7	0.70	--	768	375
4- 6-66					4.29	3.21	4.78	0.20	0.17	4.26	6.06	1.38	0.44					745
					34	26	38	2	1	35	49	11	4					
1N/22W-26M	1 S	64	7.7	1862	181	59	135	6	0	205	378	302	0.0	0.8	0.63	--	1285	695
4-14-66					9.03	4.85	5.87	0.15		3.36	7.87	8.52						1163
					45	24	29	1		17	40	43						
1N/22W-26A	1 S	68	8.3	1600	162	45	102	4	28	190	430	120	1.0	0.6	0.65	--	1044	589
10-20-65					8.08	3.70	4.43	0.10	0.93	3.11	8.95	3.38	0.02					987
					50	23	27	1	6	19	55	21						
1N/22W-26B	2 S	--	8.6	1450	131	42	98	4	24	190	428	45	5.0	0.9	0.59	--	956	500
4- 5-66					6.54	3.45	4.26	0.10	0.80	3.11	8.91	1.27	0.08					872
					46	24	30	1	6	22	63	9	1					
1N/22W-26D	2 S	68	7.9	1350	118	39	91	4	0	261	365	46	7.0	0.9	0.79	--	888	455
4- 5-66					5.89	3.21	3.96	0.10		4.28	7.60	1.30	0.11					800
					45	24	30	1		32	57	10	1					
1N/22W-26J	1 S	69	8.7	1110	94	35	73	3	32	239	215	56	3.3	0.9	0.68	--	720	379
4- 6-66					4.69	2.88	3.17	0.08	1.07	3.92	4.48	1.58	0.05					630
					43	27	29	1	10	35	40	14						
1N/22W-26J	2 S	--	8.2	1100	81	35	78	6	13	230	239	46	2.7	0.9	0.65	--	656	346
4- 6-66					4.04	2.88	3.39	0.15	0.43	3.77	4.98	1.30	0.04					615
					39	28	32	1	4	36	47	12						
1N/22W-26K	1 S	--	8.4	2550	184	73	184	9	13	136	414	429	2.5	0.7	0.70	--	1744	760
4- 6-66					9.18	6.00	8.00	0.23	0.43	2.23	8.62	12.10	0.04					1377
					39	26	34	1	2	10	37	52						
1N/22W-26Q	1 S	70	8.4	1289	109	44	88	7	18	212	364	43	5.5	0.5	0.45	--	868	453
10-13-65					5.44	3.62	3.83	0.18	0.60	3.47	7.58	1.21	0.09					784
					42	28	29	1	5	27	59	9	1					
1N/22W-27B	4 S	64	7.1	789	11	26	105	6	0	61	220	69	2.8	0.3	0.55	--	450	135
4-14-66					0.55	2.14	4.57	0.15		1.00	4.58	1.95	0.05					471
					7	29	62	2		13	60	26	1					
1N/22W-27R	1 S	66	8.0	1022	83	37	87	4	0	167	331	44	0.0	0.8	0.32	--	712	359
4-14-66					4.14	3.04	3.78	0.10		2.74	6.89	1.24						669
					37	27	34	1		25	63	11						
1N/22W-27R	2 S	65	7.4	1536	73	40	178	7	0	90	247	286	1.0	0.7	0.52	--	972	347
4-15-66					3.64	3.29	7.74	0.18		1.48	5.14	8.07	0.02					877
					25	22	52	1		10	35	55						
1N/22W-27F	2 S	--	7.4	1300	130	34	78	4	0	197	403	44	0.0	0.6	0.65	--	808	465
10-20-65					6.49	2.80	3.39	0.10		3.23	8.39	1.24						791
					51	22	27	1		25	65	10						

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	ECX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
SANTA CLARA-CALLEGUAS HYDRO UNIT U0300																	
OXNARD PLAIN HYDRO SUBUNIT				U03A0													
OXNARD HYDRO SUBAREA				U03A1													
1N/22W-27J 2 S	--	7.7	2650	227	73	194	7	0	268	420	442	37.0	0.8	1.30	--	1868	867
4- 5-66				11.33	6.00	8.44	0.18		4.39	8.74	12.46	0.60				1534	
				44	23	33	1		17	33	48	2					
1N/22W-28C 1 S	68	6.8	10582	381	206	1660	19	--	27	477	3458	1.3	1.2	1.60	--	6640	1799
3-18-66				19.01	16.94	72.18	0.49		0.44	9.93	97.52	0.02				6218	
				18	16	66				9	90						
1N/22W-28R 1 S	66	7.9	7000	411	180	750	24	0	20	798	1823	2.0	0.5	0.80	--	4652	1767
10-21-65				20.51	14.80	32.61	0.61		0.33	16.61	51.41	0.03				3999	
				30	22	48	1			24	75						
	66	5.9	7000	369	170	750	30	0	7	358	2057	0.6	0.4	0.76	--	4800	1621
3-18-66				18.41	13.98	32.61	0.77		0.11	7.45	58.01	0.01				3739	
				28	21	50	1			11	88						
1N/22W-28C 1 S	68	7.8	12000	419	206	1640	28	0	26	1210	3032	2.0	0.7	0.82	--	7400	1894
10-21-65				20.91	16.94	71.31	0.72		0.43	25.19	85.50	0.03				6551	
				19	15	65	1			23	77						
1N/22W-29A 4 S	68	7.4	1228	96	42	110	16	0	209	417	40	1.3	0.5	0.48	--	862	412
4-19-66				4.79	3.45	4.78	0.41		3.43	8.68	1.13	0.02				826	
				36	26	36	3		26	65	9						
	65	7.6	1214	88	40	103	21	0	225	367	45	1.0	0.4	0.50	--	834	384
11- 5-65				4.39	3.29	4.48	0.54		3.69	7.64	1.27	0.02				777	
				35	26	35	4		29	61	10						
	66	8.0	1097	67	37	108	17	--	185	317	44	18	0.2	0.47	--	726	319
3-16-66				3.34	3.04	4.70	0.43		3.03	6.60	1.24	0.29				700	
				29	26	41	4		27	59	11	3					
1N/22W-29G 1 S	--	8.3	1550	120	43	134	4	23	249	440	53	2.5	0.5	0.68	--	876	477
4-12-66				5.99	3.54	5.83	0.10	0.77	4.08	9.16	1.49	0.04				943	
				39	23	38	1	5	26	59	10						
1N/22W-35C 1 S	--	8.0	1148	113	32	91	--	--	293	298	46	--	0.5	0.46	--	873	414
5-12-66				5.64	2.63	3.96			4.80	6.20	1.30						
	--	7.7	1090	99	34	88	--	--	312	245	51	0.0	0.6	0.71	--		387
11-30-65				4.94	2.80	3.83			5.11	5.10	1.44					765	
				43	24	33			44	44	12					672	
	--	8.6	1320	124	37	83	2	16	228	357	46	3.3	0.9	0.68	--	840	462
4- 5-66				6.19	3.04	3.61	0.05	0.53	3.74	7.43	1.30	0.05				782	
				48	24	28		4	29	57	10						
1N/22W-35G 1 S	--	8.5	910	70	21	68	3	17	295	70	49	3.3	0.9	0.59	--	516	261
4- 5-66				3.49	1.73	2.96	0.08	0.57	4.84	1.46	1.38	0.05				448	
				42	21	36	1	7	58	18	17	1					
1N/22W-36B 2 S	--	8.8	1250	100	37	93	6	32	189	298	64	4.5	0.7	0.53	--	764	402
4- 6-66				4.99	3.04	4.04	0.15	1.07	3.10	6.20	1.80	0.07				729	
				41	25	33	1	9	25	51	15	1					
1N/23W- 1H 1 S	--	7.8	1153	120	37	84	4	--	269	325	45	3	0.9	0.72	--	828	452
4-18-66				5.99	3.04	3.65	0.10		4.41	6.77	1.27	0.05				752	
				47	24	29	1		35	54	10						
2N/21W- 6P 1 S	--	7.9	2134	194	78	200	--	--	360	751	113	0.0	0.7	0.99	--		805
11- 9-65				9.68	6.41	8.70			5.90	15.64	3.19					1738	
				39	26	35			24	63	13					1515	
2N/21W-12D 1 S	--	7.7	1994	181	58	205	--	--	366	677	80	5	0.5	0.47	--	1572	691
5-11-66				9.03	4.77	8.91			6.00	14.10	2.26	0.08				1387	
				40	21	39			27	63	10						
2N/21W-19A 2 S	--	7.8	1656	162	59	149	--	--	293	600	71	8	0.7	0.64	--	1342	647
5-11-66				8.08	4.85	6.48			4.80	12.49	2.00	0.13				1194	
				42	25	33			25	64	10	1					
2N/21W-27M 2 S	--	7.8	2000	195	63	113	5	0	238	578	84	25.5	0.9	0.89	--	1144	746
4-20-66				9.73	5.18	4.91	0.13		3.90	12.03	2.37	0.41				1182	
				49	26	25	1		21	64	13	2					
2N/21W-29K 2 S	--	7.7	1050	78	29	87	5	0	255	221	61	4.0	0.4	0.20	--	696	314
10-22-65				3.89	2.38	3.78	0.13		4.18	4.60	1.72	0.06				611	
				38	23	37	1		40	44	16	1					
2N/21W-29L 1 S	--	8.1	1641	153	54	116	4	0	306	251	230	16.0	0.7	0.39	--	1064	604
10-22-65				7.63	4.44	5.04	0.10		5.02	5.23	6.49	0.26				975	
				44	26	29	1		30	31	38	2					
2N/21W-29L 3 S	--	7.5	1290	108	31	102	5	0	233	344	59	7.0	0.6	0.46	--	828	397
10-22-65				5.39	2.55	4.43	0.13		3.82	7.16	1.66	0.11				772	
				43	20	35	1		30	56	13	1					

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	ECX10	MINERAL	CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
SANTA CLARA-CALLEGUAS HYDRO UNIT U0300																		
OXNARD PLAIN HYDRO SUBUNIT				U03A0														
OXNARD HYDRO SUBAREA				U03A1														
2N/22W-11A	1 S	--	8.1	2010	185	50	204	6	0	374	685	80	9.4	--	0.70	--	1400	668
9-30-66					9.23	4.11	8.87	0.15		6.13	14.26	2.26	0.15				1404	
					41	18	40	1		27	63	10	1					
2N/22W-12D	1 S	--	7.0	1858	162	58	182	--	--	319	624	75	5.0	0.4	0.71	--		643
11- 4-65					8.08	4.77	7.91			5.23	12.99	2.12	0.08				1360	
					39	23	38			26	64	10					1264	
2N/22W-12E	1 S	--	7.5	2141	237	82	164	6	0	317	835	116	3.0	0.7	0.80	--	1700	929
10-20-65					11.83	6.74	7.13	0.15		5.20	17.38	3.27	0.05				1600	
					46	26	28	1		20	67	13						
2N/22W-12G	1 S	--	7.6	2542	265	88	198	7	0	309	951	144	0.0	0.9	0.96	--	2006	1024
10-13-65					13.22	7.24	8.61	0.18		5.06	19.80	4.06					1807	
					45	25	29	1		17	68	14						
2N/22W-12L	2 S	--	7.8	1862	211	73	150	6	0	320	732	97	4.0	0.9	0.76	--	1550	827
11- 9-65					10.53	6.00	6.52	0.15		5.24	15.24	2.74	0.06				1432	
					45	26	28	1		23	65	12						
2N/22W-12M	2 S	--	7.7	1653	176	59	126	5	0	329	567	71	3.0	0.8	0.72	--	1260	682
10- 9-65					8.78	4.85	5.48	0.13		5.39	11.80	2.00	0.05				1170	
					46	25	28	1		28	61	10						
2N/22W-13K	3 S	--	8.0	1471	87	46	164	5	--	157	503	83	1.0	0.8	0.68	--	1060	406
5-10-66					4.34	3.78	7.13	0.13		2.57	10.47	2.34	0.02				968	
					28	25	46	1		17	68	15						
2N/22W-13L	3 S	--	7.7	1441	157	56	129	5	0	284	551	63	12.0	0.7	0.92	--	1180	622
11- 9-65					7.83	4.61	5.61	0.13		4.65	11.47	1.78	0.19				1114	
					43	25	31	1		26	63	10	1					
2N/22W-14P	2 S	--	7.7	1160	110	38	79	--	--	235	354	39	5	0.7	0.40	--	860	431
3-25-66					5.49	3.13	3.43			3.85	7.37	1.10	0.08				742	
					46	26	28			31	59	9	1					
2N/22W-15Q	1 S	--	7.5	1739	155	51	147	5	0	269	547	75	35.0	0.8	0.52	--	1185	596
10-20-65					7.73	4.19	6.39	0.13		4.41	11.39	2.12	0.56				1149	
					42	23	35	1		24	62	11	3					
2N/22W-15Q	3 S	72	8.1	1610	150	51	148	5	0	259	547	76	32.0	0.9	0.52	--	1170	584
10-14-65					7.49	4.19	6.44	0.13		4.25	11.39	2.14	0.52				1138	
					41	23	35	1		23	62	12	3					
2N/22W-16K	1 S	--	7.8	1397	114	44	151	--	--	254	475	54	7	0.7	0.55	--	1099	466
5-12-66					5.69	3.62	6.57			4.16	9.89	1.52	0.11				971	
					36	23	41			27	63	10	1					
11- 5-65		--	7.8	1442	114	45	125	--	0	259	437	56	7.0	0.7	0.70	--	987	470
					5.69	3.70	5.44			4.25	9.10	1.58	0.11				913	
					38	25	37			28	61	11	1					
2N/22W-17O	1 S	--	7.6	1600	155	40	114	5	0	240	478	78	1.0	0.8	0.43	--	1092	551
10-20-65					7.73	3.29	4.96	0.13		3.93	9.95	2.20	0.02				990	
					48	20	31	1		24	62	14						
2N/22W-20J	1 S	68	7.8	1245	126	41	96	4	0	243	409	47	2.1	0.9	0.57	--	905	483
4-27-66					6.29	3.37	4.17	0.10		3.98	8.52	1.33	0.03				846	
					45	24	30	1		29	61	10						
2N/22W-20Q	1 S	--	7.5	1673	164	57	151	--	--	277	578	87	19	0.6	0.60	--	1333	644
5-12-66					8.18	4.69	6.57			4.54	12.03	2.45	0.31				1193	
					42	24	34			23	62	13	2					
2N/22W-20M	7 S	--	7.9	1550	128	40	125	6	0	188	480	63	12.0	0.9	4.00	--	1004	484
10-25-65					6.39	3.29	5.44	0.15		3.08	9.99	1.78	0.19				951	
					42	22	36	1		20	66	12	1					
2N/22W-20Q	1 S	--	7.8	1635	150	53	125	--	0	271	487	81	16.0	0.7	0.54	--	593	
11- 9-65					7.49	4.36	5.44			4.44	10.14	2.28	0.26				1192	
					43	25	31			26	59	13	2				1046	
2N/22W-21D	3 S	--	8.5	1912	202	72	143	5	21	252	685	97	35.0	0.8	0.76	--	1487	801
10- 7-65					10.08	5.92	6.22	0.13	0.70	4.13	14.26	2.74	0.56				1385	
					45	26	28	1	3	18	64	12	3					
2N/22W-23B	1 S	--	7.7	1277	116	48	86	--	--	247	395	46	7	0.7	0.45	--	945	487
3-24-66					5.79	3.95	3.74			4.05	8.22	1.30	0.11				821	
					43	29	28			30	60	10	1					
2N/22W-23B	2 S	--	7.7	1162	105	41	80	--	--	222	353	39	5	0.8	0.35	--	845	431
3-24-66					5.24	3.37	3.48			3.64	7.35	1.10	0.08				733	
					43	28	29			30	60	9	1					
2N/22W-23C	1 S	--	7.6	1162	104	44	82	--	--	226	365	39	5	0.8	0.43	--	865	441
3-25-66					5.19	3.62	3.57			3.70	7.60	1.10	0.08				751	
					42	29	29			30	61	9	1					

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO ₃	HCO ₃	SO ₄	CL	NO ₃	F	B	SIO ₂	TDS 180C 105C COMP	HARD- NESS CACO ₃
SANTA CLARA-CALLEGUAS HYDRO UNIT U0300																		
OXNARD PLAIN HYDRO SUBUNIT				U03A0														
OXNARD HYDRO SUBAREA				U03A1														
2N/22W-23C	3 S	--	7.7	1424	135	47	110	--	--	274	453	56	4	0.7	0.49	--	1079	531
3-25-66					6.74	3.87	4.78			4.49	9.43	1.58	0.06					941
					44	25	31			29	61	10						
2N/22W-23G	1 S	--	7.6	1247	112	39	91	--	--	233	381	43	7	0.8	0.52	--	906	440
3-25-66					5.59	3.21	3.96			3.82	7.93	1.21	0.11					789
					44	25	31			29	61	9	1					
2N/22W-23G	2 S	--	7.9	1332	125	49	93	--	--	253	420	50	11	0.8	0.52	--	1001	514
3-24-66					6.24	4.03	4.04			4.15	8.74	1.41	0.18					874
					44	28	28			29	60	10	1					
2N/22W-23H	3 S	70	8.0	1546	127	65	125	5	0	134	604	72	35.0	0.8	0.80	--	1160	585
10-26-65					6.34	5.35	5.44	0.13		2.20	12.58	2.03	0.56					1100
					37	31	32	1		13	72	12	3					
2N/22W-23J	1 S	--	7.9	1764	188	67	126	5	0	292	625	76	45.0	0.9	0.76	--	1340	745
10-14-65					9.38	5.51	5.48	0.13		4.79	13.01	2.14	0.73					1277
					46	27	27	1		23	63	10	4					
2N/22W-23Q	1 S	68	7.5	1750	165	53	107	5	0	283	510	70	23.0	0.6	0.68	--	1084	630
10-26-65					8.23	4.36	4.65	0.13		4.64	10.62	1.97	0.37					1073
					47	25	27	1		26	60	11	2					
2N/22W-27L	1 S	--	7.7	1692	193	68	107	6	0	386	551	73	6.0	0.9	0.76	--	1250	762
10-15-65					9.63	5.59	4.65	0.15		6.33	11.47	2.06	0.10					1195
					48	28	23	1		32	57	10	1					
2N/22W-27M	2 S	--	7.7	2110	209	64	108	7	0	367	593	75	29.0	0.5	0.95	--	1352	785
10-18-65					10.43	5.26	4.70	0.18		6.02	12.35	2.12	0.47					1267
					51	26	23	1		29	59	10	2					
2N/22W-28K	2 S	69	8.0	1624	139	71	127	6	0	149	609	89	29.2	1.0	0.63	--	1275	640
4-27-66					6.94	5.84	5.52	0.15		2.44	12.68	2.51	0.47					1145
					38	32	30	1		13	70	14	3					
2N/22W-28L	1 S	68	7.9	1700	154	59	115	6	0	249	522	73	22.5	0.9	0.80	--	1170	627
4-20-66					7.68	4.85	5.00	0.15		4.08	10.87	2.06	0.36					1076
					43	27	28	1		23	63	12	2					
2N/22W-29N	2 S	--	8.0	1700	166	59	100	4	0	268	530	58	22.5	0.9	0.68	--	1130	657
4-20-66					8.28	4.85	4.35	0.10		4.39	11.03	1.64	0.36					1073
					47	28	25	1		25	63	9	2					
2N/22W-30J	2 S	--	7.5	1490	174	51	42	4	0	242	374	81	32.4	0.9	0.70	--	1272	644
4-20-66					8.68	4.19	1.83	0.10		3.97	7.79	2.28	0.52					879
					59	28	12	1		27	54	16	4					
2N/22W-30P	1 S	67	7.8	1420	136	45	85	3	0	215	440	43	24.0	0.9	0.72	--	970	525
4-20-66					6.79	3.70	3.70	0.08		3.52	9.16	1.21	0.39					883
					48	26	26	1		25	64	8	3					
2N/22W-31J	1 S	--	7.9	1300	140	49	89	4	0	243	474	42	7.2	1.0	0.68	--	1008	551
4-19-66					6.99	4.03	3.87	0.10		3.98	9.87	1.18	0.12					926
					47	27	26	1		26	65	8	1					
2N/22W-31P	1 S	--	7.8	1120	116	39	82	3	0	224	384	38	4.5	1.0	0.76	--	840	450
4-19-66					5.79	3.21	3.57	0.08		3.67	7.99	1.07	0.07					778
					46	25	28	1		29	62	8	1					
2N/22W-31R	1 S	--	7.8	1370	136	51	90	3	0	249	462	44	11.6	0.9	0.70	--	1012	549
4-18-66					6.79	4.19	3.91	0.08		4.08	9.62	1.24	0.19					922
					45	28	26	1		27	64	8	1					
2N/22W-32C	1 S	--	8.0	1400	136	47	90	3	0	234	453	44	8.1	1.0	0.76	--	954	533
4-20-66					6.79	3.87	3.91	0.08		3.84	9.43	1.24	0.13					898
					46	26	27	1		26	64	8	1					
2N/22W-32Q	1 S	--	8.3	1579	177	56	110	5	--	275	546	63	17	0.9	0.67	--	1229	673
4-18-66					8.83	4.61	4.78	0.13		4.51	11.37	1.78	0.27					1111
					48	25	26	1		25	63	10	2					
2N/22W-33N	2 S	68	7.0	3200	387	115	102	10	0	157	811	119	650.0	1.0	1.06	--	2640	1440
4-21-66					19.31	9.46	4.43	0.26		2.57	16.89	3.36	10.48					2273
					58	28	13	1		8	51	10	31					
2N/23W-5P	1 S	--	7.4	3694	352	109	279	9	0	216	479	899	5.5	1.1	0.72	--	2870	1327
4-10-66					17.56	8.96	12.13	0.23		3.54	9.97	25.35	0.09					2241
					45	23	31	1		9	26	65						
2N/23W-13F	1 S	--	7.8	1536	158	45	160	5	0	395	493	73	3.3	0.7	0.68	--	1250	579
6-27-66					7.88	3.70	6.96	0.13		6.47	10.26	2.06	0.05					1133
					42	20	37	1		34	54	11						
2N/23W-14K	1 S	67	8.1	1640	124	47	134	4	0	366	399	66	4.8	1.7	0.64	--	1080	503
4-11-66					6.19	3.87	5.83	0.10		6.00	8.31	1.86	0.08					961
					39	24	36	1		37	51	11						

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER				MILLIGRAMS PER LITER PERCENT REACTANCE VALUE							TDS 180C 105C COMP	HARD- NESS CACO 3		
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B			SIO 2	
SANTA CLARA-CALLEGUAS HYDRO UNIT U0300																			
OXNARD PLAIN HYDRO SUBUNIT				U03A0															
OXNARD HYDRO SUBAREA				U03A1															
2N/23W-14M 12-14-65	1 S	--	7.8	1579	140 6.99 39	53 4.36 25	143 6.22 35	5 0.13 1	0	283 4.64 26	533 11.10 63	69 1.95 11	1.2 0.02	0.7	0.68	--	1180 1085	568	
2N/23W-23G 4-8-66	1 S	--	8.5	1400	122 6.09 44	41 3.37 24	98 4.26 31	2 0.05	18 0.60 4	208 3.41 24	412 8.58 61	51 1.44 10	0.0	0.5	0.48	--	920 847	473	
2N/23W-24F 5-10-66	1 S	68	7.7	2308	285 14.22 51	84 6.91 25	158 6.87 24	6 0.15 1	0	233 3.82 14	867 18.05 66	149 4.20 15	92.0 1.48 5	1.0	0.42	--	1910 1757	1057	
6-27-66	--	7.5	2096	258 12.87 50	77 6.33 25	147 6.39 25	6 0.15 1	0	271 4.44 17	790 16.45 64	127 3.58 14	68 1.10 4	0.7	0.40	--	1795 1607	961		
2N/23W-25G 4-13-66	2 S	--	8.0	1650	146 7.29 44	44 3.62 22	125 5.44 33	5 0.13 1	0	256 4.20 25	500 10.41 63	67 1.89 11	2.9 0.05	0.4	0.62	--	896 1017	546	
2N/23W-25Q 10-19-65	1 S	--	8.1	1302	110 5.49 40	34 2.80 20	124 5.39 39	4 0.10 1	0	188 3.08 22	449 9.35 67	56 1.58 11	0.5 0.01	0.7	0.54	--	991 871	415	
4-13-66	--	8.3	1510	124 6.19 41	42 3.45 23	120 5.22 35	3 0.08 1	13 0.43 3	215 3.52 23	454 9.45 62	62 1.75 12	3.5 0.06	0.8	0.54	--	976 929	482		
2N/23W-25R 4-13-66	2 S	--	8.0	1510	140 6.99 42	45 3.70 22	134 5.83 35	3 0.08	0	230 3.77 23	505 10.51 63	69 1.95 12	26.6 0.43 3	0.8	0.52	--	1092 1037	535	
2N/23W-35B 10-19-65	1 S	--	8.0	1270	98 4.89 36	38 3.13 23	122 5.30 39	4 0.10 1	0	159 2.61 19	442 9.20 69	56 1.58 12	0.0	0.3	0.51	--	950 839	401	
2N/23W-36C 7-19-66	4 S	--	7.7	1271	131 6.54 43	38 3.13 21	126 5.48 36	4 0.10 1	0	259 4.25 28	455 9.47 62	52 1.47 10	0.3	0.8	0.50	--	1005 935	484	
2N/23W-36A 11-8-65	1 S	--	7.9	1347	118 5.89 41	42 3.45 24	113 4.91 34	--	0	258 4.23 29	420 8.74 60	56 1.58 11	0.0	0.6	0.44	--	922 877	467	
2N/23W-36A 4-13-66	2 S	--	8.2	1300	136 6.79 49	40 3.29 24	85 3.70 27	5 0.13 1	31 1.03 8	139 2.28 17	427 8.89 65	49 1.38 10	2.5 0.04	0.7	0.75	--	732 845	504	
2N/23W-36N 4-18-66	1 S	--	8.2	1273	127 6.34 45	37 3.21 23	104 4.52 32	4 0.10 1	14 0.47 3	217 3.56 26	403 8.39 61	47 1.38 10	1.0 0.02	0.8	0.58	--	938 849	478	
PLEASANT VALLEY HYDRO SUBAREA				U03A2															
1N/21W-9M 10-27-65	1 S	--	8.1	833	44 2.20 26	23 1.89 22	97 4.22 50	4 0.10 1	--	221 3.62 42	170 3.54 42	47 1.33 16	2.0 0.03	0.5	0.38	--	540 496	205	
1N/21W-22B 10-27-65	2 S	--	8.4	1200	83 4.14 31	40 3.29 25	133 5.78 43	5 0.13 1	19 0.63 5	278 4.56 34	205 4.27 32	138 3.89 29	1.4 0.02	0.4	0.42	--	800 762	372	
1N/21W-26K 10-22-65	1 S	--	8.0	1852	100 4.99 26	96 7.90 41	148 6.44 33	2 0.05	0	207 3.39 18	331 6.89 36	289 8.15 42	58.0 0.94 5	0.4	0.18	--	1220 1126	645	
2N/20W-30C 10-27-65	1 S	70	8.1	2466	174 8.68 31	79 6.50 23	285 12.39 45	6 0.15 1	0	301 4.93 18	751 15.64 57	248 6.99 25	0.5 0.01	0.8	0.98	--	1825 1693	760	
2N/20W-33R 10-27-65	2 S	--	8.0	1560	78 3.89 25	94 7.73 49	94 4.09 26	1 0.03	0	357 5.85 38	42 0.87 6	307 8.66 56	1.5 0.02	0.3	0.28	--	961 794	581	
2N/21W-11A 10-2-65	1 S	--	8.4	920	89 4.44 50	29 2.38 27	46 2.00 22	4 0.10 1	25 0.83 9	225 3.69 41	133 2.77 31	43 1.21 13	34.0 0.55 6	0.6	0.33	--	592 515	341	
2N/21W-19A 11-5-65	2 S	--	7.4	1752	164 8.18 42	71 5.84 30	125 5.44 28	--	0	303 4.97 25	586 12.20 62	84 2.37 12	9.0 0.15 1	0.7	0.80	--	1345 1189	702	
2N/21W-23R 10-27-65	2 S	71	7.3	1700	165 8.23 49	40 3.29 20	120 5.22 31	5 0.13 1	0	242 3.97 23	404 8.41 49	120 3.38 20	85.0 1.37 8	0.3	0.43	--	1136 1059	576	

TABLE C-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CALCO 3
SANTA CLARA-CALLEGUAS HYDRO UNIT U0300																		
PLEASANT VALLEY HYDRO SUBAREA U03A2																		
2N/21W-23R 3 S	10-27-65	--	8.3	1230	96 4.79 37	33 2.71 21	122 5.30 41	4 0.10 1	2 0.07 1	228 3.74 29	327 6.81 52	86 2.43 19	1.0 0.02	0.5	0.43	--	852 784	375
2N/21W-33A 1 S	10-20-65	--	7.3	2572	282 14.07 45	96 7.90 25	215 9.35 30	3 0.08	0	250 4.10 13	1051 21.88 70	183 5.16 17	6.0 0.10	0.9	0.66	--	2155 1960	1099
2N/21W-35K 1 S	10-27-65	--	8.0	1971	110 5.49 27	56 4.61 22	239 10.39 50	7 0.18 1	0	237 3.88 19	490 10.20 50	219 6.18 30	2.5 0.04	0.5	0.69	--	1362 1241	505
2N/21W-36N 4 S	10-27-65	--	7.7	1950	156 7.78 40	51 4.19 22	170 7.39 38	4 0.10 1	0	157 2.57 13	530 11.03 57	198 5.58 29	4.0 0.06	0.5	0.45	--	1276 1191	599
SANTA PAULA HYDRO SUBUNIT U03B0																		
SANTA PAULA HYDRO SUBAREA U03B1																		
2N/21W-10Q 3 S	10- 2-65	--	7.7	4950	600 29.94 47	218 17.93 28	360 15.65 25	6 0.15	0	315 5.16 8	1826 38.02 59	354 9.98 15	700.0 11.29 18	1.3	1.50	--	4290 4222	2395
2N/22W- 1M 1 S	10- 7-65	68	7.8	1211	122 6.09 46	39 3.21 24	86 3.74 28	4 0.10 1	--	211 3.46 26	390 8.12 61	58 1.64 12	0.0	0.8	0.40	--	900 804	465
2N/22W- 3M 3 S	11-10-65	--	8.0	1165	84 4.19 35	41 3.37 28	102 4.43 37	4 0.10 1	--	142 2.33 19	392 8.16 68	53 1.49 12	1.0 0.02	0.8	0.51	--	835 748	378
3N/20W- 3N 2 S	5-12-66	--	7.8	1496	155 7.73 44	66 5.43 31	99 4.30 25	--	--	296 4.85 28	489 10.18 59	52 1.47 9	40 0.65 4	0.8	0.56	--	1197 1048	659
3N/21W- 9R 3 S	10- 8-65	--	7.6	1181	127 6.34 48	34 2.80 21	89 3.87 30	3 0.08 1	0	296 4.85 38	329 6.85 53	40 1.13 9	0.5 0.01	0.9	0.48	--	747 769	457
3N/21W-15C 2 S	10- 9-65	--	8.0	1601	190 9.48 52	56 4.61 25	92 4.00 22	3 0.08	0	303 4.97 27	537 11.18 61	71 2.00 11	19.0 0.31 2	0.7	0.59	--	1235 1118	705
3N/21W-16K 1 S	10-25-65	68	7.5	1887	223 11.13 51	65 5.35 24	123 5.35 24	4 0.10	0	358 5.87 27	646 13.45 61	93 2.62 12	4.0 0.06	0.7	0.68	--	1410 1335	825
3N/21W-16K 2 S	10- 6-65	--	7.6	2247	233 11.63 45	84 6.91 27	161 7.00 27	3 0.08	0	379 6.21 25	737 15.34 62	114 3.21 13	0.8 0.01	1.0	0.82	--	1679 1521	928
3N/21W-21B 1 S	5-12-66	--	7.8	2213	210 10.48 40	72 5.92 22	230 10.00 38	--	--	409 6.70 25	746 15.53 59	147 4.15 16	4 0.06	0.7	0.76	--	1818 1612	821
	10-22-65	69	8.3	2071	177 8.83 38	72 5.92 25	196 8.52 36	5 0.13 1	0	254 4.16 18	697 14.51 64	146 4.12 18	2.6 0.04	0.7	1.02	--	1581 1422	738
	11- 4-65	--	7.3	2246	202 10.08 39	73 6.00 23	218 9.48 37	--	0	400 6.56 26	710 14.78 58	147 4.15 16	5.0 0.08	0.7	1.31	--	1655 1554	805
3N/21W-21E 1 S	10- 5-65	66	8.1	1998	143 7.14 32	76 6.25 28	200 8.70 39	5 0.13 1	0	162 2.66 12	781 16.26 74	107 3.02 14	3.0 0.05	1.1	1.24	--	1500 1397	670
3N/21W-21F 1 S	10-22-65	68	7.7	2049	183 9.13 40	54 4.44 19	215 9.35 41	6 0.15 1	0	361 5.92 25	711 14.80 63	99 2.79 12	1.0 0.02	0.8	1.28	--	1500 1449	679
3N/21W-29B 1 S	5-11-66	--	7.3	2596	249 12.43	78 6.41	272 11.83	--	--	506 8.29	754 15.70	236 6.66	--	0.7	1.24	--	2095	943
	11- 5-65	--	7.4	2380	201 10.03 37	77 6.33 24	240 10.44 39	--	0	485 7.95 29	571 11.89 44	256 7.22 27	0.0	0.7	1.41	--	1705 1586	819
3N/21W-31E 1 S	5-11-66	--	7.4	2594	292 14.57	101 8.31	250 10.87	--	--	394 6.46	1156 24.07	107 3.02	--	0.7	0.81	--	2300	1145
3N/22W-11H 1 S	10- 6-65	--	8.4	3536	230 11.48 26	133 10.94 25	478 20.78 48	7 0.18	37 1.23 3	531 8.70 21	1095 22.80 55	294 8.29 20	19.0 0.31 1	1.2	1.27	--	2788 2556	1122

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	ECX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER				MILLIGRAMS PER LITER						
					CA	MG	NA	K	CO	HCO	SO	CL	NO	F	B	SIO	TDS	HARD-	
DATE SAMPLED																		180C	NESS
																		105C	CACO
																		COMP	
SANTA CLARA-CALLEGUAS HYDRO UNIT U0300																			
SANTA PAULA HYDRO SUBUNIT				U0380															
SANTA PAULA HYDRO SUBAREA				U0381															
3N/22W-23F	2 S	--	7.6	2019	166	70	206	9	0	474	596	103	1.0	0.4	0.55	--	1440	703	
10-6-65					8.28	5.76	8.96	0.23		7.77	12.41	2.90	0.02						
					36	25	39	1		34	54	13						1385	
3N/22W-35N	1 S	69	7.6	2270	299	86	138	5	0	290	967	95	0.5	0.8	0.52	--	1942	1100	
10-21-65					14.92	7.07	6.00	0.13		4.75	20.13	2.68	0.01						
					53	25	21			17	73	10						1734	
SISAR HYDRO SUBAREA				U0382															
4N/21W-18C	1 S	59	7.0	1048	127	36	29	2	0	264	207	64	0.6	0.4	0.04	--	678	465	
10-14-65					6.34	2.96	1.26	0.05		4.33	4.31	1.80	0.01						
					60	28	12			41	41	17						596	
SESPE HYDRO SUBUNIT				U03C0															
FILLMORE HYDRO SUBAREA				U03C1															
3N/20W-3N	2 S	--	7.9	1480	150	60	89	--	0	285	492	48	0.0	0.8	0.63	--		621	
11-10-65					7.49	4.93	3.87			4.67	10.24	1.35						1167	
					46	30	24			29	63	8						981	
3N/20W-5C	2 S	75	8.0	1192	133	45	68	7	0	243	361	31	60.0	0.6	0.33	--	860	517	
10-1-65					6.64	3.70	2.96	0.18		3.98	7.52	0.87	0.97						
					49	27	22	1		30	56	7	7					825	
3N/21W-12H	1 S	--	7.3	1187	115	42	84	--	--	254	360	40	12	0.9	0.57	--	907	460	
6-6-66					5.74	3.45	3.65			4.16	7.50	1.13	0.19						
					45	27	28			32	58	9	1					779	
3N/20W-3N	2 S	--	7.9	1480	150	60	89	--	0	285	492	48	0.0	0.8	0.63	--		621	
11-10-65					7.49	4.93	3.87			4.67	10.24	1.35						1167	
					46	30	24			29	63	8						981	
3N/20W-5C	2 S	75	8.0	1192	133	45	68	7	0	243	361	31	60.0	0.6	0.33	--	860	517	
10-1-65					6.64	3.70	2.96	0.18		3.98	7.52	0.87	0.97						
					49	27	22	1		30	56	7	7					825	
3N/21W-12H	1 S	--	7.3	1187	115	42	84	--	--	254	360	40	12	0.9	0.57	--	907	460	
6-6-66					5.74	3.45	3.65			4.16	7.50	1.13	0.19						
					45	27	28			32	58	9	1					779	
3N/21W-12D	1 S	73	7.8	2770	289	118	238	5	0	259	1172	205	35.0	0.9	0.50	--	2270	1207	
10-5-65					14.42	9.70	10.35	0.13		4.25	24.40	5.78	0.56						
					42	28	30			12	70	17	2					2191	
3N/21W-12D	2 S	--	7.8	4032	402	148	440	8	0	195	1867	298	68.0	0.9	0.58	--	3450	1613	
10-5-65					20.06	12.17	19.13	0.20		3.20	38.87	8.40	1.10						
					39	24	37			6	75	16	2					3328	
3N/21W-12H	1 S	--	7.4	1172	114	36	84	--	0	244	339	39	12.0	0.9	0.71	--		433	
12-1-65					5.69	2.96	3.65			4.00	7.06	1.10	0.19						
					46	24	30			32	57	9	2					832	
																		746	
4N/20W-12Q	1 S	68	7.9	1373	130	42	102	2	0	225	331	101	61.0	0.9	2.20	--	930	497	
10-1-65					6.49	3.45	4.43	0.05		3.69	6.89	2.85	0.98						
					45	24	31			26	48	20	7					883	
4N/20W-23N	1 S	70	8.3	686	78	17	37	1	9	183	106	35	34.0	0.8	0.24	--	486	265	
10-1-65					3.89	1.40	1.61	0.03	0.30	3.00	2.21	0.99	0.55						
					56	20	23		4	43	31	14	8					408	
4N/20W-24D	1 S	--	8.0	1320	121	39	89	4	0	190	310	120	30.0	0.8	1.29	--	868	463	
10-1-65					6.04	3.21	3.87	0.10		3.11	6.45	3.38	0.48						
					46	24	29	1		23	48	25	4					808	
4N/20W-25C	1 S	--	8.8	735	13	17	110	--	14	46	211	45	0	0.3	0.46	--	456	103	
5-31-66					0.65	1.40	4.78		0.47	0.75	4.39	1.27							
					10	20	70		7	11	64	18						433	
		--	7.3	1390	146	55	72	--	0	319	375	62	16.0	0.8	0.84	--		591	
11-5-65					7.29	4.52	3.13			5.23	7.81	1.75	0.26						
					49	30	21			35	52	12	2					1017	
																		884	
4N/20W-25J	1 S	--	8.0	1745	147	97	105	4	--	182	657	77	55.0	0.9	0.80	--	1380	767	
10-25-65					7.34	7.98	4.57	0.10		2.98	13.68	2.17	0.89						
					37	40	23	1		15	69	11	5					1233	
4N/20W-34R	1 S	--	7.8	1274	135	43	89	--	--	293	363	53	21	0.7	0.76	--	997	514	
5-12-66					6.74	3.54	3.87			4.80	7.56	1.49	0.34						
					48	25	27			34	53	11	2					849	
		--	7.9	1413	144	48	89	--	0	308	379	60	36.0	0.7	0.65	--		557	
11-10-65					7.19	3.95	3.87			5.05	7.89	1.69	0.58						
					48	26	26			33	52	11	4					1017	
																		909	
4N/20W-36P	2 S	--	7.5	1269	130	49	84	5	--	262	419	31	12.5	1.2	0.61	--	950	526	
10-21-65					6.49	4.03	3.65	0.13		4.29	8.72	0.87	0.20						
					45	28	26	1		30	62	6	1					861	

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER								
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3			
SANTA CLARA-CALLEGUAS HYDRO UNIT U0300																					
PIRU HYDRO SUBUNIT					U03D0																
PIRU HYDRO SUBAREA					U03D1																
4N/18W-3Q	2 S	72	7.9	1802	131	74	187	5	0	617	403	70	1.5	0.9	1.20	--	1196	632			
10-14-65					6.54	6.09	8.13	0.13		10.11	8.39	1.97	0.02					1177			
					31	29	39	1		49	41	10									
4N/18W-19R	1 S	--	7.6	1636	169	63	114	--	--	283	600	48	7	0.9	1.27	--	1284	681			
5-13-66					8.43	5.18	4.96			4.64	12.49	1.35	0.11					1142			
					45	28	27			25	67	7	1								
4N/18W-19P	3 S	66	8.1	1552	154	70	107	4	0	264	556	52	9.0	1.0	1.09	--	1206	673			
10-15-65					7.68	5.76	4.65	0.10		4.33	11.58	1.47	0.15					1084			
					42	32	26	1		25	66	8	1								
4N/18W-19R	1 S	--	7.8	1662	160	64	113	--	0	288	550	48	19.0	0.9	1.47	--		663			
11-10-65					7.98	5.26	4.91			4.72	11.45	1.35	0.31					1302			
					44	29	27			26	64	8	2					1098			
4N/18W-27B	1 S	--	7.5	3166	293	143	348	--	--	421	1430	135	51	1.1	0.95	--	2821	1320			
5-13-66					14.62	11.76	15.13			6.90	29.77	3.81	0.82					2609			
					35	28	36			17	72	9	2								
		66	7.9	3756	343	176	345	7	0	402	1604	162	70.0	0	1.18	--	3207	1581			
10-14-65					17.12	14.47	15.00	0.18		6.59	33.40	4.57	1.13					2906			
					37	31	32			14	73	10	2								
		--	7.8	3530	327	151	370	--	0	457	1512	159	63.0	1.0	1.10	--		1438			
11- 8-65					16.32	12.42	16.09			7.49	31.48	4.48	1.02					3120			
					36	28	36			17	71	10	2					2809			
4N/19W-25M	2 S	--	7.8	1597	157	69	100	--	--	250	564	49	40	0.9	0.74	--	1229	676			
5-13-66					7.83	5.67	4.35			4.10	11.74	1.38	0.65					1104			
					44	32	24			23	66	8	4								
4N/19W-25C	2 S	62	8.2	1690	175	81	107	4	0	269	632	65	14.0	1.1	1.03	--	1351	770			
10-19-65					8.73	6.66	4.65	0.10		4.41	13.16	1.83	0.23					1212			
					43	33	23			22	67	9	1								
4N/19W-25M	2 S	--	7.4	1728	176	78	100	--	0	255	636	54	45.0	0.8	1.25	--		760			
12- 2-65					8.78	6.41	4.35			4.18	13.24	1.52	0.73					1327			
					45	33	22			21	67	8	4					1216			
4N/19W-33M	2 S	--	7.8	1302	126	57	89	--	--	268	437	33	18	0.9	0.47	--	1028	549			
5-12-66					6.29	4.69	3.87			4.39	9.10	0.93	0.29					893			
					42	32	26			30	62	6	2								
4N/19W-33D	4 S	58	8.1	1377	144	60	86	4	0	253	481	35	9.0	1.0	0.76	--	1055	606			
10-20-65					7.19	4.93	3.74	0.10		4.15	10.01	0.99	0.15					945			
					45	31	23	1		27	65	6	1								
4N/19W-33J	1 S	--	7.7	3728	400	174	257	9	0	404	1486	153	220.0	0.9	1.86	--	3114	1715			
10-20-65					19.96	14.31	11.17	0.23		6.62	30.94	4.31	3.55					2900			
					44	31	24	1		15	68	9	8								
4N/19W-33M	2 S	--	7.7	2168	236	96	113	--	0	305	687	144	59.0	0.8	1.07	--		985			
11- 9-65					11.78	7.90	4.91			5.00	14.30	4.06	0.95					1848			
					48	32	20			21	59	17	4					1487			
5N/18W-15P	1 S	--	8.0	1330	116	48	108	--	0	253	430	58	0.0	1.3	2.16	--	983	487			
11- 8-65					5.79	3.95	4.70			4.15	8.95	1.64						888			
					40	27	33			28	61	11									
UPPER PIRU HYDRO SUBAREA					U03D2																
6N/17W-7Q	1 S	--	8.3	4808	7	3	1140	7	25	1540	18	859	11.0	4.5	3.10	--	2820	30			
10-14-65					0.35	0.25	49.57	0.18	0.83	25.24	0.37	24.22	0.18					2835			
					1		98		2	50	1	48									
		--	8.2	4900	11	0	1120	4	115	1330	33	803	5.0	1.1	3.45	--	3416	28			
1-14-66					0.55		48.70	0.10	3.83	21.80	0.69	22.64	0.08					2749			
					1		99		8	44	1	46									
6N/17W-21C	1 S	--	8.5	1769	6	2	383	4	14	403	376	84	1.0	4.0	1.43	--	1110	23			
10-29-65					0.30	0.16	16.65	0.10	0.47	6.61	7.83	2.37	0.02					1074			
					2	1	97	1	3	38	45	14									
6N/18W-12A	1 S	--	12.0	18212	2208	13	1240	513	229	--	16	5507	30.0	1.2	0.70	--	11380	5567			
10-14-65					110.18	1.07	53.92	13.12	7.63		0.33	155.30	0.48								

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10 ⁶	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3	
SANTA CLARA-CALLEGUAS HYDRO UNIT U0300																		
HUNGRY VALLEY HYDRO SUBAREA U03D3																		
8N/18W-7NS1 S 3-6-66	57	7.8	394	44 2.20 54	7 0.58 14	29 1.26 31	1 0.03 1	0	151 2.47 65	26 0.54 14	9 0.25 7	33 0.53 14	3.5	0	--	240	139	227
8N/18W-13RS1 S 3-7-66	55	7.2	180	7 0.35 21	2 0.16 10	25 1.09 67	1 0.03 2	0	32 0.52 34	12 0.25 16	14 0.39 25	23 0.37 24	0.9	0.02	--	160	26	101
8N/19W-12ES1 S 3-6-66	74	8.3	455	54 2.69 55	12 0.99 20	26 1.13 23	2 0.05 1	2 0.07 2	190 3.11 68	47 0.98 21	7 0.20 4	15 0.24 5	3.0	0.02	--	285	184	261
STAUFFER HYDRO SUBAREA U03D4																		
8N/21W-24L 1 S 3-28-66	--	9.1	1692	2 0.10 1	1 0.08	382 16.61 99	2 0.05	50 1.67 10	444 7.28 43	132 2.75 16	182 5.13 30	2.2 0.04	5.0	2.48	--	950	9	979
EASTERN HYDRO SUBAREA U03E1																		
4N/16W-34A 3 S 9-24-66	74	8.4	665	61 3.04 44	14 1.15 17	60 2.61 38	2 0.05 1	3 0.10 1	206 3.38 50	112 2.33 35	30 0.85 13	2.2 0.04 1	--	0.20	--	395	210	386
5N/16W-7Q 1 S 10-14-65	61	8.0	1412	118 5.89 38	56 4.61 30	114 4.96 32	3 0.08 1	0	252 4.13 27	386 8.04 53	109 3.07 20	3.0 0.05	1.2	0.50	--	1020	525	915
5N/16W-19F 2 S 10-26-65	66	7.5	1353	125 6.24 42	51 4.19 28	101 4.39 29	4 0.10 1	0	270 4.43 30	368 7.66 52	91 2.57 17	7.0 0.11 1	1.2	0.52	--	946	522	881
4-4-66	--	7.6	1220	85 4.24 34	44 3.62 29	103 4.48 36	2 0.05	0	248 4.06 32	299 6.23 50	73 2.06 16	11.0 0.18 1	1.1	0.58	--	776	393	741
WEST LAS POSAS HYDRO SUBAREA U03F1																		
2N/21W-8G 1 S 10-15-65	--	7.6	936	67 3.34 33	27 2.22 22	100 4.35 44	3 0.08 1	0	310 5.08 51	137 2.85 29	65 1.83 18	14.0 0.23 2	0.6	0.24	--	570	278	566
2N/21W-10Q 3 S 10-22-65	--	7.8	1032	106 5.29 47	35 2.88 25	70 3.04 27	4 0.10 1	0	295 4.84 43	259 5.39 48	37 1.04 9	1.0 0.02	0.4	0.14	--	704	409	658
EAST LAS POSAS HYDRO SUBAREA U03F2																		
2N/20W-9R 1 S 10-21-65	--	8.0	1582	130 6.49 37	54 4.44 26	145 6.30 36	5 0.13 1	0	249 4.08 24	456 9.49 55	129 3.64 21	1.0 0.02	0.6	0.52	--	1075	547	1044
2N/20W-17J 1 S 10-29-65	--	8.0	1126	97 4.84 42	33 2.71 23	91 3.96 34	4 0.10 1	--	175 2.87 25	319 6.64 57	73 2.06 18	2.0 0.03	0.5	0.32	--	812	378	706
3N/19W-29F 2 S 10-21-65	--	7.1	307	23 1.15 39	8 0.66 22	26 1.13 38	1 0.03 1	--	103 1.69 58	8 0.17 6	23 0.65 22	26.0 0.42 14	0.4	0.05	--	234	91	166
TIERRA REJADA VALLEY HYDR SUBAREAU03F5																		
2N/19W-12M 2 S 11-8-65	--	8.1	1100	59 2.94 27	70 5.76 54	45 1.96 18	3 0.08 1	0	245 4.02 38	233 4.85 46	59 1.66 16	5.0 0.08 1	0.4	0.20	--	712	435	595
SIMI VALLEY HYDRO SUBAREA U03F7																		
2N/17W-8J 6 S 9-24-66	--	8.3	713	42 2.10 30	18 1.48 21	79 3.43 49	1 0.03	0	278 4.56 64	48 1.00 14	55 1.55 22	0.5 0.01	--	0.70	--	388	179	381
2N/17W-8J 3 S 11-9-65	--	8.2	916	40 2.00 21	40 3.29 34	97 4.22 44	1 0.03	--	270 4.43 47	107 2.23 24	99 2.79 29	1.6 0.03	0.7	0.43	--	527	265	519
2N/17W-9D 3 S 11-10-65	--	7.8	1470	121 6.04 37	55 4.52 28	126 5.48 34	4 0.10 1	0	338 5.54 35	362 7.54 48	91 2.57 16	1.0 0.02	0.9	0.79	--	1003	528	928
2N/17W-15D 2 S 11-10-65	--	7.7	2000	158 7.88 42	78 6.41 34	105 4.57 24	3 0.08	0	522 8.56 45	389 8.10 43	76 2.14 11	5.0 0.08	0.9	0.38	--	1090	715	1072
2N/18W-1M 3 S 11-12-65	68	7.6	2901	265 13.22 38	132 10.86 31	252 10.96 31	7 0.18 1	--	423 6.93 20	1052 21.90 63	215 6.06 17	6.5 0.10	1.5	2.00	--	2437	1205	2141
2N/18W-7F 3 S 11-2-65	--	8.1	1683	158 7.88 40	122 10.03 51	44 1.91 10	1 0.03	0	278 4.56 24	537 11.18 58	112 3.16 16	26.0 0.42 2	0.5	0.15	--	1310	896	1137

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL	CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER						
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3	
LA SAN GABRIEL RIVER HYDRO UNIT U0500																			
SIMI VALLEY HYDRO SUBAREA U03F7																			
2N/18W-11R 2 S 11-12-65	68	7.7	2209	218 10.88 42	82 6.74 26	184 8.00 31	5 0.13 1	--	312 5.11 20	800 16.66 65	123 3.47 14	28.0 0.45 2	1.3	1.16	--	1760 1596	882		
2N/18W-15L 1 S 11- 9-65	--	7.8	930	144 7.19 70	16 1.32 13	40 1.74 17	3 0.08 1	0	203 3.33 32	283 5.89 57	39 1.10 11	0.0	2.3	0.04	--	660 627	426		
2N/18W-18G 1 S 11- 8-65	--	7.9	529	44 2.20 40	22 1.81 33	33 1.43 26	1 0.03 1	0	222 3.64 67	30 0.62 11	38 1.07 20	5.0 0.08 1	0.7	0.04	--	280 283	201		
MALIBU CREEK HYDRO SUBUNIT U04B0																			
RUSSELL VALLEY HYDRO SUBAREA U04B5																			
1N/19W-24M 2 S 10- 6-65	--	8.6	1675	17 0.85 5	13 1.07 6	361 15.70 88	5 0.13 1	14 0.47 3	558 9.15 52	312 6.50 37	53 1.49 8	8.0 0.13 1	0.6	0.15	--	1104 1058	96		
1N/19W-26C 1 S 10- 6-65	66	8.3	716	49 2.45 33	34 2.80 37	51 2.22 30	2 0.05 1	7 0.23 3	242 3.97 53	122 2.54 34	28 0.79 10	1.5 0.02	0.3	0.11	--	468 414	263		
COASTAL PL OF LA CO HYDRO SUBUNIT U05A0																			
WEST COAST HYDRO SUBAREA U05A2																			
2S/14W-19K 2 S 11- 1-65	72	8.0	1100	80 7.39 36	34 5.10 25	115 7.91 39	8 0.13 1	0	409 8.42 41	105 4.31 21	106 7.67 37	0 0.10	--	--	--	1400 1135	625		
11- 1-65	70	7.8	1880	148 3.99 33	62 2.80 23	182 5.00 42	5 0.20 2	0	514 6.70 56	207 2.19 18	272 2.99 25	6	--	--	--	857 649	340		
2- 8-66	73	8.1	1200	150 7.49 36	62 5.10 25	180 7.83 38	6 0.15 1	0	500 8.20 40	205 4.27 21	277 7.81 39	0	--	--	--	1380 1126	630		
2- 8-66	70	8.1	1850	93 4.64 35	38 3.13 24	120 5.22 40	8 0.20 2	0	421 6.90 53	121 2.52 19	130 3.67 28	0	--	--	--	931 717	389		
2S/15W-34F 1 S 3- 3-66	--	8.9	1530	21 1.05 6	26 2.14 12	342 14.87 80	18 0.46 2	63 2.10 11	876 14.36 77	23 0.48 3	62 1.75 9	0	--	--	--	1430 986	160		
3S/13W-29G 3 S 10-25-65	67	7.7	1095	99 4.94 45	25 2.06 19	88 3.83 35	4 0.10 1	0	208 3.41 31	99 2.06 19	190 5.36 49	1.0 0.02	0.4	0.14	--	670 609	350		
3S/13W-31M 1 S 10-25-65	77	8.4	534	54 2.69 48	11 0.90 16	44 1.91 34	3 0.08 1	7 0.23 4	207 3.39 62	58 1.21 22	22 0.62 11	1.0 0.02	0.4	0.12	--	310 302	180		
3S/13W-32E 2 S 10-25-65	--	8.3	472	47 2.35 48	9 0.74 15	40 1.74 35	3 0.08 2	7 0.23 5	214 3.51 72	24 0.50 10	23 0.65 13	0.0	0.4	0.12	--	260 259	155		
3S/14W- 3A 1 S 4-29-66	--	7.0	30500	1180 58.88 16	848 69.74 19	5550 241.31 65	38 0.97	0	138 2.26 1	1600 33.31 9	11900 335.58 90	0	--	--	--	21300 21184	6436		
5- 2-66	--	8.0	8420	227 11.33 13	194 15.95 18	1370 59.57 68	26 0.66 1	0	666 10.92 12	270 5.62 6	2560 72.19 81	0	--	--	--	5320 4974	1365		
3S/14W- 3K 1 S 10-28-65	75	8.3	561	49 2.45 41	15 1.23 21	50 2.17 36	4 0.10 2	7 0.23 4	249 4.08 70	14 0.29 5	43 1.21 21	3.0 0.05 1	0.4	0.10	--	350 308	184		
3S/14W- 7K 4 S 4-29-66	--	7.7	2060	168 8.38 39	60 4.93 23	180 7.83 37	10 0.26 1	0	409 6.70 32	146 3.04 14	404 11.39 54	0	--	--	--	1380 1169	666		
3S/14W- 7Q 4 S 1-10-66	--	7.8	2430	212 10.58 43	61 5.02 20	200 8.70 36	8 0.20 1	0	445 7.29 30	88 1.83 8	540 15.23 63	0	--	--	47	1560 1375	781		
1-10-66	--	8.0	2370	200 9.98 42	61 5.02 21	200 8.70 36	9 0.23 1	0	463 7.59 32	79 1.64 7	516 14.55 61	0	--	--	68	1530 1361	751		
4- 5-66	--	7.9	1570	123 6.14 38	38 3.13 19	152 6.61 41	8 0.20 1	0	400 6.56 42	45 0.94 6	294 8.29 53	0	--	--	--	1060 857	464		
4-18-66	--	8.0	796	43 2.15 25	20 1.64 19	105 4.57 53	9 0.23 3	0	392 6.42 74	3 0.06 1	76 2.14 25	0	--	--	--	648 449	190		

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	ECX10 ⁶	MINERAL	CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				
						CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
LA SAN GABRIEL RIVER HYDRO UNIT U0500																		
COASTAL PL OF LA CO HYDRO SUBUNITU05A0																		
WEST COAST HYDRO SUBAREA U05A2																		
3S/14W-130	5 S	69	8.0	2123	174	69	168	3	0	427	136	331	163.0	0.2	0.36	--	1285	718
10-29-65					8.68	5.67	7.30	0.08		7.00	2.83	9.33	2.63					1254
					40	26	34			32	13	43	12					
3S/14W-18N	5 S	73	8.0	1835	153	56	140	8	0	282	123	394	10.0	0.6	0.16	--	1170	612
10-25-65					7.63	4.61	6.09	0.20		4.62	2.56	11.11	0.16					1023
					41	25	33	1		25	14	60	1					
3S/14W-22K	1 S	73	8.4	531	49	13	47	4	10	221	39	29	2.0	0.5	0.08	--	330	176
10-29-65					2.45	1.07	2.04	0.10	0.33	3.62	0.81	0.82	0.03					302
					43	19	36	2	6	65	14	15	1					
3S/14W-22L	1 S	75	7.9	630	52	17	50	4	0	242	42	40	4.0	0.4	0.25	--	340	200
11- 2-65					2.59	1.40	2.17	0.10		3.97	0.87	1.13	0.06					329
					41	22	35	2		66	14	19	1					
3S/14W-22R	2 S	71	7.8	1621	146	41	100	6	0	188	46	392	0.0	0.3	0.10	--	980	533
10-29-65					7.29	3.37	4.35	0.15		3.08	0.96	11.05						824
					48	22	29	1		20	6	73						
3S/14W-25K	4 S	71	8.0	688	70	15	49	3	0	211	53	81	1.0	0.5	0.08	--	420	236
10-29-65					3.49	1.23	2.13	0.08		3.46	1.10	2.28	0.02					376
					50	18	31	1		50	16	33						
3S/14W-28N	5 S	--	8.7	523	9	3	103	3	15	172	0	68	0	--	--	--	374	35
3- 7-66					0.45	0.25	4.48	0.08	0.50	2.82		1.92						286
					9	5	85	2	10	54		37						
3S/14W-29D	3 S	--	7.8	1267	66	23	172	6	0	147	335	121	1.0	0.6	0.16	--	795	259
10-28-65					3.29	1.89	7.48	0.15		2.41	6.97	3.41	0.02					797
					26	15	58	1		19	54	27						
3S/14W-30D	2 S	--	8.4	1850	74	27	286	7	0	170	331	322	0	--	--	--	1220	296
3-16-66					3.69	2.22	12.44	0.18		2.79	6.89	9.08						1131
					20	12	67	1		15	37	48						
3S/14W-30E	1 S	--	7.9	973	69	16	110	5	0	131	116	136	70.0	--	--	--	653	238
4-11-66					3.44	1.32	4.78	0.13		2.15	2.42	3.84	1.13					586
					36	14	49	1		23	25	40	12					
3S/14W-30F	2 S	--	7.9	924	52	12	127	4	0	183	77	152	15.0	--	--	--	622	179
4-11-66					2.59	0.99	5.52	0.10		3.00	1.60	4.29	0.24					529
					28	11	60	1		33	18	47	3					
3S/14W-30G	1 S	--	7.7	2445	230	64	154	12	0	233	108	626	0.0	0.4	0.10	--	1500	838
10-28-65					11.48	5.26	6.70	0.31		3.82	2.25	17.65						1309
					48	22	28	1		16	9	74						
3S/14W-30H	2 S	--	8.1	1199	102	29	88	7	0	231	46	238	1.0	0.3	0.10	--	770	374
10-28-65					5.09	2.38	3.83	0.18		3.79	0.96	6.71	0.02					625
					44	21	33	2		33	8	58						
3S/14W-30M	2 S	--	7.9	1370	46	14	230	5	0	171	297	168	8.0	--	--	--	939	173
4-28-66					2.30	1.15	10.00	0.13		2.80	6.18	4.74	0.13					852
					17	8	74	1		20	45	34	1					
3S/14W-30M	3 S	--	7.5	1470	79	23	198	6	0	175	256	218	33.0	--	--	--	988	292
4-28-66					3.94	1.89	8.61	0.15		2.87	5.33	6.15	0.53					899
					27	13	59	1		19	36	41	4					
3S/14W-30N	1 S	--	8.2	1220	7	3	252	2	0	154	300	107	0	--	--	--	825	30
5- 4-66					0.35	0.25	10.96	0.05		2.52	6.25	3.02						747
					3	2	94			21	53	26						
3S/14W-31A	4 S	--	7.7	3270	213	59	392	13	0	187	302	826	0	--	--	--	1990	775
5- 3-66					10.63	4.85	17.04	0.33		3.06	6.29	23.29						1897
					32	15	52	1		9	19	71						
3S/14W-31D	1 S	--	8.1	1500	17	8	295	4	0	156	318	195	0	--	--	--	993	76
4-27-66					0.85	0.66	12.83	0.10		2.56	6.62	5.50						914
					6	5	89	1		17	45	37						
3S/14W-31E	1 S	--	7.8	4810	450	130	320	16	0	238	160	1420	0	--	--	--	2740	1659
1- 6-66					22.46	10.69	13.91	0.41		3.90	3.33	40.04						2613
					47	23	29	1		8	7	85						
3S/14W-31E	2 S	--	8.0	3970	352	118	270	17	0	240	127	1140	0	--	--	--	2270	1364
11- 3-65					17.56	9.70	11.74	0.43		3.93	2.64	32.15						2142
					45	25	30	1		10	7	83						

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
COASTAL PL OF LA CO HYDRO SUBUNITU05A0																	
WEST COAST HYDRO SUBAREA U05A2																	
3S/14W-31L 4 S	--	7.7	4850	370	154	383	19	0	229	160	1450	0	--	--	--	2770	1557
11- 3-65				18.46	12.66	16.65	0.49		3.75	3.33	40.89					2649	
				38	26	35	1		8	7	85						
12- 6-65	--	7.5	13700	761	390	1900	31	0	223	531	4860	0	--	--	--	8700	3505
				37.97	32.07	82.61	0.79		3.65	11.06	137.05					8583	
				25	21	54	1		2	7	90						
2-10-66	--	7.8	5000	408	159	415	20	0	217	178	1550	0	--	--	--	2950	1673
				20.36	13.08	18.04	0.51		3.56	3.71	43.71					2837	
				39	25	35	1		7	7	86						
3S/14W-36H 3 S	--	7.6	17000	831	404	2640	36	0	209	852	5960	0	--	--	--	10900	3737
11- 2-65				41.47	33.22	114.79	0.92		3.43	17.74	168.07					10826	
				22	17	60			2	9	89						
3S/15W- 3H 2 S	--	8.7	1190	35	18	235	16	65	627	13	50	0	--	--	--	1060	162
3- 3-66				1.75	1.48	10.22	0.41	2.17	10.28	0.27	1.41					740	
				13	11	74	3	15	73	2	10						
3S/15W-11M 5 S	--	8.1	5920	76	98	1075	13	0	268	426	1580	64.0	--	--	--	3600	593
10-14-65				3.79	8.06	46.74	0.33		4.39	8.87	44.56	1.03				3464	
				6	14	79	1		7	15	76	2					
3S/15W-11M 7 S	--	7.9	13300	312	264	2350	18	0	273	708	4330	0	--	--	--	8300	1865
10-14-65				15.57	21.71	102.18	0.46		4.47	14.74	122.11					8116	
				11	16	73			3	10	86						
3S/15W-11M12 S	--	7.5	21300	768	563	3520	68	0	206	1090	7640	52.0	--	--	--	13900	4234
10-18-65				38.32	46.30	153.05	1.74		3.38	22.69	215.45	0.84				13802	
				16	19	64	1		1	9	89						
3S/15W-11M15 S	--	7.9	27200	536	699	5375	70	0	228	1500	10100	0	--	--	--	18500	4215
10-18-65				26.75	57.49	233.71	1.79		3.74	31.23	284.82					18392	
				8	18	73	1		1	10	89						
3S/15W-11Q 1 S	--	4.1	8680	562	196	955	22	0	0	16	3040	0	--	--	--	4790	2210
4- 1-66				28.04	16.12	41.52	0.56			0.33	85.73					4791	
				33	19	48	1				00						
4- 6-66	--	7.8	5550	304	123	684	10	0	277	158	1670	0	--	--	--	3230	1266
				15.17	10.12	29.74	0.26		4.54	3.29	47.09					3085	
				27	18	54			8	6	86						
3S/15W-12H 2 S	--	7.9	1600	111	47	137	7	0	292	4	370	0	--	--	21	969	471
2- 8-66				5.54	3.87	5.96	0.18		4.79	0.08	10.43					841	
				36	25	38	1		31	1	68						
5- 5-66	--	8.1	1100	76	32	110	5	0	337	9	200	0	--	--	--	769	321
				3.79	2.63	4.78	0.13		5.52	0.19	5.64					598	
				33	23	42	1		49	2	50						
3S/15W-12H 3 S	--	7.1	5480	458	174	428	14	0	286	77	1780	0	--	--	25	3220	1859
2- 9-66				22.85	14.31	18.61	0.36		4.69	1.60	50.20					3097	
				41	25	33	1		8	3	89						
3S/15W-13P 1 S	--	7.8	1780	156	45	140	6	0	287	24	435	0	--	--	33	1090	574
1- 6-66				7.78	3.70	6.09	0.15		4.70	0.50	12.27					980	
				44	21	34	1		27	3	70						
3S/15W-13P 1 S	--	8.0	1390	113	36	106	5	0	272	20	292	0	--	--	--	844	430
1-26-66				5.64	2.96	4.61	0.13		4.46	0.42	8.23					706	
				42	22	35	1		34	3	63						
3S/15W-13H 4 S	--	8.3	787	32	15	133	11	0	466	0	40	0	--	--	35	697	142
1- 5-66				1.60	1.23	5.78	0.28		7.64		1.13					495	
				18	14	65	3		87		13						
1-25-66	--	8.2	832	33	15	128	10	0	469	0	37	0	--	--	--	693	144
				1.65	1.23	5.57	0.26		7.69		1.04					454	
				19	14	64	3		88		12						
3S/15W-13H 5 S	--	8.1	1240	117	35	96	8	0	371	65	193	0	--	--	36	884	436
1- 5-66				5.84	2.88	4.17	0.20		6.08	1.35	5.44					732	
				45	22	32	2		47	10	42						
1-25-66	--	8.2	1220	109	35	91	7	0	370	53	180	0	--	--	--	845	416
				5.44	2.88	3.96	0.18		6.06	1.10	5.08					657	
				44	23	32	1		50	9	42						
3S/15W-13H 6 S	--	7.9	1940	202	56	133	8	0	325	237	357	0	--	--	35	1320	735
1- 5-66				10.08	4.61	5.78	0.20		5.33	4.93	10.07					1188	
				49	22	28	1		26	24	50						
1-25-66	--	8.0	1930	192	57	125	7	0	334	224	338	0	--	--	--	1280	714
				9.58	4.69	5.44	0.18		5.47	4.66	9.53					1107	
				48	24	27	1		28	24	48						

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 105C COMP	HARD- NESS CACO 3
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
COASTAL PL OF LA CO HYDRO SUBUNITU05A0																	
WEST COAST HYDRO SUBAREA U05A2																	
3S/15W-13H 7 S 1- 6-66	--	7.6	5250	465 23.20 42	133 10.94 20	486 21.13 38	12 0.31 1	0	405 6.64 12	336 7.00 13	1460 41.17 75	0	--	--	33	3300 3124	1708
1-25-66	--	7.6	5290	452 22.55 41	128 10.53 19	490 21.31 39	11 0.28 1	0	389 6.38 12	341 7.10 13	1430 40.33 75	0	--	--	--	3240 3043	1655
3S/15W-13R 7 S 1- 4-66	--	7.8	3120	348 17.37 49	118 9.70 27	186 8.09 23	18 0.46 1	0	356 5.83 17	533 11.10 32	645 18.19 52	0	--	--	35	2210 2058	1355
1-24-66	--	7.8	3210	344 17.17 49	122 10.03 28	178 7.74 22	18 0.46 1	0	354 5.80 17	543 11.31 32	630 17.77 51	0	--	--	--	2190 2009	1361
3S/15W-13R 8 S 1- 4-66	--	7.9	822	67 3.34 38	22 1.81 21	79 3.43 39	7 0.18 2	0	357 5.85 68	0	98 2.76 32	0	--	--	35	630 484	258
1-24-66	--	8.0	853	66 3.29 38	22 1.81 21	79 3.43 40	6 0.15 2	0	358 5.87 69	0	95 2.68 31	0	--	--	--	626 444	255
3S/15W-13R 9 S 1- 4-66	--	7.1	9670	664 33.13 31	253 20.81 20	1200 52.18 49	11 0.28	0	486 7.97 7	800 16.66 15	2940 82.91 77	0	--	--	32	6350 6139	2699
1-24-66	--	7.4	10400	683 34.08 31	258 21.22 19	1280 55.65 50	16 0.41	0	492 8.06 7	836 17.41 16	3040 85.73 77	0	--	--	--	6600 6355	2767
3S/15W-24P 2 S 2-15-66	--	8.1	1390	108 5.39 37	31 2.55 18	147 6.39 44	5 0.13 1	0	212 3.47 24	252 5.25 37	183 5.16 36	28.0 0.45 3	--	--	--	966 858	397
3S/15W-25B 2 S 2-24-66	--	8.4	1530	10 0.50 3	5 0.41 3	315 13.70 93	4 0.10 1	0	167 2.74 18	321 6.68 45	193 5.44 37	0	--	--	--	1020 930	46
3S/15W-25B 3 S 2-15-66	--	8.1	1170	18 0.90 8	30 2.47 21	186 8.09 69	11 0.28 2	0	145 2.38 20	314 6.54 55	103 2.90 25	0	--	--	--	809 733	169
3S/15W-25B 4 S 3-15-66	--	8.3	5590	17 0.85 2	41 3.37 6	1160 50.44 91	27 0.69 1	0	158 2.59 5	507 10.56 19	1510 42.58 76	0	--	--	--	3420 3340	211
3S/15W-25D 1 S 10-19-65	--	8.3	8220	42 2.10 3	108 8.88 11	1620 70.44 85	60 1.53 2	0	172 2.82 3	670 13.95 17	2320 65.42 80	0	--	--	--	4990 4905	549
3S/15W-25D 2 S 2-17-66	--	8.2	29600	256 12.77 3	757 62.26 17	6650 289.14 78	262 6.70 2	0	144 2.36 1	1860 38.73 10	11800 332.76 89	0	--	--	--	21730 21656	3755
3S/15W-25G 6 S 3-14-66	--	8.9	1280	4 0.20 2	2 0.16 1	266 11.57 96	5 0.13 1	14 0.47 4	132 2.16 18	303 6.31 51	120 3.38 27	0	--	--	--	845 779	18
3S/15W-25G 6 S 3-16-66	--	7.8	1160	83 4.14 34	29 2.38 20	128 5.57 46	4 0.10 1	0	128 2.10 17	339 7.06 58	110 3.10 25	0	--	--	--	821 756	326
3S/15W-25H 3 S 3-15-66	--	8.7	1470	120 5.99 40	26 2.14 14	157 6.83 45	6 0.15 1	10 0.33 2	146 2.39 16	261 5.43 36	226 6.37 42	38 0.61 4	--	--	--	990 916	407
3S/15W-25K 7 S 5- 4-66	--	7.6	1180	15 0.75 6	17 1.40 12	215 9.35 81	3 0.08 1	0	150 2.46 21	310 6.45 55	99 2.79 24	0	--	--	--	809 733	108
3S/15W-25L 1 S 3-14-66	--	8.7	3180	5 0.25 1	7 0.58 2	700 30.44 96	22 0.56 2	11 0.37 1	159 2.61 8	494 10.29 33	640 18.05 58	0	--	--	--	2040 1957	42
3S/15W-25P 1 S 10-20-65	--	8.1	9330	160 7.98 8	192 15.79 16	1620 70.44 73	70 1.79 2	0	186 3.05 3	556 11.58 12	2870 80.93 85	8.0 0.13	--	--	--	5660 5567	1189
4- 5-66	--	7.7	9710	152 7.58 7	165 13.57 13	1820 79.13 78	65 1.66 2	0	195 3.20 3	583 12.14 12	3030 85.45 85	0	--	--	--	6010 5911	1058

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL	CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	S10 2	TDS 180C 105C COMP	HARD- NESS CACO 3
LA SAN GABRIEL RIVER HYDRO UNIT U0500																		
COASTAL PL OF LA CO HYDRO SUBUNITU05A0																		
WEST COAST HYDRO SUBAREA U05A2																		
3S/15W-250 4- 5-66	3 S	--	8.0	41000	448 22.36 4	1070 88.00 17	9000 391.32 77	252 6.44 1	0	154 2.52	2330 48.51 9	16300 459.66 90	0	--	--	--	29600 29476	5522
3S/15W-25R 4- 7-66	1 S	--	7.7	1210	18 0.90 7	29 2.38 19	205 8.91 71	12 0.31 2	0	147 2.41 20	323 6.72 55	111 3.13 26	0	--	--	--	845 770	164
3S/15W-25R 4- 7-66	2 S	--	8.3	1400	3 0.15 1	2 0.16 1	300 13.04 96	7 0.18 1	0	155 2.54 19	328 6.83 50	149 4.20 31	0	--	--	--	944 865	16
4S/12W- 6D 11- 2-65	3 S	75	7.9	413	32 1.60	2 0.16	56 2.43	3 0.08	0	165 2.70	20 0.42	12 0.34	--	--	--	21	228	88
4S/12W- 6J 11- 2-65	2 S	75	8.0	383	11 0.55	0	75 3.26	2 0.05	0	176 2.88	1 0.02	23 0.65	--	--	--	20	220	28
4S/12W-14A 11- 2-65	2 S	75	8.0	395	47 2.35	4 0.33	31 1.35	4 0.10	0	194 3.18	1 0.02	6 0.17	--	--	--	20	210	134
4S/12W-14C 11- 2-65	2 S	75	8.1	332	6 0.30	0	73 3.17	2 0.05	0	157 2.57	3 0.06	8 0.23	--	--	--	19	190	15
4S/12W-20J 11- 2-65	4 S	75	7.9	375	7 0.35	1 0.08	82 3.57	2 0.05	0	195 3.20	2 0.04	15 0.42	--	--	--	17	223	22
4S/12W-23C 11- 2-65	1 S	75	8.4	338	20 1.00	2 0.16	56 2.43	2 0.05	5 0.17	149 2.44	4 0.08	8 0.23	--	--	--	18	190	58
4S/12W-23K 11- 2-65	3 S	75	8.4	360	10 0.50	0	69 3.00	2 0.05	4 0.13	145 2.38	12 0.25	12 0.34	--	--	--	17	199	25
4S/12W-28H 11- 2-65	12 S	75	7.9	372	5 0.25	0	82 3.57	1 0.03	0	196 3.21	2 0.04	14 0.39	--	--	--	19	221	13
4S/12W-30R 3-30-66	1 S	--	8.8	2940	71 3.54 12	39 3.21 11	504 21.91 76	10 0.26 1	28 0.93 3	477 7.82 26	8 0.17 1	731 20.61 70	0	--	--	--	1870 1626	338
4S/12W-31C 3-30-66	1 S	--	8.7	6760	192 9.58 14	112 9.21 13	1120 48.70 71	30 0.77 1	18 0.60 1	201 3.29 5	255 5.31 8	2080 58.66 86	0	--	--	--	4014 3906	940
4S/12W-31M 4- 8-66	1 S	--	8.1	3520	39 1.95 5	35 2.88 8	704 30.61 85	16 0.41 1	0	577 9.46 27	8 0.17	910 25.66 72	21.0 0.34 1	--	--	--	2290 2017	242
4S/13W-10E 10-25-65	3 S	72	8.4	715	63 3.14 45	17 1.40 20	56 2.43 34	3 0.08 1	7 0.23 3	221 3.62 51	81 1.69 24	54 1.52 21	2.0 0.03	0.3	0.10	--	400 392	227
4S/13W-15C 10-25-65	1 S	76	8.3	436	26 1.30 30	8 0.66 15	52 2.26 53	3 0.08 2	0	176 2.88 67	32 0.67 16	25 0.71 17	2.0 0.03 1	0.3	0.06	--	233 235	98
4S/13W-22E 10-26-65	1 S	79	8.2	411	21 1.05 25	5 0.41 10	60 2.61 63	3 0.08 2	0	198 3.25 78	4 0.08 2	29 0.82 20	2.0 0.03 1	0.3	0.17	--	238 222	73
4S/13W-22G 11- 8-65	5 S	--	8.2	1910	190 9.48 45	49 4.03 19	165 7.17 34	8 0.20 1	0	388 6.36 31	383 7.97 38	229 6.46 31	0	--	--	--	1410 1215	676
4S/13W-23A 4- 1-66	2 S	--	8.8	4310	201 10.03 21	71 5.84 12	740 32.18 67	7 0.18	40 1.33 3	537 8.80 18	728 15.16 32	795 22.42 47	0	--	--	--	3120 2846	794
4S/13W-23N 11- 3-65	3 S	--	8.4	361	15 0.75 19	4 0.33 9	62 2.70 70	4 0.10 3	0	184 3.02 78	5 0.10 3	26 0.73 19	0	--	--	--	300 206	54
4S/13W-23N 11- 3-65	4 S	--	7.7	6510	388 19.36 29	135 11.10 17	830 36.09 54	18 0.46 1	0	374 6.13 9	252 5.25 8	1980 55.84 83	0	--	--	--	3980 3787	1524
4S/13W-23N 11- 3-65	5 S	--	8.1	7220	524 26.15 35	211 17.35 23	700 30.44 41	29 0.74 1	0	274 4.49 6	183 3.81 5	2340 65.99 89	0	--	--	--	4260 4122	2177

TABLE E-1

ANALYSES OF GROUND WATER

SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10 ⁶	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER				MILLIEQUIVALENTS PER LITER				MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO ₃	HCO ₃	SO ₄	CL	NO ₃	F	B	SiO ₂	TDS 180C 105C COMP
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
COASTAL PL OF LA CO HYDRO SUBUNITU05A0 WEST COAST HYDRO SUBAREA				U05A2													
4S/14W- 6J 6 S 11- 2-65	--	7.8	20400	846 42.22 18	501 41.20 18	3300 143.48 63	62 1.59 1	0	296 4.85 2	967 20.13 9	7170 202.19 89	0	--	--	--	13100 12992	4174
4S/14W- 6L 1 S 11-19-65	--	8.0	30900	1070 53.39 14	849 69.82 19	5630 244.79 66	150 3.84 1	0	200 3.28 1	1560 32.48 9	11900 335.58 90	0	--	--	--	21400 21257	6165
4S/14W- 7C 3 S 11-19-65	--	8.0	41700	512 25.55 5	1170 96.22 18	9400 408.71 76	260 6.65 1	0	172 2.82 1	2400 49.97 9	17000 479.40 90	0	--	--	--	30900 30827	6093
12- 1-65	--	8.1	40600	513 25.60 5	1170 96.22 18	9320 405.23 76	228 5.83 1	0	171 2.80 1	2410 50.18 9	17000 479.40 90	0	--	--	--	30800 30725	6096
4S/14W- 7F 1 S 12- 1-65	--	8.2	43100	526 26.25 5	1250 102.80 18	10000 434.80 77	168 4.30 1	0	326 5.34 1	2450 51.01 9	18200 513.24 90	0	--	--	--	32900 32754	6458
4S/14W- 7K 2 S 2- 8-66	--	8.1	40300	432 21.56 4	1260 103.62 18	10400 452.19 77	332 8.49 1	0	144 2.36	2660 55.38 9	18700 527.34 90	0	--	--	--	33900 33855	6264
4S/14W- 7P 1 S 3- 2-66	--	8.4	40300	640 31.94 6	1190 97.87 18	9200 400.02 75	4 0.10	0	424 6.95 1	2210 46.01 9	17100 482.22 90	0	--	--	--	30800 30552	6496
4S/14W- 7P 2 S 12- 7-65	--	7.4	41300	445 22.21 4	1260 103.62 18	10200 443.50 77	372 9.51 2	0	140 2.29	2640 54.96 9	18500 521.70 90	0	--	--	--	33600 33486	6297
4S/14W- 7P 3 S 12- 7-65	--	8.1	38500	625 31.19 6	1160 95.40 18	9000 391.32 75	124 3.17 1	0	289 4.74 1	2260 47.05 9	16800 473.76 90	0	--	--	--	30300 30111	6335
4S/14W- 8D 2 S 5- 5-66	--	8.5	1450	2 0.10 1	2 0.16 1	315 13.70 97	5 0.13 1	0	155 2.54 18	365 7.60 54	138 3.89 28	0	--	--	--	983 903	13
4S/14W- 8E 8 S 10- 5-65	--	8.2	1290	100 4.99 36	35 2.88 21	138 6.00 43	5 0.13 1	0	155 2.54 18	374 7.79 56	124 3.50 25	0	--	--	--	931 852	394
10- 6-65	--	8.3	1290	99 4.94 35	35 2.88 21	138 6.00 43	5 0.13 1	0	151 2.47 18	374 7.79 57	124 3.50 25	0	--	--	--	926 849	391
10- 6-65	--	8.4	1280	97 4.84 35	36 2.96 21	138 6.00 43	5 0.13 1	0	145 2.38 17	374 7.79 57	124 3.50 26	0	--	--	--	918 845	390
10- 7-65	--	8.2	1290	98 4.89 35	34 2.80 20	140 6.09 44	5 0.13 1	0	146 2.39 17	374 7.79 57	125 3.53 26	0	--	--	--	922 848	385
10- 8-65	--	8.2	1300	98 4.89 35	34 2.80 20	140 6.09 44	5 0.13 1	0	145 2.38 17	374 7.79 57	128 3.61 26	0	--	--	--	924 850	385
10-14-65	--	8.0	1340	99 4.94 36	34 2.80 20	138 6.00 43	6 0.15 1	0	158 2.59 19	367 7.64 56	125 3.53 26	0	--	--	--	927 847	387
10-15-65	--	7.8	1340	99 4.94 36	35 2.88 21	136 5.91 43	6 0.15 1	0	153 2.51 18	366 7.62 56	125 3.53 26	0	--	--	--	919 842	391
10-18-65	--	7.9	1340	99 4.94 36	34 2.80 20	138 6.00 43	6 0.15 1	0	154 2.52 18	371 7.72 56	127 3.58 26	0	--	--	--	930 851	387
10-19-65	--	7.8	1330	95 4.74 34	35 2.88 21	138 6.00 44	6 0.15 1	0	141 2.31 17	371 7.72 57	127 3.58 26	0	--	--	--	913 841	381
4S/14W- 8F 4 S 10-27-65	--	8.2	19400	602 30.04 14	433 35.61 16	3520 153.05 69	68 1.74 1	0	203 3.33 2	963 20.05 9	6970 196.55 89	0	--	--	--	12800 12656	3285
11-26-65	--	8.0	18300	594 29.64 14	427 35.12 17	3340 145.22 69	36 0.92	0	207 3.39 2	922 19.20 9	6640 187.25 89	0	--	--	--	12200 12061	3241
12-21-65	--	8.0	17900	600 29.94 15	393 32.32 16	3240 140.88 69	46 1.18 1	0	207 3.39 2	881 18.34 9	6440 181.61 89	0	--	--	--	11800 11702	3115

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WFL NO	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIU 2	IDS 180C 105C COMP
LA SAN GABRIEL RIVER HYDRO UNIT U0500																
COASTAL PL OF LA CO HYDRO SUBUNIT U05A0																
WEST COAST HYDRO SUBAREA U05A2																
4S/14W- 8F 4 S 4-20-66	--	7.9	15300	369 18.41 12	286 23.52 15	2600 113.05 73	34 0.87 1	0	215 3.52 2	712 14.82 9	4920 136.74 88	0	--	--	--	9200 2098 9027
4S/14W- 8F 5 S 10-27-65	--	7.7	14200	1160 57.88 37	405 33.31 21	1450 63.05 41	51 1.30 1	0	158 2.59 2	626 13.03 8	4960 139.87 90	0	--	--	--	8810 4563 8730
11-26-65	--	7.5	14100	1230 61.38 39	419 34.45 22	1430 62.18 39	40 1.02 1	0	191 3.13 2	650 13.53 9	5020 141.56 89	0	--	--	--	8990 4796 8883
12-21-65	--	7.8	14300	1140 56.89 36	383 31.50 20	1600 69.57 44	42 1.07 1	0	222 3.64 2	634 13.20 8	5070 142.97 89	0	--	--	--	9100 4423 8978
4-20-66	--	7.8	15400	978 48.80 30	352 28.95 18	1940 84.35 52	40 1.02 1	0	218 3.57 2	864 17.99 11	5080 143.26 87	0	--	--	--	9500 3891 9361
4S/14W- 8F 6 S 10-27-65	--	8.2	18900	577 28.79 14	428 35.20 17	3390 147.40 69	56 1.43 1	0	205 3.36 2	926 19.28 9	6720 189.50 89	0	--	--	--	12300 3202 12198
11-26-65	--	8.0	18200	579 28.89 14	425 34.95 17	3300 143.48 69	40 1.02 1	0	201 3.29 2	906 18.86 9	6580 185.56 89	0	--	--	--	12000 3195 11929
12-21-65	--	8.2	17600	602 30.04 15	387 31.83 16	3100 134.79 68	40 1.02 1	0	210 3.44 2	856 17.82 9	6240 175.97 89	0	--	--	--	11400 3096 11328
4-20-66	--	8.0	15000	350 17.47 11	284 23.36 15	2600 113.05 73	34 0.87 1	0	211 3.46 2	704 14.66 9	4880 137.62 88	0	--	--	--	9100 2043 8956
4S/14W- 8G 1 S 2- 8-66	--	8.3	2490	195 9.73 41	62 5.10 22	196 8.52 36	10 0.26 1	0	191 3.13 13	82 1.71 7	652 18.39 79	0	--	--	--	1390 742 1291
4S/14W- 8M 2 S 11-20-65	--	8.4	4760	116 5.79 12	89 7.32 15	785 34.13 72	17 0.43 1	0	178 2.92 6	395 8.22 17	1280 36.10 76	0	--	--	--	2860 656 2770
2-23-66	--	8.2	1300	46 2.30 16	64 5.26 37	148 6.44 46	5 0.13 1	0	155 2.54 18	354 7.37 53	143 4.03 29	0	--	--	--	915 378 836
4-26-66	--	8.0	1290	80 3.99 29	39 3.21 23	147 6.39 47	4 0.10 1	0	162 2.66 19	348 7.25 53	138 3.89 28	0	--	--	--	919 360 836
4S/14W- 8M 3 S 11-30-65	--	8.1	1160	98 4.89 40	27 2.22 18	117 5.09 42	2 0.05 1	0	144 2.36 19	332 6.91 56	106 2.99 24	0	--	--	--	827 356 753
2-23-66	--	8.3	1240	82 4.09 32	23 1.89 15	158 6.87 53	3 0.08 1	0	141 2.31 18	323 6.72 52	134 3.78 30	0	--	--	--	864 299 792
4-26-66	--	8.1	1250	71 3.54 28	21 1.73 13	173 7.52 58	3 0.08 1	0	148 2.43 19	325 6.77 52	133 3.75 29	0	--	--	--	874 264 799
4S/14W- 8M14 S 3-25-66	--	7.2	2540	173 8.63 30	47 3.87 14	364 15.83 56	7 0.18 1	0	56 0.92 3	1050 21.86 75	218 6.15 21	3.0 0.05	--	--	--	1920 626 1890
3-25-66	--	6.9	3790	236 11.78 28	80 6.58 16	536 23.31 56	9 0.23 1	0	46 0.75 2	1140 23.73 56	634 17.88 42	0	--	--	--	2680 919 2658
4S/14W- 8P 1 S 1-18-66	--	8.0	10900	797 39.77 34	275 22.62 20	1200 52.18 45	37 0.95 1	0	238 3.90 3	391 8.14 7	3650 102.93 90	0	--	--	--	6590 3122 6467
4S/14W- 8P 2 S 11- 8-65	--	7.7	658	44 2.20 32	13 1.07 15	82 3.57 51	5 0.13 2	0	270 4.43 65	4 0.08 1	83 2.34 34	0	--	--	--	500 164 364
2-10-66	70	8.0	664	46 2.30 35	14 1.15 17	70 3.04 46	4 0.10 2	0	261 4.28 66	0	78 2.20 34	0	--	--	--	473 173 340

TABLE E-1

ANALYSES OF GROUND WATER

SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	6 ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	S10 2	TDS 180C 105C COMP	HARD- NESS CACO 3
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
COASTAL PL OF LA CO HYDRO SUBUNITU05A0																	
WEST COAST HYDRO SUBAREA U05A2																	
4S/14W-9Q 1 S 10-4-65	--	8.5	922	46 2.30 25	14 1.15 13	128 5.57 61	5 0.13 1	0	286 4.69 52	0	152 4.29 48	3.0 0.05 1	--	--	--	634 489	173
11-1-65	68	8.4	904	46 2.30 26	14 1.15 13	120 5.22 59	5 0.13 1	0	267 4.38 51	0	152 4.29 49	0	--	--	--	604 468	173
12-6-65	64	8.1	907	46 2.30 26	14 1.15 13	124 5.39 60	5 0.13 1	0	286 4.69 52	0	152 4.29 48	3.0 0.05 1	--	--	--	764 485	173
1-3-66	60	8.4	893	46 2.30 26	15 1.23 14	123 5.35 59	5 0.13 1	0	288 4.72 53	0	151 4.26 47	0	--	--	--	628 482	177
4S/14W-11F 1 S 10-26-65	72	8.0	886	73 3.64 40	23 1.89 21	80 3.48 38	7 0.18 2	0	249 4.08 44	49 1.02 11	144 4.06 44	3.0 0.05 1	0.3	0.12	--	560 502	277
4S/14W-16L 4 S 10-28-65	74	8.5	861	42 2.10 24	16 1.32 15	120 5.22 59	6 0.15 2	5 0.17 2	297 4.87 56	5 0.10 1	125 3.53 41	2.0 0.03	0.4	0.26	--	480 468	171
4S/14W-17D 1 S 12-2-65	--	8.0	11400	770 38.42 31	420 34.54 28	1130 49.13 40	40 1.02 1	0	222 3.64 3	288 6.00 5	4020 113.36 92	0	--	--	--	6894 6777	3651
3-2-66	--	8.4	11500	757 37.77 31	418 34.38 28	1150 50.00 41	40 1.02 1	0	221 3.62 3	268 5.58 5	4000 112.80 92	0	--	--	--	6860 6742	3610
4S/14W-17D 4 S 10-22-65	--	8.1	22500	989 49.35 19	629 51.73 20	3640 158.27 61	56 1.43 1	0	221 3.62 1	1030 21.44 8	8400 236.88 90	0	--	--	--	15000 14853	5058
12-10-65	--	8.0	22000	985 49.15 19	630 51.81 20	3570 155.22 60	50 1.28	0	214 3.51 1	1010 21.03 8	8320 234.62 91	0	--	--	--	14800 14670	5052
2-25-66	--	8.2	21600	984 49.10 19	617 50.74 20	3560 154.79 61	46 1.18	0	197 3.23 1	967 20.13 8	8240 232.37 91	0	--	--	--	13700 14511	4996
4-22-66	--	7.9	23100	955 47.65 19	619 50.91 20	3600 156.53 61	56 1.43 1	0	204 3.34 1	992 20.65 8	8280 233.50 91	0	--	--	--	14700 14602	4932
4S/14W-17D 5 S 10-22-65	--	8.1	40000	606 30.24 6	1140 93.75 18	8800 382.62 75	160 4.09 1	0	186 3.05 1	2280 47.47 9	16300 459.66 90	0	--	--	--	29500 29377	6204
12-10-65	--	7.9	38500	627 31.29 6	1130 92.93 18	8700 378.28 75	136 3.48 1	0	184 3.02 1	2270 47.26 9	16200 456.84 90	0	--	--	--	29300 29153	6216
2-25-66	--	8.1	37300	646 32.24 6	1130 92.93 18	8700 378.28 75	124 3.17 1	0	178 2.92 1	2250 46.85 9	16200 456.84 90	0	--	--	--	29200 29138	6264
4-22-66	--	8.0	40600	624 31.14 6	1120 92.11 18	8800 382.62 75	124 3.17 1	0	180 2.95 1	2270 47.26 9	16300 459.66 90	0	--	--	--	29400 29327	6167
4S/14W-17D 6 S 10-22-65	--	8.2	6300	418 20.86 33	183 15.05 24	620 26.96 43	16 0.41 1	0	185 3.03 5	426 8.87 14	1850 52.17 81	0	--	--	--	3700 3604	1797
12-10-65	--	8.1	5890	424 21.16 35	176 14.47 24	550 23.91 40	13 0.33 1	0	170 2.79 5	331 6.89 12	1760 49.63 84	0	--	--	--	3420 3338	1783
2-25-66	--	7.8	11000	1060 52.89 43	430 35.36 29	770 33.48 27	25 0.64 1	0	157 2.57 2	519 10.81 9	3840 108.29 89	0	--	--	--	6800 6721	4416
4-22-66	--	7.8	11900	843 42.07 33	366 30.10 23	1300 56.52 44	20 0.51	0	164 2.69 2	667 13.89 11	4010 113.08 87	0	--	--	--	7370 7287	3611
4S/14W-17D 8 S 10-25-65	--	8.2	15400	329 16.42 10	347 28.54 17	2800 121.74 73	34 0.87 1	0	167 2.74 2	963 20.05 12	5200 146.64 87	0	--	--	--	9840 9755	2250
12-13-65	--	7.7	15300	329 16.42 10	354 29.11 17	2800 121.74 72	31 0.79	0	164 2.69 2	926 19.28 11	5200 146.64 87	0	--	--	--	9800 9721	2278

TABLE L-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO ₃	HCO ₃	SO ₄	CL	NO ₃	F	P	SIO ₂	IDS 180C 105C COMP	HARD- NFSS CACO ₃
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
COASTAL PL OF LA CO HYDRO SUBUNIT U05A0				U05A2													
WEST COAST HYDRO SUBAREA																	
4S/14W-17D 8 S	--	8.1	10500	256	242	1860	28	0	163	691	3410	0	--	--	--	6650	1635
2-25-66				12.77	19.70	80.87	0.72		2.67	14.39	96.16						
				11	17	71	1		2	13	85					6567	
4-25-66	--	7.9	8580	192	187	1500	19	0	162	621	2600	0	--	--	--	5280	1249
				9.58	15.38	65.22	0.49		2.66	12.93	73.32						
				11	17	72	1		3	15	82					5199	
4S/14W-17E 3 S	--	7.4	11200	705	539	850	45	0	143	70	4010	8.0	--	--	--	6370	3979
11-26-65				35.18	44.33	36.96	1.15		2.34	1.46	113.08	0.13					
				30	38	31	1		2	1	97					6297	
12-14-65	--	8.0	11100	720	532	900	37	0	192	107	4080	0	--	--	--	6580	4016
				35.93	44.33	39.13	0.95		3.15	2.23	115.06						
				30	37	33	1		3	2	96					6477	
4-21-66	--	8.0	11000	694	520	830	42	0	205	111	3900	0	--	--	--	6310	3873
				34.63	42.75	36.09	1.07		3.36	2.31	109.98						
				30	37	32	1		3	2	95					6198	
4S/14W-17E 4 S	--	8.3	28100	746	710	5450	85	0	238	1480	10700	0	--	--	--	19400	4785
10-26-65				37.23	58.39	236.97	2.17		3.90	30.81	301.74						
				11	17	71	1		1	9	90					19288	
12- 2-65	--	8.1	24500	656	603	4720	45	0	242	1260	9240	0	--	--	--	16800	4119
				32.73	49.59	205.23	1.15		3.97	26.23	260.57						
				11	17	71	1		1	9	90					16643	
4-21-66	--	8.2	4200	57	49	764	13	0	172	453	1020	0	--	--	--	2530	344
				2.84	4.03	33.22	0.33		2.82	9.43	28.70						
				7	10	82	1		7	23	70					2441	
4S/14W-17E 5 S	--	7.7	4100	326	141	274	18	0	258	64	1210	0	--	--	--	2290	1395
10-26-65				16.27	11.60	11.91	0.46		4.23	1.33	34.12						
				40	29	30	1		11	3	86					2160	
12- 2-65	--	7.9	4030	328	133	282	18	0	264	53	1210	0	--	--	--	2290	1367
				16.37	10.94	12.26	0.46		4.33	1.10	34.12						
				41	27	31	1		11	3	86					2154	
4-21-66	--	7.9	3620	287	119	248	16	0	282	30	1050	0	--	--	--	2030	1206
				14.32	9.79	10.78	0.41		4.62	0.62	29.61						
				41	28	31	1		13	2	85					1889	
4S/14W-17E 1 S	--	8.1	8440	640	257	770	45	0	294	125	2840	0	--	--	--	4970	2656
10-26-65				31.94	21.14	33.48	1.15		4.82	2.60	80.09						
				36	24	38	1		6	3	92					4822	
12-14-65	--	8.3	10000	736	286	1100	34	0	290	210	3520	0	--	--	--	6180	3015
				36.73	23.52	47.83	0.87		4.75	4.37	99.26						
				34	22	44	1		4	4	92					6029	
2-28-66	--	8.4	11000	719	306	1230	43	0	283	255	3760	0	--	--	--	6600	3055
				35.88	25.17	53.48	1.10		4.64	5.31	106.03						
				31	22	46	1		4	5	91					6452	
4-21-66	--	8.1	10400	657	287	1150	40	0	292	226	3520	0	--	--	--	6170	2821
				32.78	23.60	50.00	1.02		4.79	4.71	99.26						
				31	22	47	1		4	4	91					6024	
4S/14W-17E 2 S	--	7.7	13800	785	480	1760	54	0	220	490	5000	0	--	--	--	8790	3936
10-26-65				39.17	39.48	76.52	1.38		3.61	10.20	141.00						
				25	25	49	1		2	7	91					8677	
12-14-65	--	7.8	13700	822	459	1660	40	0	268	453	4800	0	--	--	--	8500	3942
				41.02	37.75	72.18	1.02		4.39	9.43	135.36						
				27	25	47	1		3	6	91					8366	
2-28-66	--	8.0	12500	738	407	1420	4	0	251	325	4340	0	--	--	--	7490	3518
				36.83	33.47	61.74	0.10		4.11	6.77	122.39						
				28	25	47			3	5	92					7357	
4-21-66	--	7.8	12400	739	396	1420	42	0	272	325	4280	0	--	--	--	7480	3475
				36.88	32.57	61.74	1.07		4.46	6.77	120.70						
				28	25	47	1		3	5	91					7336	
4S/14W-17H 1 S	--	8.2	1050	67	22	120	6	0	309	6	186	0	--	--	--	716	258
10- 4-65				3.34	1.81	5.22	0.15		5.06	0.12	5.25						
				32	17	50	1		49	1	50					559	
11- 1-65	74	7.3	1248	82	27	131	7	0	314	6	243	0.0	0.1	0.02	--	707	316
				4.09	2.22	5.70	0.18		5.15	0.12	6.85						
				34	18	47	1		42	1	57					650	
11- 1-65	72	8.5	1020	68	21	114	6	0	310	1	178	0	--	--	--	698	256
				3.39	1.73	4.96	0.15		5.08	0.02	5.02						
				33	17	48	1		50		50					540	

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
COASTAL PL OF LA CO HYDRO SUBUNIT U05A0 WEST COAST HYDRO SUBAREA U05A2																	
4S/14W-17H 1 S 12-6-65	75	8.8	1060	70 3.49 32	23 1.89 18	120 5.22 49	6 0.15 1	37 1.23 12	234 3.84 36	0	199 5.61 53	0	--	--	--	670 570	269
4S/14W-17H 2 S 11-1-65	72	8.2	1032	63 3.14 32	19 1.56 16	116 5.04 51	6 0.15 2	0	235 3.85 39	41 0.85 9	184 5.19 52	2.0 0.03	0.3	0.18	--	575 547	235
1-3-66	73	8.4	866	53 2.64 30	17 1.40 16	107 4.65 52	8 0.20 2	0	311 5.10 58	1 0.02	132 3.72 42	0	--	--	--	630 471	202
4S/14W-17P 1 S 2-9-66	77	8.2	2910	174 8.68 30	96 7.90 28	266 11.57 40	18 0.46 2	0	520 8.52 30	0	716 20.19 70	0	--	--	--	1790 1526	830
4S/14W-17P 2 S 2-9-66	72	8.0	3600	286 14.27 40	135 11.10 31	220 9.57 27	17 0.43 1	0	267 4.38 13	7 0.15	1070 30.17 87	0	--	--	--	2000 1866	1270
4S/14W-18A 1 S 12-9-65	--	8.0	25900	1120 55.89 17	830 68.26 21	4500 195.66 61	58 1.48	0	190 3.11 1	1200 24.98 8	10300 290.46 91	0	--	--	--	18200 18101	6212
3-7-66	--	8.3	26000	1090 54.39 17	841 69.16 22	4400 191.31 60	58 1.48	0	187 3.06 1	1230 25.61 8	10400 293.28 91	0	--	--	--	18200 18111	6182
4-25-66	--	7.9	27300	1100 54.89 17	834 68.59 21	4600 200.01 62	50 1.28	0	185 3.03 1	1230 25.61 8	10400 293.28 91	0	--	--	--	18400 18305	6179
4S/14W-18A 2 S 12-9-65	--	7.9	37300	586 29.24 6	1060 87.17 19	8000 347.84 74	192 4.91 1	0	199 3.26 1	2080 43.31 9	15200 428.64 90	0	--	--	--	27300 27216	5825
3-7-66	--	8.3	35700	606 30.24 6	1060 87.17 18	8200 356.54 75	180 4.60 1	0	195 3.20 1	2080 43.31 9	15200 428.64 90	0	--	--	--	27500 27422	5875
4-25-66	--	7.9	38200	584 29.14 6	1040 85.53 18	8000 347.84 75	168 4.30 1	0	197 3.23 1	2070 43.10 9	15100 425.82 90	0	--	--	--	27200 27059	5736
4S/14W-18A 3 S 12-9-65	--	8.1	12000	514 25.65 20	279 22.94 18	1820 79.13 62	25 0.64	0	240 3.93 3	597 12.43 10	3960 111.67 87	0	--	--	--	7160 7313	2431
3-7-66	--	8.2	7720	406 20.26 25	194 15.95 20	1030 44.78 55	23 0.59 1	0	235 3.85 5	400 8.33 10	2440 68.81 85	0	--	--	--	4730 4609	1812
4-25-66	--	8.0	5390	240 11.98 21	118 9.70 17	784 34.09 61	17 0.43 1	0	219 3.59 7	354 7.37 14	1530 43.15 80	0	--	--	--	3260 3151	1085
4S/14W-18A 4 S 3-8-66	--	8.1	22000	1060 52.89 20	705 57.98 22	3520 153.05 58	56 1.43 1	0	181 2.97 1	963 20.05 7	8680 244.78 91	0	--	--	--	15200 15073	5548
4S/14W-18A 5 S 3-8-66	--	8.3	36500	584 29.14 6	1100 90.46 18	8400 365.23 75	192 4.91 1	0	203 3.33 1	2200 45.80 9	15800 445.56 90	0	--	--	--	28500 28376	5985
4S/14W-18A 6 S 3-8-66	--	8.4	7920	267 13.32 16	180 14.80 16	1230 53.48 65	18 0.46 1	0	236 3.87 5	435 9.06 11	2510 70.78 85	0	--	--	--	4880 4756	1407
4S/14W-18A 8 S 10-25-65	--	8.0	38200	606 30.24 6	1070 88.00 18	8280 360.01 74	216 5.52 1	0	194 3.18 1	2180 45.39 9	15500 437.10 90	0	--	--	--	28100 27947	5917
3-7-66	--	8.4	35200	570 28.44 6	1030 84.71 18	8200 356.54 75	124 3.17 1	0	195 3.20 1	2160 44.97 10	15000 423.00 90	0	--	--	--	27300 27180	5662
4S/14W-18A 9 S 10-25-65	--	8.2	2860	157 7.83 27	62 5.10 18	352 15.30 54	13 0.33 1	0	165 2.70 10	300 6.25 22	688 19.40 68	0	--	--	--	1740 1653	647
3-7-66	--	8.1	1570	67 3.34 21	28 2.30 15	225 9.78 63	8 0.20 1	0	155 2.54 16	290 6.04 39	249 7.02 45	0	--	--	--	1020 943	282
4S/14W-18B 1 S 12-13-65	--	8.1	35200	729 36.38 8	1070 88.00 19	7840 340.88 73	160 4.09 1	0	208 3.41 1	2040 42.47 9	15100 425.82 90	0	--	--	--	27200 27041	6224

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
COASTAL PL OF LA CO HYDRO SUBUNIT U05A0																	
WEST COAST HYDRO SUBAREA U05A2																	
4S/14W-18F 1 S 3- 1-66	--	8.3	39700	501 25.00 5	1130 92.93 18	9200 400.02 77	7 0.18	0	297 4.87 1	2240 46.64 9	16600 468.12 90	0	--	--	--	30000 29824	5901
4S/14W-18H 1 S 12- 3-65	--	7.9	26300	1040 51.90 16	878 72.21 23	4400 191.31 60	70 1.79 1	0	207 3.39 1	1140 23.73 7	10300 290.46 91	0	--	--	--	18000 17930	6210
2-28-66	--	8.2	26700	1030 51.40 16	882 72.54 23	4550 197.83 61	3 0.08	0	209 3.43 1	1170 24.36 8	10400 293.28 91	0	--	--	--	18300 18138	6202
4-22-66	--	8.1	27500	1010 50.40 16	881 72.45 22	4550 197.83 61	85 2.17 1	0	214 3.51 1	1190 24.78 8	10400 293.28 91	0	--	--	--	18300 18221	6147
4S/14W-18H 2 S 12- 3-65	--	8.3	31200	665 33.18 9	877 72.12 19	6450 280.45 72	45 1.15	0	237 3.88 1	1680 34.98 9	12400 349.68 90	0	--	--	--	22400 22234	5269
2-28-66	--	8.3	31400	672 33.53 9	873 71.80 19	6480 281.75 73	2 0.05	0	233 3.82 1	1680 34.98 9	12300 346.86 90	0	--	--	--	22200 22122	5271
4-22-66	--	8.0	32000	681 33.98 9	844 69.41 18	6250 271.75 72	58 1.48	0	241 3.95 1	1630 33.94 9	12100 341.22 90	0	--	--	--	21800 21681	5174
4S/14W-18H 3 S 12- 3-65	--	7.7	6690	576 28.74 41	218 17.93 26	525 22.83 33	25 0.64 1	0	294 4.82 7	181 3.77 5	2170 61.19 88	0	--	--	--	3990 3840	2335
2-28-66	--	8.2	10700	808 40.32 35	317 26.07 23	1100 47.83 42	34 0.87 1	0	282 4.62 4	362 7.54 7	3630 102.37 89	0	--	--	--	6540 6390	3322
4-22-66	--	7.9	14100	882 44.01 29	366 30.10 20	1820 79.13 51	37 0.95 1	0	266 4.36 3	547 11.39 7	4860 137.05 90	0	--	--	--	8780 8643	3708
4S/14W-18J 1 S 12- 8-65	--	8.0	34000	672 33.53 8	955 78.54 18	7240 314.80 73	72 1.84	0	215 3.52 1	1880 39.14 9	13700 386.34 90	0	--	--	--	24700 24625	5608
4S/14W-18K 1 S 12- 8-65	--	8.3	34700	672 33.53 7	991 81.50 18	7840 340.88 74	100 2.56 1	0	220 3.61 1	2000 41.64 9	14600 411.72 90	0	--	--	--	26400 26311	5756
4S/14W-18Q 1 S 3- 1-66	--	8.2	30300	1160 57.88 16	913 75.09 20	5450 236.97 64	4 0.10	0	197 3.23 1	1400 29.15 8	12100 341.22 91	0	--	--	--	21200 21124	6654
4S/14W-18Q 3 S 3- 1-66	--	8.4	27000	907 45.26 14	758 62.34 19	4900 213.05 66	3 0.08	0	338 5.54 2	1140 23.73 7	10400 293.28 91	0	--	--	--	18500 18274	5384
4S/14W-20G 1 S 3- 8-66	--	8.3	14000	488 24.35 16	505 41.53 27	2000 86.96 57	42 1.07 1	0	573 9.39 6	0 145.51 94	5160 145.51 94	0	--	--	--	8770 8477	3297
4S/14W-20G 2 S 3- 8-66	--	8.4	6600	580 28.94 43	281 23.11 34	355 15.44 23	22 0.56 1	0	538 8.82 13	7 0.15	2090 58.94 87	0	--	--	--	3870 3600	2605
4S/14W-20G 4 S 3- 8-66	--	8.3	6920	556 27.74 37	219 18.01 24	640 27.83 38	24 0.61 1	0	275 4.51 6	229 4.77 7	2260 63.73 87	0	--	--	--	4200 4063	2289
4S/14W-21N 1 S 10-27-65	--	8.3	1045	72 3.59 33	34 2.80 26	96 4.17 39	9 0.23 2	13 0.43 4	398 6.52 61	0 3.78 35	134 3.78 35	2.0 0.03	0.3	0.24	--	570 556	320
4S/14W-30P 2 S 3- 2-66	--	8.7	441	22 1.10 23	9 0.74 16	65 2.83 59	4 0.10 2	24 0.80 17	198 3.25 68	0 0.76 16	27 0.76 16	0	--	--	--	349 248	92
4S/14W-35F 2 S 10-28-65	--	8.2	1038	62 3.09 29	25 2.06 20	120 5.22 50	6 0.15 1	0	332 5.44 52	54 1.12 11	138 3.89 37	0.0	0.3	0.24	--	593 569	258
4S/18W-18Q 2 S 3- 1-66	--	7.9	43500	504 25.15 4	1240 101.98 18	10400 452.19 78	6 0.15	0	150 2.46	2650 55.17 10	18500 521.70 90	0	--	--	--	33500 33374	6362
5S/12W- 3A 1 S 11-10-65	--	8.1	6160	351 17.51 27	68 5.59 9	955 41.52 64	9 0.23	0	277 4.54 7	736 15.32 23	1620 45.68 70	0	--	--	--	3970 3875	1156

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	S10 2	TDS 180C 105C COMP	HARD- NESS CACO 3
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
COASTAL PL OF LA CO HYDRO SUBUNITU05A0 WEST COAST HYDRO SUBAREA U05A2																	
5S/12W-3C 1 S 11-10-65	--	8.5	471	11 0.55 11	2 0.16 3	100 4.35 85	2 0.05 1	0	276 4.52 88	5 0.10 2	18 0.51 10	0	--	--	--	416	36
12-31-65	--	8.5	459	11 0.55 11	2 0.16 3	101 4.39 86	1 0.03 1	13 0.43 8	256 4.20 81	4 0.08 2	17 0.48 9	0	--	--	--	406	36
5S/12W-12M 2 S 3-24-66	--	8.6	327	10 0.50 14	2 0.16 5	65 2.83 80	1 0.03 1	11 0.37 11	149 2.44 72	10 0.21 6	14 0.39 11	0	--	--	--	262	33
5S/13W-1A 1 S 3-31-66	--	8.8	2220	35 1.75 8	31 2.55 11	430 18.70 80	12 0.31 1	40 1.33 6	606 9.93 43	4 0.08	417 11.76 51	0	--	--	--	1580	215
5S/13W-3C 2 S 10-5-65	65	8.3	43500	440 21.96 4	1190 97.87 18	9400 408.71 76	320 8.18 2	0	302 4.95 1	2280 47.47 9	17100 482.22 90	12.0 0.19	--	--	--	31000	5996
5S/13W-3D 6 S 10-5-65	70	8.4	22500	338 16.87 7	607 49.92 20	4200 182.62 72	108 2.76 1	0	416 6.82 3	918 19.11 8	7960 224.47 90	10.0 0.16	--	--	--	14600	3342
5S/13W-3D 7 S 11-1-65	--	8.4	39400	490 24.45 5	1160 95.40 18	9100 395.67 76	260 6.65 1	0	278 4.56 1	2270 47.26 9	16700 470.94 90	0	--	--	--	30300	5997
5S/13W-4E 1 S 3-9-66	--	8.3	41300	1060 52.89 9	1380 113.49 20	9400 408.71 71	148 3.78 1	0	420 6.88 1	2370 49.34 8	18700 527.34 90	0	--	--	--	33500	8326
5S/13W-4E 2 S 3-9-66	--	8.6	9760	272 13.57 14	282 23.19 23	1420 61.74 62	25 0.64 1	14 0.47	359 5.88 6	84 1.75 2	3360 94.75 92	0	--	--	--	5820	1839
5S/13W-5C 1 S 4-6-66	--	8.4	751	11 0.55 7	8 0.66 9	145 6.30 82	7 0.18 2	0	325 5.33 67	0	91 2.57 33	0	--	--	--	591	61
5S/13W-5C 2 S 4-6-66	--	7.9	39100	985 49.15 10	1110 91.29 19	7840 340.88 71	80 2.05	0	350 5.74 1	1940 40.39 8	15600 439.92 91	0	--	--	--	27900	7028
5S/13W-6B 1 S 4-13-66	--	8.2	2630	33 1.65 6	11 0.90 3	552 24.00 89	13 0.33 1	0	690 11.31 42	10 0.21 1	557 15.71 58	0	--	--	--	1870	128
5S/13W-6B 2 S 4-13-66	--	7.8	44600	497 24.80 4	1260 103.62 18	10000 434.80 76	252 6.44 1	0	310 5.08 1	2440 50.80 9	18400 518.88 90	0	--	--	--	33200	6426
5S/13W-6D 1 S 10-4-65	87	8.9	2310	30 1.50 7	16 1.32 6	450 19.57 86	13 0.33 1	51 1.70 7	446 7.31 32	12 0.25 1	488 13.76 60	0	--	--	--	1510	141
10-26-65	88	8.5	2357	29 1.45 7	17 1.40 6	434 18.87 86	11 0.28 1	19 0.63 3	460 7.54 35	0	476 13.42 62	4.0 0.06	0.9	1.65	--	1335	143
11-2-65	87	8.4	2280	30 1.50 7	16 1.32 6	440 19.13 86	11 0.28 1	0	542 8.88 39	9 0.19 1	484 13.65 60	0	--	--	--	1540	141
12-7-65	87	8.6	2260	30 1.50 7	16 1.32 6	450 19.57 86	12 0.31 1	30 1.00 4	494 8.10 35	14 0.29 1	484 13.65 59	0	--	--	--	1530	141
1-4-66	87	8.6	2260	30 1.50 7	16 1.32 6	450 19.57 86	12 0.31 1	32 1.07 5	489 8.01 35	12 0.25 1	481 13.56 59	0	--	--	--	1530	141
5S/13W-8P 1 S 3-10-66	--	8.3	48500	806 40.22 6	1580 129.94 18	12500 543.50 76	225 5.75 1	0	402 6.59 1	3260 67.87 9	22900 645.78 90	0	--	--	--	41700	8515
5S/13W-9B 2 S 3-10-66	--	8.7	35700	464 23.15	1010 83.06	8280 360.01	216 5.52	33 1.10	526 8.62	1780 37.06	15000 423.00	--	--	--	--	27300	5315
5S/13W-17G 1 S 10-15-65	--	8.7	969	3 0.15 1	1 0.08 1	235 10.22 97	3 0.08 1	28 0.93 9	426 6.98 66	14 0.29 3	84 2.37 22	0	--	--	--	798	12
3-9-66	--	8.9	994	3 0.15 1	2 0.16 2	230 10.00 97	2 0.05	29 0.97 9	414 6.79 62	24 0.50 5	93 2.62 24	0	--	--	--	801	16

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER				MILLIEQUIVALENTS PER LITER				MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
COASTAL PL OF LA CO HYDRO SUBUNITU05A0				SANTA MONICA HYDRO SUBAREA U05A3													
2S/14W-19C 1 S 12- 6-65	71	7.9	1120	83 4.14 35	32 2.63 22	110 4.78 41	7 0.18 2	0	404 6.62 56	115 2.39 20	102 2.88 24	0	--	--	--	853 648	339
2S/14W-19C 2 S 1-12-66	--	7.7	1310	107 5.34 39	40 3.29 24	115 5.00 36	7 0.18 1	0	421 6.90 50	146 3.04 22	140 3.95 28	0	--	--	--	977 762	432
2S/15W-11F 8 S 1-12-66	--	8.0	1200	71 3.54 29	35 2.88 24	128 5.57 46	3 0.08 1	0	395 6.47 52	142 2.96 24	104 2.93 24	0	--	--	--	881 677	321
2S/15W-14Q 2 S 10- 4-65	68	7.7	1510	125 6.24 37	54 4.44 26	140 6.09 36	2 0.05	0	456 7.47 45	222 4.62 28	136 3.84 23	47 0.76 5	--	--	--	1180 950	534
11- 1-65	65	7.6	1500	130 6.49 40	51 4.19 26	130 5.65 34	2 0.05	0	452 7.41 45	222 4.62 28	134 3.78 23	50 0.81 5	--	--	--	1170 941	534
12- 6-65	58	7.7	1480	130 6.49 38	52 4.28 25	145 6.30 37	2 0.05	0	477 7.82 45	216 4.50 26	132 3.72 22	78.0 1.26 7	--	--	--	1230 990	539
1-12-66	53	7.4	1570	129 6.44 39	53 4.36 26	133 5.78 35	2 0.05	0	440 7.21 43	212 4.41 27	153 4.31 26	44.0 0.71 4	--	--	--	1170 942	540
2- 8-66	54	7.8	1470	129 6.44 38	53 4.36 26	138 6.00 36	2 0.05	0	476 7.80 47	217 4.52 27	130 3.67 22	46.0 0.74 4	--	--	--	1190 949	540
2S/15W-22B 6 S 10-28-65	68	7.9	2500	212 10.58 44	98 8.06 34	118 5.13 21	10 0.26 1	0	313 5.13 21	617 12.85 52	215 6.06 25	29.0 0.47 2	0.5	0.43	--	1932 1454	933
2S/15W-22B 8 S 2- 8-66	69	7.7	1890	125 6.24 30	53 4.36 21	240 10.44 49	3 0.08	0	560 9.18 43	335 6.97 33	132 3.72 17	86.0 1.39 7	--	--	--	1530 1249	530
2S/15W-22E 3 S 10-13-65	--	7.5	9580	584 29.14 28	304 25.00 24	1150 50.00 48	20 0.51	0	329 5.39 5	742 15.45 15	2960 83.47 80	0	--	--	--	6090 5922	2709
2S/15W-22E 5 S 10-13-65	--	7.4	3700	164 8.18 21	87 7.15 19	532 23.13 60	5 0.13	0	387 6.34 16	494 10.29 26	776 21.88 56	28.0 0.45 1	--	--	--	2470 2276	767
2S/15W-22R 3 S 10-11-65	--	7.7	4170	290 14.47 32	180 14.80 32	372 16.17 35	9 0.23 1	0	763 12.51 28	326 6.79 15	922 26.00 57	0	--	--	--	2860 2474	1465
2S/15W-23A 1 S 10-28-65	66	8.0	4500	279 13.92 32	107 8.80 20	490 21.31 48	4 0.10	0	272 4.46 10	330 6.87 16	1149 32.40 73	34.0 0.55 1	0.9	1.55	--	3116 2529	1137
2S/15W-23A 6 S 10-28-65	60	7.8	2703	169 8.43 30	75 6.17 22	300 13.04 47	7 0.18 1	0	296 4.85 17	418 8.70 31	511 14.41 51	4.0 0.06	0.9	0.70	--	1730 1631	731
2S/15W-23C 4 S 10-28-65	--	7.9	3300	355 17.71 54	55 4.52 14	245 10.65 32	5 0.13	0	231 3.79 12	783 16.30 49	435 12.27 37	36.0 0.58 2	0.8	0.69	--	2324 2029	1112
2S/15W-23J 4 S 10-27-65	66	7.5	4150	318 15.87 33	180 14.80 31	400 17.39 36	5 0.13	0	593 9.72 20	925 19.26 40	636 17.94 37	80.0 1.29 3	1.2	0.90	--	3020 2838	1535
2S/15W-23N 1 S 10- 4-65	67	7.6	12000	728 36.33 27	437 35.94 27	1420 61.74 46	16 0.41	0	500 8.20 6	959 19.97 15	3720 104.90 79	0	--	--	--	7780 7526	3616
10-27-65	67	7.5	11779	740 36.93 27	443 36.43 27	1440 62.61 46	14 0.36	0	390 6.39 5	974 20.28 15	3878 109.36 80	5.0 0.08	1.0	0.95	--	8230 7688	3671
11- 1-65	65	7.4	13000	801 39.97 27	466 38.32 26	1620 70.44 47	13 0.33	0	493 8.08 5	1020 21.24 14	4200 118.44 80	0	--	--	--	8610 8362	3918
12- 6-65	65	7.3	4850	381 19.01 33	205 16.86 29	490 21.31 37	3 0.08	0	888 14.55 25	766 15.95 28	918 25.89 45	98.0 1.58 3	--	--	--	3750 3298	1795
1-12-66	55	7.4	4380	326 16.27 33	181 14.89 30	428 18.61 37	2 0.05	0	815 13.36 27	654 13.62 27	752 21.21 43	96.0 1.55 3	--	--	--	3250 2840	155

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	ECX10	MINERAL	CONSTITUENTS IN				MILLIGRAMS PER LITER					MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO	HCO	SO	CL	NO	F	B	S10	TDS	HARD-
DATE SAMPLED									3	3	4		3			2	180C	NESS
									PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	105C	CACO
									REACTANCE	REACTANCE	REACTANCE	REACTANCE	REACTANCE	REACTANCE	REACTANCE	COMP	3	
									VALUE	VALUE	VALUE	VALUE	VALUE	VALUE	VALUE			
LA SAN GABRIEL RIVER HYDRO UNIT U0500																		
SANTA MONICA HYDRO SUBAREA U05A3																		
2S/15W-23N 1 S	57	7.4	3420	.233	123	382	2	0	613	510	583	88.0	--	--	--	2530	1088	
2- 8-66				11.63	10.12	16.61	0.05		10.05	10.62	16.44	1.42						
				30	26	43			26	28	43	4					2222	
2S/15W-27L 1 S	--	8.1	2500	83	69	332	17	0	588	0	552	0	--	--	--	1650	491	
10- 8-65				4.14	5.67	14.44	0.43		9.64		15.57							
				17	23	59	2		38		62						1342	
2S/15W-28Q 1 S	--	8.4	17700	152	458	3400	114	0	748	872	5840	21.0	--	--	--	11600	2264	
10- 8-65				7.58	37.67	147.83	2.91		12.26	18.16	164.69	0.34						
				4	19	75	1		6	9	84						11225	
CENTRAL HYDRO SUBAREA U05A5																		
2S/11W-300 1 S	--	7.9	1191	133	37	60	4	0	310	249	70	20.0	0.5	0.07	--	811	484	
12- 7-65				6.64	3.04	2.61	0.10		5.08	5.18	1.97	0.32						
				54	25	21	1		40	41	16	3					726	
5-24-66	--	7.6	1188	145	35	61	5	0	332	257	68	21	0.5	0.14	--	810	506	
				7.24	2.88	2.65	0.13		5.44	5.35	1.92	0.34						
				56	22	21	1		42	41	15	3					756	
2S/12W- 1P 2 S	81	7.5	1196	98	22	123	5	--	224	184	162	0	0.8	0.32	20	726	335	
9-13-66				4.89	1.81	5.35	0.13		3.67	3.83	4.57							
				40	15	44	1		30	32	38						725	
2S/12W- 1P 3 S	82	7.5	1167	120	27	130	5	--	220	187	229	0	0.9	0.48	23	830	411	
9-13-66				5.99	2.22	5.65	0.13		3.61	3.89	6.46							
				43	16	40	1		26	28	46						830	
COASTAL PL OF LA CO HYDRO SUBUNIT U05A0																		
CENTRAL HYDRO SUBAREA U05A5																		
2S/12W- 1R 2 S	72	8.3	1074	85	22	114	4	7	188	207	121	2.0	0.8	0.22	--	695	303	
10-28-65				4.24	1.81	4.96	0.10	0.23	3.08	4.31	3.41	0.03						
				38	16	45	1	2	28	39	31						655	
2S/12W- 7C 2 S	72	8.4	623	53	15	62	2	0	227	56	53	9.0	--	--	--	476	194	
11- 5-65				2.64	1.23	2.70	0.05		3.72	1.17	1.49	0.15						
				40	19	41	1		57	18	23	2					362	
2S/12W-10K 3 S	71	8.6	592	59	12	53	2	0	245	35	53	0	--	--	--	460	197	
11- 5-65				2.94	0.99	2.30	0.05		4.02	0.73	1.49							
				47	16	37	1		64	12	24						334	
2S/12W-10J 1 S	--	8.0	607	60	12	48	3	0	230	35	52	1.0	0.2	0.17	--	352	199	
12- 7-65				2.99	0.99	2.09	0.08		3.77	0.73	1.47	0.02						
				49	16	34	1		63	12	25						324	
5-24-66	--	8.1	608	61	13	49	3	0	237	39	55	0.5	0.4	0.18	--	340	206	
				3.04	1.07	2.13	0.08		3.88	0.81	1.55	0.01						
				48	17	34	1		62	13	25						338	
2S/12W-12A 3 S	66	8.1	1000	103	19	93	5	0	220	209	92	8	--	--	--	748	335	
3- 9-66				5.14	1.56	4.04	0.13		3.61	4.35	2.59	0.13						
				47	14	37	1		34	41	24	1					637	
2S/12W-12M 2 S	--	7.6	863	95	20	57	4	0	213	157	69	1.0	0.4	0.13	--	491	319	
12- 7-65				4.74	1.64	2.48	0.10		3.49	3.27	1.95	0.02						
				53	18	28	1		40	37	22						508	
5-24-66	--	7.9	901	103	17	64	5	0	217	176	76	4.2	0.5	0.16	--	580	327	
				5.14	1.40	2.78	0.13		3.56	3.66	2.14	0.07						
				54	15	29	1		38	39	23	1					552	
2S/12W-13D 7 S	--	8.3	1051	102	23	85	4	0	178	241	90	8.0	0.5	0.14	--	708	349	
12- 7-65				5.09	1.89	3.70	0.10		2.92	5.02	2.54	0.13						
				47	18	34	1		28	47	24	1					641	
2- 8-66	70	7.5	957	84	18	81	5	--	175	200	78	7.0	0.4	0.15	15		284	
				4.19	1.48	3.52	0.13		2.87	4.16	2.20	0.11						
				45	16	38	1		31	45	24	1					575	
5-24-66	--	7.9	927	83	21	80	5	0	178	203	77	5.5	0.5	0.14	--	575	294	
				4.14	1.73	3.48	0.13		2.92	4.23	2.17	0.09						
				44	18	37	1		31	45	23	1					563	
2S/12W-14B 8 S	--	7.7	1115	94	25	103	5	0	169	252	100	11.0	0.5	0.18	--	723	338	
12- 7-65				4.69	2.06	4.48	0.13		2.77	5.25	2.82	0.18						
				41	18	39	1		25	48	26	2					674	
2- 8-66	70	7.5	1001	75	21	93	6	--	162	211	84	12.0	0.5	0.12	13		274	
				3.74	1.73	4.04	0.15		2.66	4.39	2.37	0.19						
				39	18	42	2		28	46	25	2					595	
5-24-66	--	7.9	970	96	20	80	5	0	181	216	83	10	0.5	0.16	--	625	322	
				4.79	1.64	3.48	0.13		2.97	4.50	2.34	0.16						
				48	16	35	1		30	45	23	2					600	

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE								MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
COASTAL PL OF LA CO HYDRO SUBUNITU05A0 CENTRAL HYDRO SUBAREA U05A5																	
2S/12W-15J 3 S 2- 8-66	70	7.4	1071	102 5.09 49	21 1.73 17	81 3.52 34	5 0.13 1	--	175 2.87 28	227 4.73 45	92 2.59 25	15.0 0.24 2	0.4	0.21	16		341 646
2S/12W-20R 1 S 9-27-66	77	7.9	909	110 5.49 58	23 1.89 20	46 2.00 21	3 0.08 1	--	206 3.38 36	180 3.75 40	73 2.06 22	9 0.15 2	0.3	0.19	20		567 566
2S/12W-21B 5 S 5-24-66	--	7.7	876	102 5.09 55	22 1.81 20	51 2.22 24	4 0.10 1	0	181 2.97 32	199 4.14 45	70 1.97 22	4.0 0.06 1	0.5	0.16	--		565 542
2S/12W-21J 1 S 9-27-66	77	8.0	909	105 5.24 56	20 1.64 18	54 2.35 25	3 0.08 1	--	186 3.05 33	192 4.00 43	78 2.20 24	5 0.08 1	0.3	0.16	18		567 567
2S/12W-21K 2 S 9-27-66	77	7.7	909	99 4.94 54	22 1.81 20	52 2.26 25	3 0.08 1	--	190 3.11 34	184 3.83 42	73 2.06 23	6 0.10 1	0.4	0.16	19		553 552
2S/12W-23P 4 S 11- 9-65	64	7.6	1000	100 4.99 47	21 1.73 16	90 3.91 36	4 0.10 1	0	180 2.95 28	246 5.12 48	84 2.37 22	10 0.16 2	--	--	--		735 644
2S/12W-24E 6 S 12- 7-65	--	7.6	979	116 5.79 57	24 1.97 20	51 2.22 22	4 0.10 1	0	222 3.64 36	208 4.33 43	69 1.95 19	11.0 0.18 2	0.4	0.10	--		650 593
5-24-66	--	7.5	960	105 5.24 52	23 1.89 19	64 2.78 28	5 0.13 1	0	176 2.88 29	226 4.71 47	78 2.20 22	10 0.16 2	0.5	0.12	--		615 598
2S/12W-25E10 S 5-24-66	--	7.6	978	105 5.24 51	23 1.89 18	69 3.00 29	5 0.13 1	0	154 2.52 25	252 5.25 52	81 2.28 23	4.5 0.07 1	1.3	0.10	--		630 617
2S/12W-25M 1 S 9-27-66	77	7.7	935	108 5.39 56	24 1.97 20	50 2.17 23	4 0.10 1	--	168 2.75 28	221 4.60 48	78 2.20 23	6 0.10 1	0.2	0.06	20		594 594
2S/12W-25P 7 S 10-28-65	--	8.4	940	110 5.49 53	21 1.73 17	70 3.04 29	4 0.10 1	10 0.33 3	162 2.66 25	244 5.08 49	81 2.28 22	7.0 0.11 1	0.5	0.10	--		670 627
2S/12W-25Q 5 S 12- 7-65	--	8.1	566	64 3.19 55	16 1.32 23	29 1.26 22	3 0.08 1	0	229 3.75 65	66 1.37 24	22 0.62 11	4.2 0.07 1	0.3	0.15	--		326 317
5-24-66	--	8.0	561	64 3.19 53	16 1.32 22	32 1.39 23	3 0.08 1	0	229 3.75 64	68 1.42 24	20 0.56 10	6.0 0.10 2	0.5	0.06	--		340 322
2S/12W-26E 3 S 12- 7-65	--	8.2	992	106 5.29 52	23 1.89 18	68 2.96 29	4 0.10 1	--	193 3.16 31	216 4.50 45	79 2.23 22	13.0 0.21 2	0.6	0.13	--		632 605
5-24-66	--	7.8	981	99 4.94 48	25 2.06 20	72 3.13 31	5 0.13 1	0	181 2.97 29	227 4.73 46	83 2.34 23	11 0.18 2	0.5	0.14	--		645 612
9-27-66	77	7.3	990	102 5.09 49	22 1.81 18	78 3.39 33	2 0.05 1	--	187 3.06 30	219 4.56 44	87 2.45 24	17 0.27 3	0.5	0.16	20		640 640
2S/12W-26Q 1 S 9-27-66	77	7.7	926	106 5.29 57	23 1.89 20	46 2.00 22	4 0.10 1	--	183 3.00 32	202 4.21 46	71 2.00 22	2 0.03 1	0.3	0.06	19		563 563
2S/12W-28Q 1 S 11- 9-65	68	7.9	880	104 5.19 55	18 1.48 16	62 2.70 29	4 0.10 1	0	188 3.08 33	200 4.16 45	70 1.97 21	8 0.13 1	--	--	--		654 558
2S/12W-28A 4 S 12- 7-65	--	7.9	1360	47 2.35 18	16 1.32 10	212 9.22 71	5 0.13 1	--	144 2.36 18	339 7.06 54	125 3.53 27	0.5 0.01 1	0.7	0.14	--		820 816
12- 7-65	--	7.9	1360	47 2.35 18	16 1.32 10	212 9.22 71	5 0.13 1	--	144 2.36 18	339 7.06 54	125 3.53 27	0.5 0.01 1	0.7	0.14	--		820 816
5-24-66	--	8.2	1282	56 2.79 22	26 2.14 17	180 7.83 61	5 0.13 1	0	149 2.44 19	337 7.02 55	120 3.38 26	2.5 0.04 1	0.6	0.18	--		810 800
9-27-66	77	8.2	1333	31 1.55 12	13 1.07 8	228 9.91 78	8 0.20 2	--	146 2.39 19	327 6.81 54	121 3.41 27	0 0 1	0.5	0.16	8		808 808

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	ECX10 ⁶	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
LA SAN GABRIEL RIVER HYDRO UNIT U0500																		
COASTAL PL OF LA CO HYDRO SUBUNITU05A0 CENTRAL HYDRO SUBAREA U05A5																		
2S/12W-30H 2 S	10-28-65	--	8.4	690	85 4.24 56	16 1.32 17	44 1.91 25	3 0.08 1	7 0.23 3	198 3.25 43	127 2.64 35	48 1.35 18	5.0 0.08 1	0.5	0.08	--	470 433	278
2S/12W-33B 1 S	9-27-66	77	7.5	893	103 5.14 56	21 1.73 19	52 2.26 24	4 0.10 1	--	212 3.47 38	170 3.54 39	67 1.89 21	15 0.24 3	0.3	0.16	17	553 554	344
2S/12W-33M 1 S	9-27-66	77	7.5	909	110 5.49 59	22 1.81 19	44 1.91 21	4 0.10 1	--	210 3.44 37	177 3.69 40	68 1.92 21	13 0.21 2	0.4	0.10	21	563 563	365
2S/12W-34P 1 S	11-3-65	--	8.0	950	106 5.29 56	22 1.81 19	52 2.26 24	5 0.13 1	0	187 3.06 33	195 4.06 43	74 2.09 22	12.0 0.19 2	0.5	0.31	--	564 559	355
2S/12W-34R 1 S	9-27-66	77	7.6	625	74 3.69 57	16 1.32 20	33 1.43 22	3 0.08 1	--	216 3.54 55	88 1.83 29	29 0.82 13	14 0.23 4	0.4	0.06	19	383 383	251
2S/12W-35D 2 S	12-7-65	--	7.9	903	105 5.24 57	26 2.14 23	39 1.70 19	4 0.10 1	0	170 2.79 31	208 4.33 48	68 1.92 21	2.0 0.03	0.5	0.16	--	583 536	369
	5-24-66	--	7.7	896	114 5.69 60	24 1.97 21	41 1.78 19	4 0.10 1	0	183 3.00 32	212 4.41 47	67 1.89 20	6.5 0.10 1	0.6	0.10	--	605 559	383
2S/12W-35K 1 S	9-27-66	77	8.0	476	59 2.94 59	11 0.90 18	25 1.09 22	3 0.08 2	--	223 3.65 74	39 0.81 16	14 0.39 8	7 0.11 2	0.4	0.06	20	288 288	192
2S/12W-35P 1 S	9-27-66	77	7.7	517	53 2.64 49	18 1.48 28	27 1.17 22	3 0.08 1	--	219 3.59 66	58 1.21 22	19 0.54 10	4 0.06 1	0.1	0.06	20	310 310	206
2S/13W-12A 1 S	11-5-65	68	8.4	720	67 3.34 44	21 1.73 23	58 2.52 33	2 0.05 1	0	251 4.11 54	74 1.54 20	56 1.58 21	22.0 0.35 5	--	--	--	551 423	254
2S/13W-25D 5 S	11-9-65	66	8.0	549	68 3.39 56	13 1.07 18	35 1.52 25	3 0.08 1	0	238 3.90 66	65 1.35 23	20 0.56 10	5 0.08 1	--	--	--	447 326	223
2S/14W-5D 8 S	10-4-65	71	7.9	1160	74 3.69 29	41 3.37 26	128 5.57 44	4 0.10 1	0	443 7.26 58	116 2.42 19	104 2.93 23	0	--	--	--	910 685	353
	1-12-66	69	7.9	1220	85 4.24 32	42 3.45 26	124 5.39 41	5 0.13 1	0	448 7.34 56	124 2.58 20	116 3.27 25	0	--	--	--	945 716	385
2S/14W-14C 2 S	11-4-65	69	8.2	648	71 3.54 51	16 1.32 19	45 1.96 28	4 0.10 1	0	233 3.82 55	99 2.06 30	34 0.96 14	4.0 0.06 1	0.5	0.12	--	375 388	243
2S/14W-22P 2 S	11-2-65	72	8.3	682	71 3.54 50	15 1.23 17	52 2.26 32	4 0.10 1	5 0.17 2	246 4.03 57	77 1.60 23	41 1.16 17	4.0 0.06 1	0.4	0.14	--	390 390	239
2S/14W-23H 3 S	10-28-65	65	8.0	722	74 3.69 49	20 1.64 22	49 2.13 28	4 0.10 1	0	228 3.74 50	109 2.27 30	48 1.35 18	10.0 0.16 2	0.5	0.14	--	433 427	267
2S/14W-23H12 S	10-28-65	65	8.0	612	55 2.74 44	18 1.48 24	45 1.96 31	4 0.10 2	0	187 3.06 49	96 2.00 32	35 0.99 16	14.0 0.23 4	0.5	0.12	--	358 360	211
3S/11W-17R 4 S	9-1-66	70	8.2	643	67 3.34 49	13 1.07 16	52 2.26 33	4 0.10 1	--	245 4.02 60	49 1.02 15	59 1.66 25	0.0	0.3	0.06	--	343 365	221
3S/11W-27G 1 S	11-2-65	76	7.2	450	16 0.80 18	0	85 3.70 82	1 0.03 1	0	170 2.79 64	24 0.50 11	37 1.04 24	2.0 0.03 1	0.7	0.28	--	328 249	40
3S/11W-28P 5 S	10-29-65	--	8.4	600	53 2.64 42	15 1.23 20	53 2.30 37	2 0.05 1	7 0.23 4	201 3.29 54	58 1.21 20	48 1.35 22	0.0	0.6	0.06	--	357 335	194
3S/12W-1K 1 S	12-7-65	--	7.5	1025	127 6.34 59	30 2.47 23	42 1.83 17	4 0.10 1	0	243 3.98 37	212 4.41 41	75 2.12 20	8.0 0.13 1	0.4	0.21	--	658 618	441
	5-24-66	--	7.5	985	125 6.24 59	28 2.30 22	45 1.96 18	4 0.10 1	0	232 3.80 36	217 4.52 43	75 2.12 20	6.0 0.10 1	0.5	0.10	--	670 615	427

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	6 ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
COASTAL PL OF LA CO HYDRO SUBUNIT U05A0																	
CENTRAL HYDRO SUBAREA U05A5																	
3S/12W-2H 4 S 9-27-66	77	7.6	694	90 4.49 62	13 1.07 15	36 1.57 22	3 0.08 1	--	206 3.38 46	123 2.56 35	44 1.24 17	6 0.10 1	0.3	0.10	20	437 437	278
3S/12W-5A 1 S 9-27-66	79	7.5	943	112 5.59 59	24 1.97 21	43 1.87 20	4 0.10 1	--	228 3.74 39	178 3.71 39	64 1.80 19	14 0.23 2	0.4	0.16	18	569 570	378
3S/12W-5M 1 S 9-20-66	75	7.7	757	101 5.04 62	20 1.64 20	33 1.43 17	3 0.08 1	--	247 4.05 49	138 2.87 35	41 1.16 14	10 0.16 2	0.5	0.13	21	490 489	334
3S/12W-8D 1 S 9-20-66	75	7.9	755	101 5.04 62	20 1.64 20	32 1.39 17	3 0.08 1	--	248 4.06 50	132 2.75 34	41 1.16 14	10 0.16 2	0.4	0.16	23	485 484	334
3S/12W-8F 1 S 10-29-65	70	8.2	475	41 2.05 43	12 0.99 21	39 1.70 35	3 0.08 2	0	179 2.93 62	48 1.00 21	24 0.68 14	7.5 0.12 3	0.4	0.07	--	291 263	152
3S/12W-10C 3 S 9-27-66	77	7.5	1538	201 10.03 59	44 3.62 21	74 3.22 19	6 0.15 1	--	453 7.42 44	279 5.81 34	131 3.69 22	0	0.2	0.13	19	977 977	683
3S/12W-11E 1 S 12-7-65	--	7.9	778	98 4.89 59	23 1.89 23	31 1.35 16	4 0.10 1	0	225 3.69 46	142 2.96 37	44 1.24 16	6.5 0.10 1	0.4	0.18	--	476 460	339
5-24-66	--	7.6	779	103 5.14 61	21 1.73 21	33 1.43 17	4 0.10 1	0	224 3.67 45	153 3.19 39	43 1.21 15	8.0 0.13 2	0.5	0.06	--	510 476	344
3S/12W-18H 4 S 9-20-66	75	7.7	617	75 3.74 56	15 1.23 18	38 1.65 25	3 0.08 1	--	275 4.51 68	45 0.94 14	43 1.21 18	0	1.1	0.06	23	379 378	249
3S/12W-18L 1 S 9-13-66	77	7.8	685	78 3.89 55	16 1.32 19	41 1.78 25	3 0.08 1	--	292 4.79 68	57 1.19 17	39 1.10 16	0	0.4	0.13	21	399 399	261
3S/12W-19C 1 S 9-20-66	75	7.7	684	81 4.04 55	17 1.40 19	42 1.83 25	3 0.08 1	--	298 4.88 66	65 1.35 18	41 1.16 16	1 0.02	0.4	0.06	25	422 422	272
3S/12W-25K 1 S 10-29-65	--	8.0	341	33 1.65 45	11 0.90 25	24 1.04 28	3 0.08 2	0	188 3.08 84	15 0.31 8	10 0.28 8	0.0	0.4	0.04	--	168 189	128
3S/12W-28C 2 S 1-25-66	64	8.2	447	60 2.99 65	8 0.66 14	21 0.91 20	2 0.05 1	0	232 3.80 82	16 0.33 7	16 0.45 10	2.0 0.03 1	0.5	0.06	--	227 240	183
3S/12W-32B 3 S 5-31-66	78	8.7	390	11 0.55	2 0.16	75 3.26	1 0.03	8 0.27	170 2.79	3 0.06	26 0.73	--	--	--	20	230 36	
3S/12W-33A 1 S 11-2-65	--	8.2	450	53 2.64 60	10 0.82 19	19 0.83 19	4 0.10 2	14 0.47 10	188 3.08 67	19 0.40 9	13 0.37 8	18.0 0.29 6	0.4	0	--	276 243	173
3S/13W-9A 1 S 9-13-66	77	7.9	893	55 2.74 33	16 1.32 16	94 4.09 50	4 0.10 1	--	159 2.61 32	183 3.81 46	63 1.78 22	0	0.4	0.10	18	513 512	203
3S/13W-9K 1 S 9-13-66	77	8.1	595	58 2.89 49	13 1.07 18	44 1.91 32	3 0.08 1	--	224 3.67 61	78 1.62 27	25 0.71 12	0	0.3	0.10	20	352 352	198
3S/13W-13F 4 S 9-13-66	75	7.9	526	53 2.64 51	11 0.90 17	36 1.57 30	2 0.05 1	--	238 3.90 75	41 0.85 16	17 0.48 9	0	0.4	0.10	22	300 300	177
3S/13W-13G 1 S 9-13-66	77	7.6	685	75 3.74 53	16 1.32 19	43 1.87 27	3 0.08 1	--	251 4.11 58	78 1.62 23	47 1.33 19	0	0.5	0.10	24	410 410	253
3S/13W-13J 1 S 9-13-66	75	8.0	523	53 2.64 50	12 0.99 19	36 1.57 30	2 0.05 1	--	237 3.88 74	40 0.83 16	18 0.51 10	1 0.02	0.5	0.10	22	301 301	182
3S/13W-13M 2 S 6-9-66	73	7.9	526	55 2.74 49	11 0.90 16	42 1.83 33	3 0.08 1	--	226 3.70 68	58 1.21 22	18 0.51 9	0.0	0.5	0.10	15	313 314	182
3S/13W-13P 1 S 9-13-66	77	7.9	513	54 2.69 52	11 0.90 17	36 1.57 30	2 0.05 1	--	235 3.85 74	42 0.87 17	17 0.48 9	0	0.3	0.10	22	301 300	180

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER						
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3	
LA SAN GABRIEL RIVER HYDRO UNIT U0500																		
COASTAL PL OF LA CO HYDRO SUBUNITU05A0																		
CENTRAL HYDRO SUBAREA U05A5																		
3S/13W-13R 2 S 9-13-66	75	8.0	513	51 2.54 50	11 0.90 18	36 1.57 31	2 0.05 1	--	232 3.80 74	40 0.83 16	17 0.48 9	1 0.02	0.4	0.10	22	295 295	172	
3S/13W-15R 1 S 12-15-65	70	7.5	564	52 2.59 47	13 1.07 19	41 1.78 32	3 0.08 1	--	226 3.70 67	58 1.21 22	21 0.59 11	0.0	0.1	0.12	15	183 314		
3S/13W-16A 1 S 9-13-66	77	7.9	952	55 2.74 31	18 1.48 17	102 4.43 51	4 0.10 1	--	186 3.05 34	180 3.75 42	72 2.03 23	1 0.02	0.5	0.13	16	541 540	211	
3S/13W-16E 1 S 12-15-65	70	7.2	756	80 3.99 53	17 1.40 19	47 2.04 27	4 0.10 1	--	284 4.65 62	67 1.39 19	52 1.47 20	0.0	0.2	0.18	16	270 423		
6- 9-66	75	7.5	697	75 3.74 52	18 1.48 21	44 1.91 26	3 0.08 1	--	259 4.25 58	76 1.58 22	52 1.47 20	0.0	0.4	0.10	17	413 413	261	
3S/13W-16K 1 S 9-13-66	77	7.8	607	59 2.94 48	15 1.23 20	42 1.83 30	3 0.08 1	--	229 3.75 62	72 1.50 25	28 0.79 13	0	0.3	0.13	22	354 354	209	
3S/13W-21A 1 S 9-13-66	77	7.8	573	57 2.84 48	14 1.15 19	43 1.87 31	3 0.08 1	--	234 3.84 65	68 1.42 24	23 0.65 11	1 0.02	0.4	0.13	22	346 347	200	
3S/13W-21B 1 S 9-20-66	75	7.7	542	57 2.84 49	12 0.99 17	44 1.91 33	3 0.08 1	--	232 3.80 65	65 1.35 23	25 0.71 12	1 0.02	0.5	0.10	23	345 345	192	
3S/13W-21C 6 S 9-20-66	75	7.8	610	58 2.89 45	13 1.07 17	54 2.35 37	3 0.08 1	--	224 3.67 58	86 1.79 28	32 0.90 14	1 0.02	0.4	0.13	23	381 381	198	
3S/13W-21R 3 S 9-20-66	75	8.1	501	50 2.50 46	11 0.90 17	44 1.91 35	3 0.08 1	--	213 3.49 64	62 1.29 24	22 0.62 11	3 0.05 1	0.2	0.13	24	324 324	170	
3S/13W-22H 2 S 6- 9-66	73	7.6	595	64 3.19 51	13 1.07 17	43 1.87 30	3 0.08 1	--	223 3.65 59	88 1.83 30	25 0.71 11	0.2	0.4	0.10	16	363 362	213	
3S/13W-22H 7 S 6- 9-66	77	8.1	517	46 2.30 45	7 0.58 11	49 2.13 42	2 0.05 1	--	170 2.79 55	78 1.62 32	22 0.62 12	0.0	0.4	0.20	14	302 302	144	
3S/13W-22K 1 S 9-20-66	75	8.0	530	48 2.40 43	14 1.15 21	45 1.96 35	3 0.08 1	--	241 3.95 71	35 0.73 13	32 0.90 16	0	0.5	0.13	31	328 327	178	
3S/13W-22Q 4 S 6- 9-66	75	8.1	545	55 2.74 49	11 0.90 16	42 1.83 33	3 0.08 1	--	203 3.33 60	79 1.64 29	21 0.59 11	0.0	0.4	0.20	15	327 326	182	
3S/13W-25D 4 S 9-20-66	75	7.5	849	100 4.99 52	24 1.97 20	60 2.61 27	4 0.10 1	--	280 4.59 49	149 3.10 33	61 1.72 18	0	0.4	0.13	28	564 564	348	
3S/13W-25G 2 S 9-20-66	75	7.6	855	101 5.04 52	24 1.97 20	59 2.57 27	4 0.10 1	--	280 4.59 49	152 3.16 34	59 1.66 18	0	0.4	0.13	26	564 563	351	
3S/13W-26C 1 S 12-15-65	70	7.7	494	39 1.95 41	4 0.33 7	56 2.43 51	2 0.05 1	--	167 2.74 60	55 1.15 25	23 0.65 14	0.0	0.2	0.12	14	114 275		
6- 9-66	79	8.1	480	37 1.85 39	6 0.49 10	54 2.35 50	2 0.05 1	--	158 2.59 56	65 1.35 29	24 0.68 15	0.0	0.5	0.10	14	280 280	117	
3S/13W-26M 1 S 6- 9-66	79	8.2	477	38 1.90 40	5 0.41 9	54 2.35 50	2 0.05 1	--	167 2.74 58	64 1.33 28	23 0.65 14	0.0	0.4	0.10	16	285 285	116	
3S/13W-27E 2 S 6- 9-66	75	8.1	586	61 3.04 51	13 1.07 18	40 1.74 29	3 0.08 1	--	220 3.61 61	75 1.56 26	27 0.76 13	0.0	0.4	0.10	16	344 344	206	
3S/13W-27G 1 S 6- 9-66	77	8.3	513	49 2.45 47	8 0.66 13	48 2.09 40	2 0.05 1	5 0.17 3	187 3.06 58	70 1.46 28	21 0.59 11	0.0	0.2	0.10	15	308 310	156	
3S/13W-34H 2 S 10-29-65	64	8.0	680	61 3.04 47	9 0.74 11	60 2.61 41	2 0.05 1	0	147 2.41 37	60 1.25 19	100 2.82 44	0.0	0.3	0.10	--	405 365	189	

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
LA SAN GABRIEL RIVER HYDRO UNIT U0500																		
COASTAL PL OF LA CO HYDRO SUBUNITU05A0																		
CENTRAL HYDRO SUBAREA U05A5																		
3S/14W-220 1 S 9-20-66	75	8.0	530	48 2.40 42	14 1.15 20	47 2.04 36	3 0.08 1	--	240 3.93 69	41 0.85 15	32 0.90 16	1 0.02	0.4	0.10	30	335	178	
3S/14W-22R 2 S 9-20-66	75	7.9	536	48 2.40 42	14 1.15 20	48 2.09 37	3 0.08 1	--	238 3.90 67	43 0.90 16	34 0.96 17	1 0.02	0.4	0.16	27	336	178	
4S/12W- 6J 2 S 1- 4-66	75	7.6	384	12 0.60	3 0.25	67 2.91	1 0.03	0	176 2.88	1 0.02	26 0.73	--	--	--	20	218	43	
5- 3-66	81	8.8	382	11 0.55	1 0.08	62 2.70	1 0.03	8 0.27	167 2.74	8 0.17	25 0.71	--	--	--	20	219	32	
6-28-66	82	8.4	383	11 0.55	1 0.08	75 3.26	1 0.03	9 0.30	168 2.75	3 0.06	25 0.71	--	--	--	20	228	32	
8- 2-66	81	8.7	385	11 0.55	2 0.16	79 3.43	1 0.03	10 0.33	162 2.66	11 0.23	28 0.79	--	--	--	19	241	36	
4S/12W- 6D 3 S 1- 4-66	73	7.2	409	32 1.60	3 0.25	54 2.35	2 0.05	0	164 2.69	21 0.44	18 0.51	--	--	--	22	233	93	
5- 3-66	77	8.3	405	33 1.65	4 0.33	42 1.83	2 0.05	0	170 2.79	35 0.73	17 0.48	--	--	--	20	237	99	
5-31-66	77	8.3	402	32 1.60	3 0.25	54 2.35	2 0.05	1 0.03	170 2.79	23 0.48	16 0.45	--	--	--	20	236	93	
6-28-66	81	7.8	402	32 1.60	3 0.25	48 2.09	2 0.05	0	170 2.79	25 0.52	23 0.65	--	--	--	21	239	93	
8- 2-66	81	8.2	407	33 1.65	4 0.33	51 2.22	3 0.08	0	166 2.72	28 0.58	18 0.51	--	--	--	20	240	99	
11-30-65		8.0	410	25 1.25	4 0.33	57 2.48	4 0.10	0	166 2.72	21 0.44	19 0.54	--	--	--	20	226	79	
2- 1-66		8.2	413	27 1.35	6 0.49	53 2.30	3 0.08	0	168 2.75	19 0.40	19 0.54	--	--	--	21	251	92	
3- 1-66	73	7.6	417	34 1.70	3 0.25	52 2.26	2 0.05	0	171 2.80	22 0.46	19 0.54	--	--	--	23	248	98	
3-29-66	75	8.0	421	33 1.65	4 0.33	52 2.26	2 0.05	0	171 2.80	25 0.52	21 0.59	--	--	--	20	257	99	
4S/12W- 6J 1 S 2- 1-66		8.6	407	10 0.50	1 0.08	79 3.43	1 0.03	6 0.20	183 3.00	2 0.04	30 0.85	--	--	--	20	253	29	
4S/12W- 6J 2 S 11-30-65		7.9	378	12 0.60	0	80 3.48	2 0.05	0	178 2.92	2 0.04	27 0.76	--	--	--	19	234	30	
2- 1-66		8.6	381	12 0.60	1 0.08	72 3.13	1 0.03	6 0.20	167 2.74	0	27 0.76	--	--	--	20	243	34	
3-29-66	75	8.7	387	11 0.55	1 0.08	80 3.48	1 0.03	7 0.23	169 2.77	1 0.02	28 0.79	--	--	--	19	249	32	
4S/12W-10A 2 S 10-29-65		8.3	381	49 2.45 58	7 0.58 14	25 1.09 26	3 0.08 2	0	222 3.64 86	16 0.33 8	10 0.28 7	0.0	0.4	0.05	--	208	152	
4S/12W-10G 1 S 10-29-65		8.1	330	36 1.80 51	6 0.49 14	26 1.13 32	3 0.08 2	0	180 2.95 84	17 0.35 10	8 0.23 7	0.0	0.7	0.05	--	205	115	
																185		

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
LA SAN GABRIEL RIVER HYDRO UNIT U0500																		
COASTAL PL OF LA CO HYDRO SUBUNITU05A0 CENTRAL HYDRO SUBAREA U05A5																		
4S/12W-13C 3 S 5- 3-66	75	8.2	379	45 2.25	5 0.41	27 1.17	2 0.05	0	204 3.34	16 0.33	6 0.17	--	--	--	23	225	133	
5-31-66	75	8.2	371	42 2.10	5 0.41	37 1.61	2 0.05	0	201 3.29	8 0.17	5 0.14	--	--	--	21	220	126	
4S/12W-13D 3 S 6-28-66	79	7.8	372	45 2.25	5 0.41	31 1.35	3 0.08	0	212 3.47	9 0.19	5 0.14	--	--	--	22	225	133	
8- 2-66	79	8.1	372	43 2.15	6 0.49	23 1.00	3 0.08	0	206 3.38	13 0.27	7 0.20	--	--	--	22	219	132	
4S/12W-13N 2 S 5- 3-66	77	8.6	392	22 1.10	4 0.33	50 2.17	2 0.05	5 0.17	167 2.74	26 0.54	11 0.31	--	--	--	19	222	72	
5-31-66	77	8.5	395	22 1.10	3 0.25	64 2.78	2 0.05	4 0.13	171 2.80	25 0.52	5 0.14	--	--	--	19	230	68	
6-28-66	81	8.2	389	21 1.05	3 0.25	59 2.57	2 0.05	0	178 2.92	26 0.54	14 0.39	--	--	--	19	231	65	
8- 2-66	81	8.6	390	20 1.00	3 0.25	66 2.87	2 0.05	7 0.23	159 2.61	32 0.67	13 0.37	--	--	--	19	240	63	
3- 1-66	73	7.7	404	24 1.20	3 0.25	60 2.61	2 0.05	0	177 2.90	22 0.46	14 0.39	--	--	--	21	244	73	
3-29-66	75	8.3	396	22 1.10	2 0.16	63 2.74	2 0.05	0	173 2.84	21 0.44	13 0.37	--	--	--	19	242	63	
4S/12W-14A 2 S 5-31-66	75	8.1	399	49 2.45	7 0.58	32 1.39	3 0.08	0	206 3.38	15 0.31	5 0.14	--	--	--	21	233	152	
8- 2-66	79	8.0	393	48 2.40	6 0.49	24 1.04	3 0.08	0	194 3.18	21 0.44	8 0.23	--	--	--	20	227	145	
4S/12W-14C 2 S 5- 3-66	78	9.0	328	6 0.30	1 0.08	51 2.22	1 0.03	13 0.43	136 2.23	5 0.10	17 0.48	--	--	--	18	179	19	
5-31-66	77	9.0	329	6 0.30	2 0.16	71 3.09	1 0.03	15 0.50	134 2.20	1 0.02	16 0.45	--	--	--	18	195	23	
6-28-66	81	8.6	325	6 0.30	1 0.08	73 3.17	1 0.03	14 0.47	137 2.25	2 0.04	19 0.54	--	--	--	19	202	19	
8- 2-66	81	8.9	326	6 0.30	2 0.16	75 3.26	1 0.03	16 0.53	124 2.03	10 0.21	21 0.59	--	--	--	18	211	23	
4S/12W-14C 5 S 1- 4-66	73	7.0	326	30 1.50	4 0.33	31 1.35	2 0.05	0	162 2.66	4 0.08	6 0.17	--	--	--	20	178	92	
4S/12W-14A 2 S 11-30-65	7.8	392	48 2.40	5 0.41	34 1.48	4 0.10	0	196 3.21	14 0.29	9 0.25	--	--	--	20	254	141		
2- 1-66	7.9	392	41 2.05	8 0.66	29 1.26	3 0.08	0	196 3.21	15 0.31	8 0.23	--	--	--	20	237	136		
4S/12W-14A 2 S 3-29-66	75	8.0	394	49 2.45	7 0.58	28 1.22	3 0.08	0	205 3.36	13 0.27	7 0.20	--	--	--	20	238	152	
4S/12W-14C 2 S 11-30-65	8.4	320	5 0.25	0	73 3.17	2 0.05	0	151 2.47	5 0.10	22 0.62	--	--	--	17	213	13		
3-29-66	75	8.1	322	33 1.65	4 0.33	36 1.57	2 0.05	0	171 2.80	10 0.21	7 0.20	--	--	--	19	207	99	

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WFL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SiO 2	TDS 180C 105C COMP	HARD- NESS CALCO 3
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
COASTAL PL OF LA CO HYDRO SUBUNIT U05A0 CENTRAL HYDRO SUBAREA				U05A5													
4S/12W-14C 5 S 2- 1-66		8.1	334	31 1.55	7 0.58	35 1.52	2 0.05	0	168 2.75	6 0.12	7 0.20	--	--	--	20	221	107
3- 1-66	73	7.6	340	34 1.70	4 0.33	34 1.48	3 0.08	0	173 2.84	14 0.29	8 0.23	--	--	--	22	201	102
4S/12W-16R 1 S 5- 3-66	77	8.6	315	19 0.95	3 0.25	41 1.78	1 0.03	5 0.17	150 2.46	16 0.33	9 0.25	--	--	--	18	188	60
6-28-66	79	8.4	317	18 0.90	2 0.16	48 2.09	2 0.05	5 0.17	154 2.52	2 0.04	16 0.45	--	--	--	19	189	53
8- 2-66	79	8.5	311	19 0.95	3 0.25	48 2.09	2 0.05	6 0.20	143 2.34	7 0.15	13 0.37	--	--	--	18	186	60
2- 1-66		8.4	313	21 1.05	3 0.25	47 2.04	2 0.05	3 0.10	151 2.47	6 0.12	12 0.34	--	--	--	18	202	65
3- 1-66	73	7.8	317	20 1.00	2 0.16	47 2.04	2 0.05	0	157 2.57	3 0.06	17 0.48	--	--	--	20	189	58
3- 1-66	73	7.8	317	20 1.00	2 0.16	47 2.04	2 0.05	0	157 2.57	3 0.06	17 0.48	--	--	--	20	189	58
3-29-66	75	8.3	316	18 0.90	3 0.25	46 2.00	1 0.03	0	154 2.52	6 0.12	12 0.34	--	--	--	18	192	58
4S/12W-17E 1 S 8- 2-66	81	8.7	364	10 0.50	2 0.16	75 3.26	1 0.03	10 0.33	163 2.67	11 0.23	22 0.62	--	--	--	18	230	33
4S/12W-17P 3 S 5-31-66	77	8.7	335	12 0.60	3 0.25	67 2.91	1 0.03	7 0.23	151 2.47	1 0.02	21 0.59	--	--	--	17	203	43
6-28-66	81	8.2	328	12 0.60	2 0.16	65 2.83	1 0.03	0	162 2.66	6 0.12	26 0.73	--	--	--	17	209	38
4S/12W-20J 4 S 1- 4-66	73	7.9	353	7 0.35	3 0.25	75 3.26	1 0.03	0	218 3.57	2 0.04	18 0.51	--	--	--	19	233	30
5- 3-66	78	8.8	420	14 0.70	3 0.25	89 3.87	1 0.03	11 0.37	205 3.36	14 0.29	14 0.39	--	--	--	18	266	48
5-31-66	77	8.7	425	8 0.40	2 0.16	92 4.00	1 0.03	11 0.37	212 3.47	8 0.17	15 0.42	--	--	--	18	261	28
6-28-66	81	8.1	421	8 0.40	1 0.08	87 3.78	1 0.03	0	234 3.84	6 0.12	20 0.56	--	--	--	18	258	24
8- 7-66	81	8.7	422	8 0.40	1 0.08	95 4.13	1 0.03	11 0.37	205 3.36	12 0.25	19 0.54	--	--	--	17	267	24
11-30-65		7.9	396	8 0.40	1 0.08	93 4.04	2 0.05	0	209 3.43	8 0.17	18 0.51	--	--	--	17	267	24
2- 1-66		8.6	415	7 0.35	2 0.16	87 3.78	2 0.05	7 0.23	206 3.38	3 0.06	19 0.54	--	--	--	18	291	26
4S/12W-20J 4 S 3-29-66	75	8.4	414	7 0.35	2 0.16	80 3.48	1 0.03	2 0.07	215 3.52	2 0.04	20 0.56	--	--	--	18	262	26
4S/12W-23K 3 S 5- 3-66	78	8.8	357	10 0.50	4 0.33	53 2.30	1 0.03	19 0.63	118 1.93	11 0.23	10 0.28	--	--	--	17	184	42
8- 7-66	81	8.7	361	11 0.55	3 0.25	69 3.00	1 0.03	9 0.30	138 2.26	22 0.46	13 0.37	--	--	--	17	213	40

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER				MILLIEQUIVALENTS PER LITER				MILLIGRAMS PER LITER				
						CA	MG	NA	K	CO	HCO	SO	CL	NO	F	B	SIO	TDS
						3	3	4	3	3	4	3	3	2	2	3	180C	NESS
						PERCENT	REACTANCE	VALUE						105C	HARD-			
						3	3	4	3	3	4	3	3	2	2	3	COMP	CACO
LA SAN GABRIEL RIVER HYDRO UNIT U0500																		
COASTAL PL OF LA CO HYDRO SUBUNIT U05A0					U05A5													
CENTRAL HYDRO SUBAREA																		
4S/12W-23C 1 S	5- 3-66	77	8.6	338	19 0.95	3 0.25	45 1.96	1 0.03	6 0.20	152 2.49	17 0.35	10 0.28	--	--	--	18	195	60
4S/12W-23K 3 S	3- 1-66	73	8.8	359	10 0.50	2 0.16	65 2.83	1 0.03	1 0.03	155 2.54	20 0.42	16 0.45	--	--	--	18	218	33
	3- 1-66	73	8.8	359	10 0.50	2 0.16	65 2.83	1 0.03	1 0.03	155 2.54	20 0.42	16 0.45	--	--	--	18	218	33
	3-29-66	75	8.8	355	10 0.50	2 0.16	63 2.74	1 0.03	7 0.23	135 2.21	19 0.40	12 0.34	--	--	--	16	220	33
4S/12W-24M 2 S	3- 1-66	73	7.7	394	23 1.15	3 0.25	60 2.61	2 0.05	0	177 2.90	29 0.60	11 0.31	--	--	--	20	236	70
4S/12W-26F 2 S	3-16-66	79	8.2	372	11 0.55	1 0.08	67 2.91	1 0.03	0	160 2.62	24 0.50	13 0.37	--	--	--	16	237	32
4S/12W-26M 1 S	3-16-66	85	8.2	318	11 0.55	1 0.08	56 2.43	1 0.03	0	157 2.57	15 0.31	13 0.37	--	--	--	18	218	32
4S/12W-28H12 S	1- 4-66	75	9.2	377	5 0.25	1 0.08	75 3.26	0	22 0.73	169 2.77	2 0.04	17 0.48	--	--	--	18	224	17
	5- 3-66	78	8.9	371	5 0.25	0	70 3.04	1 0.03	13 0.43	178 2.92	4 0.08	15 0.42	--	--	--	18	215	13
	5-31-66	78	8.9	367	5 0.25	2 0.16	84 3.65	1 0.03	14 0.47	178 2.92	4 0.08	13 0.37	--	--	--	18	229	21
	6-28-66	81	8.9	370	4 0.20	2 0.16	79 3.43	1 0.03	16 0.53	172 2.82	8 0.17	18 0.51	--	--	--	17	229	18
	8- 2-66	82	8.9	374	5 0.25	2 0.16	83 3.61	1 0.03	17 0.57	167 2.74	6 0.12	16 0.45	--	--	--	17	230	21
	11-30-65		7.9	365	7 0.35	0	90 3.91	2 0.05	0	198 3.25	10 0.21	17 0.48	--	--	--	18	247	18
	2- 1-66		8.9	375	10 0.50	0	75 3.26	1 0.03	11 0.37	177 2.90	0	17 0.48	--	--	--	18	252	25
4S/12W-31E 1 S	5- 9-66	--	7.8	3730	430 21.46 58	58 4.77 13	240 10.44 28	7 0.18	0	129 2.11 6	180 3.75 10	1100 31.02 84	0	--	--	--	2140	1313
																	2078	
4S/12W-34N 1 S	10-13-65	--	8.4	312	7 0.35 9	1 0.08 2	77 3.35 88	1 0.03 1	0	170 2.79 77	3 0.06 2	27 0.76 21	0	--	--	--	286	22
																	200	
4S/12W-35A 1 S	10- 1-65	--	7.9	9800	1110 55.39 55	148 12.17 12	770 33.48 33	10 0.26	0	84 1.38 1	379 7.89 8	3230 91.09 91	0	--	--	--	5730	3381
																	5688	
4S/12W-35J 1 S	3-29-66	--	8.2	33800	640 31.94 7	1000 82.24 17	8400 365.23 75	204 5.22 1	0	193 3.16 1	2270 47.26 10	15500 437.10 90	0	--	--	--	28200	5714
																	28109	
4S/12W-35A 1 S	5-11-66	--	7.7	12200	1350 67.37 51	181 14.89 11	1160 50.44 38	17 0.43	0	125 2.05 2	527 10.97 8	4280 120.70 90	0	--	--	--	7640	4116
																	7576	
4S/12W-35J 2 S	3-29-66	--	8.1	35200	798 39.82 8	1050 86.35 17	8800 382.62 75	168 4.30 1	0	216 3.54 1	2350 48.93 9	16600 468.12 90	0	--	--	--	30000	6314
																	29872	
4S/12W-35J 3 S	3-29-66	--	8.4	412	38 1.90 40	5 0.41 9	55 2.39 50	2 0.05 1	0	209 3.43 68	39 0.81 16	28 0.79 16	0	--	--	--	376	116
																	270	
4S/12W-35J 4 S	3-29-66	--	8.0	34200	808 40.32 8	1000 82.24 17	8280 360.01 74	92 2.35	0	247 4.05 1	2160 44.97 9	15600 439.92 90	0	--	--	--	28200	6133
																	28061	

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER TDS HARD- 180C NESS 105C CACO COMP					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B 2	SIO 2	180C 105C COMP	NESS CACO 3
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
COASTAL PL OF LA CO HYDRO SUBUNITU05A0 CENTRAL HYDRO SUBAREA U05A5																	
4S/12W-35J 5 S 2- 3-66	--	8.3	24900	969 48.35 16	572 47.04 15	4960 215.66 69	30 0.77	0	164 2.69 1	1400 29.15 9	10000 282.00 90	0	--	--	--	18100 18012	4773
4S/12W-35J 6 S 2- 3-66	--	8.0	27800	1290 64.37 18	616 50.66 14	5700 247.84 68	20 0.51	0	155 2.54 1	1620 33.73 9	11600 327.12 90	0	--	--	--	21000 20922	5756
4S/12W-35J 7 S 2-14-66	--	8.1	8980	530 26.45 28	96 7.90 8	1365 59.35 63	11 0.28	0	124 2.03 2	458 9.54 10	2920 82.34 88	0	--	--	--	5510 5441	1719
4S/12W-35K 6 S 12- 3-65	--	8.4	660	53 2.64 39	6 0.49 7	81 3.52 52	3 0.08 1	0	194 3.18 47	76 1.58 23	70 1.97 29	0	--	--	--	485 384	157
4-12-66	--	7.9	490	36 1.80 36	5 0.41 8	62 2.70 54	2 0.05 1	0	194 3.18 63	39 0.81 16	36 1.02 20	0	--	--	--	373 275	111
4S/12W-35K 7 S 12- 3-65	--	8.1	2840	305 15.22 55	19 1.56 6	243 10.57 39	3 0.08	0	120 1.97 7	141 2.94 11	794 22.39 82	0	--	--	--	1630 1564	840
4-12-66	--	8.1	3380	350 17.47 55	25 2.06 6	284 12.35 39	4 0.10	0	118 1.93 6	161 3.35 10	958 27.02 84	0	--	--	--	1900 1840	977
4S/12W-35P 2 S 10-25-65	75	8.1	898	51 2.54 28	5 0.41 5	140 6.09 67	2 0.05 1	0	133 2.18 24	306 6.37 69	22 0.62 7	0	--	--	--	659 591	148
2-16-66	--	8.3	973	59 2.94 29	5 0.41 4	152 6.61 66	2 0.05	0	124 2.03 20	347 7.22 72	25 0.71 7	0	--	--	--	715 651	168
4S/12W-35H 1 S 10- 4-65	--	8.4	346	11 0.55 15	2 0.16 4	68 2.96 81	0	0	158 2.59 72	30 0.62 17	13 0.37 10	0	--	--	--	281 202	36
4S/12W-35Q 1 S 1-28-66	--	8.3	4590	114 5.69 13	68 5.59 12	764 33.22 74	12 0.31 1	0	146 2.39 5	244 5.08 11	1320 37.22 83	0	--	--	--	2670 2594	564
4S/12W-35H 1 S 5- 4-66	--	8.3	345	11 0.55 16	1 0.08 2	66 2.87 82	0	0	158 2.59 70	30 0.62 17	18 0.51 14	0	--	--	--	284 204	32
4S/12W-35H 2 S 10- 1-65	--	7.9	4130	523 26.10 65	63 5.18 13	205 8.91 22	7 0.18	0	114 1.87 5	77 1.60 4	1280 36.10 91	3.0 0.05	--	--	--	2270 2214	1565
4S/12W-35Q 2 S 1-26-66	--	8.0	11100	246 12.28 10	194 15.95 13	2050 89.13 75	31 0.79 1	0	182 2.98 3	663 13.80 12	3560 100.39 86	0	--	--	--	6930 6833	1413
4S/12W-35H 4 S 10- 1-65	--	8.3	33800	1100 54.89 14	766 63.00 16	6480 281.75 70	20 0.51	0	162 2.66 1	1790 37.27 9	12800 360.96 90	0	--	--	--	23100 23036	5899
5- 4-66	--	7.9	34700	1000 49.90 11	841 69.16 16	7400 321.75 73	20 0.51	0	173 2.84 1	1980 41.22 9	14000 394.80 90	0	--	--	--	25400 25326	5958
4S/12W-35H 5 S 10- 4-65	75	8.5	380	12 0.60 15	1 0.08 2	73 3.17 82	1 0.03 1	0	167 2.74 71	36 0.75 19	14 0.39 10	0	--	--	--	304 219	34
2-28-66	--	8.5	373	12 0.60 16	1 0.08 2	70 3.04 81	1 0.03 1	5 0.17 4	153 2.51 65	35 0.73 19	16 0.45 12	0	--	--	--	292 215	34
4S/12W-35R10 S 5- 5-66	--	8.2	36200	346 17.27 4	917 75.41 17	7920 344.36 78	272 6.96 2	0	427 7.00 2	2060 42.89 10	14000 394.80 89	0	--	--	--	25900 25725	4638
4S/12W-35R11 S 3-28-66	--	8.1	29800	496 24.75 6	818 67.27 17	7200 313.06 77	100 2.56 1	0	195 3.20 1	1930 40.18 10	13100 369.42 89	0	--	--	--	23800 23740	4605
4S/12W-35R12 S 3-28-66	--	8.4	41000	464 23.15 4	1200 98.69 18	9800 426.10 77	320 8.18 1	0	245 4.02 1	2530 52.67 9	18200 513.24 90	0	--	--	--	32800 32634	6097
4S/12W-35R13 S 3-28-66	--	8.3	18600	1440 71.86 32	354 29.11 13	2800 121.74 55	8 0.20	0	106 1.74 1	1040 21.65 10	6960 196.27 89	0	--	--	--	12700 12654	5053

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
COASTAL PL OF LA CO HYDRO SUBUNITU05A0																	
CENTRAL HYDRO SUBAREA U05A5																	
4S/12W-35R14 S	--	8.3	35500	996	977	7920	72	0	269	2120	15300	0	--	--	--	27700	6508
3-28-66				49.70	80.35	344.36	1.84		4.41	44.14	431.46						27517
				10	17	72			1	9	90						
4S/12W-35C 1 S	78	8.3	455	37	5	59	2	0	189	28	24	--	--	--	20	278	113
3-16-66				1.85	0.41	2.57	0.05		3.10	0.58	0.68						
4S/12W-35R16 S	--	8.4	428	43	5	46	2	0	206	33	14	0	--	--	--	349	128
10-22-65				2.15	0.41	2.00	0.05		3.38	0.69	0.39						244
				47	9	43	1		76	15	9						
	--	8.4	419	41	6	49	2	0	207	38	26	0	--	--	--	369	127
3-28-66				2.05	0.49	2.13	0.05		3.39	0.79	0.73						264
				43	10	45	1		69	16	15						
4S/12W-35R17 S	--	7.9	13300	688	258	2200	24	0	173	663	4800	0	--	--	--	8810	2780
3-31-66				34.33	21.22	95.66	0.61		2.84	13.80	135.36						8718
				23	14	63			2	9	89						
4S/12W-35R18 S	--	8.1	40300	678	1020	8600	272	0	239	2280	15800	0	--	--	--	28900	5890
10-6-65				33.83	83.88	373.93	6.96		3.92	47.47	445.56						28768
				7	17	75	1		1	10	90						
	--	8.0	22600	299	462	4900	120	0	215	1330	8440	0	--	--	--	15800	2648
2-1-66				14.92	37.99	213.05	3.07		3.52	27.69	238.01						15657
				6	14	79	1		1	10	88						
4S/12W-36N 2 S	--	7.9	36000	587	934	8000	528	0	219	2130	14900	0	--	--	--	27300	5309
2-11-66				29.29	76.81	347.84	13.50		3.59	44.35	420.18						27187
				6	16	74	3		1	9	90						
4S/12W-36N 3 S	--	8.3	37600	569	1030	8800	228	0	284	2240	15900	0	--	--	--	29100	5660
2-11-66				28.39	84.71	382.62	5.83		4.65	46.64	448.38						28907
				6	17	76	1		1	9	90						
4S/12W-36N 4 S	--	8.5	417	43	6	46	2	0	200	30	20	0	--	--	--	346	132
2-11-66				2.15	0.49	2.00	0.05		3.28	0.62	0.56						245
				46	10	43	1		74	14	13						
4S/12W-36C 1 S	77	7.7	469	41	6	56	2	0	185	33	21	--	--	--	16	350	127
3-16-66				2.05	0.49	2.43	0.05		3.03	0.69	0.59						
4S/12W-36M 1 S	--	8.7	371	17	2	65	1	0	10	145	37	15	0	--	--	291	51
3-25-66				0.85	0.16	2.83	0.03	0.33	2.38	0.77	0.42						218
				22	4	73	1	8	61	20	11						
4S/12W-36M 2 S	--	8.3	32700	1120	865	7440	32	0	182	2050	14400	0	--	--	--	26100	6357
3-25-66				55.89	71.14	323.49	0.82		2.98	42.68	406.08						25996
				12	16	72			1	9	90						
4S/12W-36M 3 S	--	8.7	424	36	5	55	1	9	176	42	22	0	--	--	--	346	111
3-25-66				1.80	0.41	2.39	0.03	0.30	2.88	0.87	0.62						257
				39	9	52	1	6	62	19	13						
4S/12W-36M 4 S	--	8.6	446	4	7	46	1	10	189	40	18	0	--	--	--	354	39
3-25-66				0.20	0.58	2.00	0.03	0.33	3.10	0.83	0.51						219
				7	21	71	1	7	65	17	11						
4S/12W-36N 6 S	--	7.8	30700	1070	687	6375	38	0	194	1760	12400	0	--	--	--	22500	5499
12-6-65				53.39	56.50	277.19	0.97		3.18	36.64	349.68						22425
				14	15	71			1	9	90						
	--	7.8	17800	326	283	3580	20	0	180	1045	6100	0	--	--	--	11500	1979
4-25-66				16.27	23.27	155.66	0.51		2.95	21.76	172.02						11443
				8	12	80			1	11	87						
4S/12W-36N 7 S	--	8.5	451	17	3	80	1	0	163	39	39	0	--	--	--	342	55
12-2-65				0.85	0.25	3.48	0.03		2.67	0.81	1.10						259
				18	5	75	1		58	18	24						
	--	8.2	373	15	1	62	1	0	163	37	10	0	--	--	--	288	42
4-14-66				0.75	0.08	2.70	0.03		2.67	0.77	0.28						206
				21	2	76	1		72	21	8						
4S/12W-36P 3 S	--	8.9	450	36	6	56	2	23	148	46	22	0	--	--	--	339	115
2-18-66				1.80	0.49	2.43	0.05	0.77	2.43	0.96	0.62						264
				38	10	51	1	16	51	20	13						
4S/12W-36P 4 S	--	8.5	575	53	9	57	2	0	185	55	60	0	--	--	--	421	169
2-17-66				2.64	0.74	2.48	0.05		3.03	1.15	1.69						327
				45	13	42	1		52	20	29						
4S/12W-36P 5 S	--	8.2	5420	206	49	940	9	0	162	479	1480	0	--	--	--	3330	716
2-18-66				10.28	4.03	40.87	0.23		2.66	9.97	41.74						3243
				19	7	74			5	18	77						

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS LACO 3
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
COASTAL PL OF LA CO HYDRO SUBUNITU05A0																	
CENTRAL HYDRO SUBAREA U05A5																	
4S/12W-36P 6 S 2-17-66	--	8.5	388	17 0.85 23	3 0.25 7	60 2.61 69	2 0.05 1	0	164 2.69 68	37 0.77 20	17 0.48 12	0	--	--	--	299 217	55
5S/12W- 1C 1 S 2- 2-66	--	8.4	431	33 1.65 36	6 0.49 11	55 2.39 52	2 0.05 1	0	184 3.02 67	37 0.77 17	26 0.73 16	0	--	--	--	343 249	107
5S/12W- 1C 2 S 2- 2-66	--	8.6	373	19 0.95 23	3 0.25 6	65 2.83 69	3 0.08 2	12 0.40 10	141 2.31 60	33 0.69 18	15 0.42 11	0	--	--	--	290 219	60
5S/12W- 1D 1 S 10-18-65	72	8.4	424	38 1.90 39	7 0.58 12	53 2.30 48	2 0.05 1	0	199 3.26 73	37 0.77 17	15 0.42 9	0	--	--	--	352 250	124
5S/12W- 1D 2 S 10-11-65	--	8.2	384	26 1.30 32	7 0.58 14	50 2.17 53	2 0.05 1	0	165 2.70 69	38 0.79 20	15 0.42 11	0	--	--	--	303 219	94
5S/12W- 1D 3 S 10- 7-65	--	8.2	425	32 1.60 36	6 0.49 11	52 2.26 51	2 0.05 1	0	183 3.00 69	37 0.77 18	21 0.59 14	0	--	--	--	332 240	105
4- 7-66	--	8.3	401	29 1.45 31	5 0.41 9	62 2.70 59	2 0.05 1	0	179 2.93 66	41 0.85 19	24 0.68 15	0	--	--	--	342 251	93
5S/12W- 1D 4 S 10- 1-65	75	8.6	376	18 0.90 24	2 0.16 4	62 2.70 71	2 0.05 1	0	162 2.66 70	34 0.71 19	15 0.42 11	0	--	--	--	294 213	53
4- 5-66	--	8.3	374	20 1.00 26	2 0.16 4	62 2.70 69	1 0.03 1	0	165 2.70 68	40 0.83 21	15 0.42 11	0	--	--	--	305 221	58
5S/12W- 1E 4 S 2-25-66	--	8.7	617	51 2.54 38	10 0.82 12	76 3.30 49	2 0.05 1	18 0.60 9	200 3.28 48	37 0.77 11	76 2.14 32	0	--	--	--	470 368	168
5S/12W- 1E 5 S 2-15-66	--	8.5	9060	594 29.64 31	122 10.03 11	1250 54.35 57	24 0.61 1	0	299 4.90 7	112 2.33 4	2080 58.66 89	0	--	--	--	5480 4329	1985
5S/12W- 1E 6 S 2-23-66	--	8.1	8500	616 30.74 36	131 10.77 13	1000 43.48 51	13 0.33	0	198 3.25 4	102 2.12 2	2840 80.09 94	0	--	--	--	4900 4799	2077
5S/12W- 1E 7 S 2-15-66	--	8.7	373	16 0.80 20	2 0.16 4	70 3.04 75	3 0.08 2	12 0.40 11	136 2.23 59	35 0.73 19	15 0.42 11	0	--	--	--	289 220	48
5S/12W- 1G 2 S 4- 4-66	--	8.3	419	39 1.95 42	8 0.66 14	45 1.96 43	1 0.03 1	0	204 3.34 73	40 0.83 18	15 0.42 9	0	--	--	--	352 248	131
5S/12W- 1G 3 S 10-27-65	--	8.3	364	19 0.95 25	2 0.16 4	62 2.70 70	2 0.05 1	0	160 2.62 68	40 0.83 22	14 0.39 10	0	--	--	--	299 218	56
3-29-66	--	8.3	356	19 0.95 25	2 0.16 4	60 2.61 70	1 0.03 1	0	158 2.59 69	37 0.77 21	14 0.39 10	0	--	--	--	291 211	56
5S/12W- 2B 9 S 5-12-66	--	8.1	1740	150 7.49 43	19 1.56 9	186 8.09 46	10 0.26 1	0	134 2.20 13	225 4.68 27	368 10.38 60	0	--	--	--	1090 1024	453
5S/12W- 2C 8 S 10-20-65	--	8.2	2010	227 11.33 47	58 4.77 20	180 7.83 32	7 0.18 1	0	226 3.70 15	790 16.45 68	133 3.75 16	8.0 0.13 1	--	--	--	1630 1514	806
5S/12W- 2M 1 S 10- 8-65	--	8.2	365	8 0.40 10	2 0.16 4	80 3.48 85	2 0.05 1	0	211 3.46 85	7 0.15 4	16 0.45 11	0	--	--	--	327 219	28
5S/12W- 2A 4 S 3-24-66	--	8.1	1220	90 4.49 35	31 2.55 20	128 5.57 44	5 0.13 1	0	150 2.46 19	341 7.10 55	119 3.36 26	0	--	--	--	864 788	352
5S/12W- 2A 5 S 3-24-66	--	8.1	1220	97 4.84 38	29 2.38 19	124 5.39 42	4 0.10 1	0	147 2.41 19	346 7.20 56	118 3.33 26	0	--	--	--	865 790	361
5S/12W- 2A 7 S 5-13-66	--	7.9	1230	94 4.69 36	34 2.80 21	128 5.57 42	5 0.13 1	0	155 2.54 19	348 7.25 55	120 3.38 26	1 0.02	--	--	--	885 806	375

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER						
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3	
LA SAN GABRIEL RIVER HYDRO UNIT U0500																		
COASTAL PL OF LA CO HYDRO SUBUNITU05A0 CENTRAL HYDRO SUBAREA U05A5																		
5S/12W- 2A 9 S 3-24-66	--	8.4	926	95 4.74 49	14 1.15 12	88 3.83 39	2 0.05 1	0	158 2.59 27	232 4.83 50	81 2.28 24	0	--	--	--	670	295	590
5S/12W- 2A10 S 3-23-66	--	8.3	1220	116 5.79 45	19 1.56 12	128 5.57 43	3 0.08 1	0	145 2.38 18	348 7.25 56	118 3.33 26	0	--	--	--	877	368	803
5S/12W- 2A11 S 3-22-66	--	8.3	17800	874 43.61 21	336 27.63 13	3180 138.27 66	10 0.26	0	171 2.80 1	1020 21.24 10	6530 184.15 88	0	--	--	--	12100	3565	12034
5S/12W- 2A12 S 3-21-66	--	8.6	367	14 0.70 18	2 0.16 4	68 2.96 77	1 0.03 1	0	160 2.62 69	37 0.77 20	14 0.39 10	0	--	--	--	295	43	215
5S/12W- 2A15 S 3-18-66	--	8.3	1260	81 4.04 31	33 2.71 21	142 6.17 47	3 0.08 1	0	141 2.31 18	346 7.20 55	131 3.69 28	0	--	--	--	877	338	805
5- 3-66	--	8.1	1220	83 4.14 32	32 2.63 20	143 6.22 48	3 0.08 1	0	146 2.39 18	353 7.35 56	124 3.50 26	0	--	--	--	885	339	810
5S/12W- 2A16 S 3-17-66	--	8.5	1140	106 5.29 43	18 1.48 12	120 5.22 43	8 0.20 2	0	140 2.29 19	321 6.68 56	108 3.05 25	0	--	--	--	820	339	750
3-17-66	--	8.0	8880	874 43.61 46	130 10.69 11	930 40.44 43	8 0.20	0	116 1.90 2	532 11.08 12	2910 82.06 86	0	--	--	--	5500	2717	5441
5- 2-66	--	7.1	13600	1270 63.37 43	146 12.01 8	1660 72.18 49	18 0.46	0	100 1.64 1	646 13.45 9	4720 133.10 90	0	--	--	--	8560	3772	8509
5S/12W- 2H12 S 10-11-65	--	7.9	20200	920 45.91 20	416 34.21 15	3380 146.96 65	26 0.66	0	237 3.88 2	951 19.80 9	7180 202.48 90	0	--	--	--	13100	4009	12990
5S/12W- 2J 2 S 3-16-66	75	8.2	482	10 0.50	3 0.25	88 3.83	1 0.03	0	188 3.08	8 0.17	60 1.69	--	--	--	18	284	38	
5S/12W- 2J 3 S 3-16-66	76	7.5	9500	760 37.92	229 18.83	2125 92.40	295 7.54	0	177 2.90	459 9.56	5475 154.40	--	--	--	16	11094	2840	
3-16-66	77	7.3	9650	767 38.27	229 18.83	3050 132.61	60 1.53	0	177 2.90	467 9.72	5625 158.63	--	--	--	16	11306	2857	
5S/12W- 2J 4 S 3-16-66	76	7.9	2940	73 3.64	32 2.63	590 25.65	9 0.23	0	183 3.00	81 1.69	950 26.79	--	--	--	18	1972	314	
5S/12W- 2R 1 S 2-14-66	--	8.3	24000	963 48.05 17	506 41.61 15	4475 194.57 68	68 1.74 1	0	242 3.97 1	1080 22.49 8	9240 260.57 91	0	--	--	--	16600	4487	16451
5S/12W- 2R 3 S 10-11-65	--	8.2	21300	859 42.86 18	416 34.21 15	3600 156.53 67	26 0.66	0	210 3.44 1	761 15.84 7	7680 216.58 92	0	--	--	--	13600	3857	13445
5S/12W- 3J 1 S 10- 8-65	--	8.5	859	25 1.25 15	7 0.58 7	149 6.48 77	4 0.10 1	0	299 4.90 57	2 0.04	130 3.67 43	0	--	--	--	618	92	464
5-10-66	--	8.3	836	25 1.25 15	7 0.58 7	150 6.52 77	3 0.08 1	0	305 5.00 58	0	126 3.55 42	0	--	--	--	618	92	461
5S/12W-11G 5 S 10- 4-65	--	8.5	502	18 0.90 16	3 0.25 4	104 4.52 79	3 0.08 1	0	315 5.16 90	10 0.21 4	14 0.39 7	0	--	--	--	467	58	307
5S/12W-11G 3 S 1-19-66	--	7.9	12800	742 37.03 27	202 16.61 12	1860 80.87 60	17 0.43	0	147 2.41 2	247 5.14 4	4510 127.18 94	0	--	--	--	7730	2684	7650
5S/12W-11G 4 S 1-19-66	--	7.6	24600	701 34.98 12	644 52.96 18	4600 200.01 69	20 0.51	0	300 4.92 2	947 19.72 7	9320 262.82 91	0	--	--	--	576	4401	16380
5S/12W-11J 2 S 10-13-65	--	8.4	554	10 0.50 9	5 0.41 7	110 4.78 83	2 0.05 1	0	209 3.43 58	23 0.48 8	70 1.97 34	0	--	--	--	429	46	323

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER IDS HARD- 180C NESS 105C CALO COMP					
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	180C CALO	105C CALO	
LA SAN GABRIEL RIVER HYDRO UNIT U0500																			
CENTRAL HYDRO SUBAREA					U05A5														
5S/12W-11J 3 S	10-13-65	--	8.3	756	27 1.35 18	4 0.33 4	133 5.78 77	2 0.05 1	0	278 4.56 59	5 0.10 1	10/ 3.02 39	0	--	--	--	556	84	415
5S/12W-12F 2 S	10- 6-65	--	8.6	400	10 0.50 11	1 0.08 2	90 3.91 87	1 0.03 1	0	236 3.87 85	10 0.21 5	16 0.45 10	0	--	--	--	363	29	244
5S/12W-12M 1 S	3-24-66	--	8.8	412	10 0.50 11	2 0.16 4	86 3.74 84	1 0.03 1	16 0.53 11	215 3.52 75	8 0.17 4	16 0.45 10	0	--	--	--	357	33	245
SAN FERNANDO HYDRO SUBAREA					U05B1														
2N/14W-30A 3 S	11- 9-65	--	8.2	529	61 3.04 53	17 1.40 24	28 1.22 21	3 0.08 1	0	238 3.90 68	52 1.08 19	20 0.56 10	13 0.21 4	--	--	--	432	222	311
SYLMAR HYDRO SUBAREA					U05B2														
3N/15W-34P 1 S	11- 9-65	--	8.0	586	54 2.69 45	17 1.40 24	41 1.78 30	2 0.05 1	0	210 3.44 58	46 0.96 16	54 1.52 26	0	--	--	--	425	205	317
VERDUGO HYDRO SUBAREA					U05B4														
2N/13W-28N 1 S	2- 4-66	70	7.9	461	38 1.90 42	17 1.40 31	27 1.17 26	2 0.05 1	--	124 2.03 46	21 0.44 10	30 0.85 19	68.0 1.10 25	0.3	0.06	43		165	307
2N/13W-29F 1 S	2- 4-66	70	7.9	468	38 1.90 43	16 1.32 30	26 1.13 26	2 0.05 1	--	124 2.03 47	18 0.37 9	30 0.85 20	68.0 1.10 25	0.3	0.09	39		161	298
2N/13W-29R 1 S	2- 4-66	70	8.0	603	48 2.40 41	21 1.73 30	38 1.65 28	3 0.08 1	--	89 1.46 25	74 1.54 27	4/ 1.33 23	89.0 1.44 25	0.3	0.06	37		207	401
2N/13W-33R 1 S	2- 4-66	70	7.7	531	50 2.50 48	18 1.48 29	26 1.13 22	3 0.08 2	--	160 2.62 50	17 0.35 7	29 0.82 16	92.0 1.48 28	0.2	0.06	33		199	347
PASADENA HYDRO SUBAREA					U05C1														
1N/12W-21K 1 S	11- 2-65	73	8.2	353	26 1.30 37	8 0.66 19	35 1.52 43	2 0.05 1	0	117 1.92 55	32 0.67 19	17 0.48 14	24.0 0.39 11	1.3	0.32	--	231	98	203
1N/12W-26A 1 S	11- 2-65	70	8.3	363	32 1.60 43	9 0.74 20	30 1.30 35	2 0.05 1	0	139 2.28 63	16 0.33 9	17 0.48 13	32.0 0.52 14	0.7	0.11	--	202	117	207
1N/12W-26C 1 S	11- 2-65	75	8.3	318	22 1.10 34	5 0.41 13	38 1.65 52	1 0.03 1	0	125 2.05 64	28 0.58 18	13 0.37 12	13.0 0.21 7	1.4	0.24	--	185	76	183
1N/12W-34E 1 S	11- 1-65	67	8.3	375	36 1.80 46	10 0.82 21	29 1.26 32	2 0.05 1	0	159 2.61 69	24 0.50 13	16 0.45 12	15.0 0.24 6	0.7	0.13	--	217	131	211
1N/12W-34N 1 S	11- 2-65	71	8.0	897	71 3.54 40	31 2.55 29	62 2.70 30	3 0.08 1	0	132 2.16 24	163 3.39 38	84 2.37 27	56.0 0.90 10	0.7	0.33	--	584	305	536
1N/12W-35B 1 S	11- 2-65	70	8.3	346	29 1.45 42	8 0.66 19	30 1.30 38	2 0.05 1	0	137 2.25 64	18 0.37 11	17 0.48 14	25.0 0.40 11	1.0	0.11	--	200	106	197
MONK HILL HYDRO SUBAREA					U05C2														
1N/12W- 8H 1 S	11- 2-65	69	8.5	433	42 2.10 44	14 1.15 24	33 1.43 30	2 0.05 1	13 0.43 9	228 3.74 79	12 0.25 5	10 0.28 6	3.0 0.05 1	0.6	0.09	--	265	163	242
1N/12W- 8H 2 S	11- 2-65	73	8.3	274	24 1.20 43	9 0.74 26	19 0.83 30	1 0.03 1	0	137 2.25 80	6 0.12 4	10 0.28 10	9.0 0.15 5	0.8	0	--	198	97	146
1N/12W- 9E 1 S	11- 1-65	73	8.3	303	24 1.20 40	10 0.82 27	22 0.96 32	1 0.03 1	0	124 2.03 67	10 0.21 7	14 0.39 13	25.0 0.40 13	1.2	0.01	--	196	101	168
1N/12W- 9R 1 S	11- 1-65	73	8.1	241	17 0.85 35	8 0.66 27	20 0.87 36	1 0.03 1	0	106 1.74 72	3 0.06 2	11 0.31 13	20.0 0.32 13	0.7	0.01	--	153	76	133
SANTA ANITA HYDRO SUBAREA					U05C3														
1N/11W-21C 2 S	11- 2-65	65	8.3	420	42 2.10 47	12 0.99 22	31 1.35 30	1 0.03 1	0	188 3.08 70	37 0.77 18	12 0.34 8	12.0 0.19 4	1.4	0.27	--	247	155	241
1N/11W-21G 2 S	70	7.3	612	71	21	22	--	245	48	24	34.0	0.6	0.21	28		264			

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER				MILLIEQUIVALENTS PER LITER				MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
SANTA ANITA HYDRO SUBAREA				U05C3													
1N/11W-21G 10- 8-65	5 S	70	7.6	524	47 2.35 46	5 0.41 8	53 2.30 45	2 0.05 1	--	198 3.25 64	36 0.75 15	20 0.56 11	32.0 0.52 10	0.8	0.36	19	138
1N/11W-21H 10- 8-65	2 S	70	7.3	578	64 3.19 54	22 1.81 31	18 0.78 13	3 0.08 1	--	261 4.28 71	40 0.83 14	19 0.54 9	24.0 0.39 6	0.5	0.15	26	250 345
1N/11W-21H 10- 8-65	3 S	70	7.9	629	28 1.40 22	4 0.33 5	104 4.52 72	1 0.03	--	196 3.21 52	107 2.23 36	25 0.71 11	5.0 0.08 1	1.3	0.30	16	87 388
SAN GABRIEL VALLEY HYDRO SUBUNIT U05D0 MAIN SAN GABRIEL HYDRO SUBAREA				U05D1													
1S/10W- 3K 6-22-66	3 S	79	7.9	674	82 4.09 60	20 1.64 24	23 1.00 15	3 0.08 1	--	268 4.39 65	42 0.87 13	21 0.59 9	56 0.90 13	0.7	0.10	29	409 409
1S/10W- 4G 2-16-66	1 S	68	7.6	519	70 3.49 62	14 1.15 21	19 0.83 15	5 0.13 2	0	251 4.11 75	30 0.62 11	18 0.51 9	14 0.23 4	0.2	0.14	--	330 294
		68	7.6	635	96 4.79 67	16 1.32 19	20 0.87 12	5 0.13 2	0	344 5.64 81	30 0.62 9	18 0.51 7	13 0.21 3	0.2	0.20	--	390 368
1S/10W- 4R 6-15-66	2 S	79	7.5	629	84 4.19 65	16 1.32 21	19 0.83 13	3 0.08 1	--	271 4.44 69	38 0.79 12	29 0.82 13	25 0.40 6	0.3	0.06	24	371 372
1S/10W- 8A 6-15-66	1 S	79	7.6	610	83 4.14 68	16 1.32 22	13 0.57 9	4 0.10 2	--	235 3.85 64	53 1.10 18	29 0.82 14	17 0.27 4	0.4	0.03	24	355 355
1S/10W-16B 6-22-66	1 S	79	7.7	688	88 4.39 62	21 1.73 24	21 0.91 13	3 0.08 1	--	253 4.15 59	51 1.06 15	21 0.59 8	76 1.23 17	0.2	0.20	26	433 432
1S/10W-17G 6-15-66	1 S	79	7.2	528	67 3.34 64	13 1.07 21	16 0.70 13	3 0.08 2	--	222 3.64 71	30 0.62 12	12 0.34 7	34 0.55 11	0.2	0.06	24	309 308
1S/10W-19C 6-15-66	2 S	79	7.5	476	62 3.09 63	11 0.90 18	18 0.78 16	4 0.10 2	--	246 4.03 83	20 0.42 9	10 0.28 6	9 0.15 3	0.2	0.03	23	281 278
1S/10W-34L 6-22-66	1 S	79	7.8	465	60 2.99 62	14 1.15 24	13 0.57 12	3 0.08 2	--	229 3.75 78	33 0.69 14	7 0.20 4	10 0.16 3	0.3	0.10	18	272 271
1S/11W- 2B 6- 6-66	1 S	77	7.4	625	83 4.14 61	23 1.89 28	16 0.70 10	2 0.05 1	--	331 5.43 81	29 0.60 9	15 0.42 6	17 0.27 4	0.3	0.13	27	415 375
		73	7.7	749	108 5.39 62	30 2.47 28	19 0.83 9	2 0.05 1	--	395 6.47 74	37 0.77 9	24 0.68 8	48 0.77 9	0.4	0.22	19	482 482
1S/11W- 2F 10- 8-65	1 S	70	7.6	429	51 2.54 59	15 1.23 29	11 0.48 11	2 0.05 1	--	192 3.15 74	21 0.44 10	12 0.34 8	21.0 0.34 8	0.6	0.21	25	189 253
		73	7.0	721	44 2.20 42	28 2.30 43	17 0.74 14	2 0.05 1	--	382 6.26 81	26 0.54 7	17 0.48 6	30 0.48 6	0.4	0.25	24	427 376
		77	7.7	433	53 2.64 60	14 1.15 26	13 0.57 13	2 0.05 1	--	209 3.43 78	23 0.48 11	10 0.28 6	14 0.23 5	0.4	0.03	23	255 255
1S/11W- 2F 5-23-66	2 S	73	7.1	948	127 6.34 61	38 3.13 30	19 0.83 8	3 0.08 1	--	473 7.75 75	39 0.81 8	25 0.71 7	63 1.02 10	0.3	0.13	23	570 570
		77	7.8	413	50 2.50 60	13 1.07 26	13 0.57 14	2 0.05 1	--	207 3.39 82	14 0.29 7	8 0.23 6	14 0.23 6	0.4	0.03	23	239 239
1S/11W- 2G 8-24-66	1 S	73	7.8	560	78 3.89 59	23 1.89 29	17 0.74 11	2 0.05 1	--	302 4.95 76	28 0.58 9	16 0.45 7	33 0.53 8	0.4	0.09	16	362 362
1S/11W- 2G 8-24-66	2 S	73	7.8	641	85 4.24 58	27 2.22 30	18 0.78 11	2 0.05 1	--	304 4.98 69	27 0.56 8	22 0.62 9	65 1.05 15	0.3	0.06	17	413 413

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
SAN GABRIEL VALLEY HYDRO SUBUNIT U0500																	
MAIN SAN GABRIEL HYDRO SUBAREA U05D1																	
1S/11W-2H 1 S	77	7.6	417	52	14	13	2	--	210	24	10	8	0.5	0.10	27	253	187
6-6-66				2.59	1.15	0.57	0.05		3.44	0.50	0.28	0.13				254	
				59	26	13	1		79	11	6	3					
	73	8.0	432	59	16	15	2	--	223	26	13	25	0.4	0.13	10	276	213
8-24-66				2.94	1.32	0.65	0.05		3.65	0.54	0.37	0.40				276	
				59	27	13	1		74	11	7	8					
1S/11W-4L 2 S	73	7.5	540	54	18	22	2	--	203	23	20	48	1.0	0.22	24	312	209
5-23-66				2.69	1.48	0.96	0.05		3.33	0.48	0.56	0.77				312	
				52	29	19	1		65	9	11	15					
1S/11W-8A 3 S	73	7.7	375	38	10	25	2	--	199	12	8	5	0.8	0.32	21	220	136
5-23-66				1.90	0.82	1.09	0.05		3.26	0.25	0.23	0.08				220	
				49	21	28	1		85	7	6	2					
1S/11W-11C 4 S	79	7.4	460	60	15	20	2	--	248	22	16	13	0.2	0.06	19	290	211
3-21-66				2.99	1.23	0.87	0.05		4.06	0.46	0.45	0.21				289	
				58	24	17	1		78	9	9	4					
	73	7.3	476	57	15	20	2	--	256	21	13	2	0.2	0.25	22	278	204
5-23-66				2.84	1.23	0.87	0.05		4.20	0.44	0.37	0.03				278	
				57	25	17	1		83	9	7	1					
1S/11W-26D14 S	62	8.1	784	92	18	41	4	0	170	162	58	4.5	0.4	0.04	--	466	304
1-25-66				4.59	1.48	1.78	0.10		2.79	3.37	1.64	0.07				463	
				58	19	22	1		75	43	21	1					
1S/12W-10A 1 S	75	8.0	417	39	13	26	2	--	162	31	20	18	0.5	0.10	21	250	151
6-9-66				1.95	1.07	1.13	0.05		2.66	0.65	0.56	0.29				250	
				46	25	27	1		64	16	13	7					
1S/12W-10E 1 S	75	7.6	626	54	17	38	2	--	196	44	38	34	0.4	0.10	22	347	205
6-9-66				2.69	1.40	1.65	0.05		3.21	0.92	1.07	0.55				346	
				46	24	28	1		56	16	19	10					
1S/12W-14D 1 S	75	7.7	503	43	13	37	2	--	183	36	29	20	0.5	0.10	24	295	161
6-9-66				2.15	1.07	1.61	0.05		3.00	0.75	0.82	0.32				295	
				44	22	33	1		61	15	17	7					
1S/12W-14G 1 S	77	7.6	538	49	14	36	2	--	192	27	39	26	0.5	0.10	21	310	180
6-9-66				2.45	1.15	1.57	0.05		3.15	0.56	1.10	0.42				309	
				47	22	30	1		60	11	21	8					
2S/11W-6A 1 S	85	8.2	314	41	9	12	2	0	160	23	6	0	--	--	--	253	140
3-4-66				2.05	0.74	0.52	0.05		2.62	0.48	0.17					172	
				61	22	15	1		80	15	5						
	83	8.5	318	42	9	11	2	0	155	24	6	0	--	--	--	248	142
3-4-66				2.10	0.74	0.48	0.05		2.54	0.50	0.17					170	
				62	22	14	1		79	16	5						
	81	8.3	317	41	9	11	2	0	156	23	10	0	--	--	--	251	140
3-4-66				2.05	0.74	0.48	0.05		2.56	0.48	0.28					173	
				62	22	14	2		77	14	8						
	78	8.3	316	40	9	11	2	0	156	22	5	0	--	--	--	244	137
3-4-66				2.00	0.74	0.48	0.05		2.56	0.46	0.14					166	
				61	23	15	2		81	15	4						
	73	8.5	315	41	9	11	2	0	157	23	14	0	--	--	--	256	140
3-4-66				2.05	0.74	0.48	0.05		2.57	0.48	0.39					177	
				62	22	14	2		75	14	11						
1N/10W-34N 1 S	68	7.6	479	71	12	13	4	0	207	30	18	26	0.3	0.14	--	340	227
2-15-66				3.54	0.99	0.57	0.10		3.39	0.62	0.51	0.42				276	
				68	19	11	2		69	13	10	9					
1N/10W-34N 2 S	68	7.8	444	56	12	15	5	0	161	36	24	24	0.3	0.16	--	290	189
2-15-66				2.79	0.99	0.65	0.13		2.64	0.75	0.68	0.39				252	
				61	22	14	3		59	17	15	9					
1N/11W-32Q 2 S	70	7.6	483	51	17	21	2	--	181	28	16	48.0	1.0	0.30	29		197
10-8-65				2.54	1.40	0.91	0.05		2.97	0.58	0.45	0.77				302	
				52	29	19	1		62	12	9	16					
1N/11W-34N 5 S	70	7.8	334	36	10	19	1	--	172	15	9	4.0	0.9	0.18	27		131
10-8-65				1.80	0.82	0.83	0.03		2.82	0.31	0.25	0.06				207	
				52	24	24	1		82	9	7	2					
SPADRA HYDRO SUBUNIT U05E0																	
LIVE OAK HYDRO SUBAREA U05E3																	
1S/8W-5A 1 S	68	8.1	755	79	22	39	2	0	146	102	32	117.0	0.8	0.32	--	473	288
10-22-65				3.94	1.81	1.70	0.05		2.39	2.12	0.90	1.89				466	
				53	24	23	1		33	29	12	26					

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10 ⁶	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
				CA	MG	NA	K	CO ₃	HCO ₃	SO ₄	CL	NO ₃	F	B	SIO ₂	TDS 105C COMP	HARD- NESS 180C CACO ₃
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
ANAHEIM HYDRO SUBUNIT				U05F0		U05F1											
ANAHEIM HYDRO SUBAREA																	
3S/ 9W-32H 3 S 3-28-66	--	7.9	1270	--	--	--	--	0	216 3.54	306 6.37	107 3.02	26 0.42	--	--	--	--	--
3S/ 9W-32P 3 S 10-27-65	--	7.6	1140	--	--	--	--	0	209 3.43	254 5.29	105 2.96	--	--	--	--	--	--
3S/ 9W-32P 4 S 4-11-66	--	7.6	1080	106 5.29 48	26 2.14 19	80 3.48 32	5 0.13 1	0	215 3.52 32	221 4.60 42	94 2.65 24	12 0.19 2	0.5	0.10	30	706 680	372
3S/ 9W-33H 1 S 3-28-66	--	7.6	861	72 3.59 42	13 1.07 17	90 3.91 45	3 0.08 1	0	240 3.93 46	110 2.29 27	85 2.40 28	0	0.5	0.14	23	532 515	233
3S/ 9W-33K 1 S 10- 5-65	66	7.6	1090	--	--	--	--	0	198 3.25	247 5.14	92 2.59	--	--	--	--	--	--
4-18-66	--	7.5	1100	--	--	--	--	0	188 3.08	251 5.23	95 2.68	9 0.15	--	--	--	--	--
3S/ 9W-34G 1 S 3-15-66	--	7.8	1090	--	--	--	--	0	182 2.98	254 5.29	95 2.68	--	--	--	--	--	--
3S/ 9W-34H 1 S 3-15-66	--	7.6	884	87 4.34 48	18 1.48 16	72 3.13 35	4 0.10 1	0	248 4.06 46	140 2.91 33	66 1.80 21	1 0.02	0.5	0.14	27	535 538	291
3S/ 9W-34M 1 S 3-28-66	--	7.4	1240	124 6.19 49	26 2.14 17	99 4.30 34	5 0.13 1	0	216 3.54 27	305 6.35 48	105 2.96 22	21 0.34 3	0.6	0.09	33	826 825	417
3S/10W-36H 1 S 10- 8-65	--	7.8	687	--	--	--	--	0	233 3.82	77 1.60	52 1.47	--	--	--	--	--	--
4-11-66	--	7.7	716	84 4.19 59	15 1.23 17	37 1.61 23	3 0.08 1	0	235 3.85 54	78 1.62 23	53 1.49 21	7 0.11 2	0.5	0.04	35	454 428	271
4S/ 9W- 4M 2 S 10- 8-65	--	7.6	1270	--	--	--	--	0	221 3.62	276 5.75	121 3.41	--	--	--	--	--	--
3-31-66	66	7.6	1120	96 4.79 42	26 2.14 19	100 4.35 38	5 0.13 1	0	249 4.08 36	184 3.83 34	116 3.27 29	14 0.23 2	0.3	0.09	26	748 690	347
4S/ 9W- 6G 2 S 3-28-66	--	7.6	1130	108 5.39 47	21 1.73 15	98 4.26 37	6 0.15 1	0	177 2.90 25	280 5.83 50	102 2.88 25	7 0.11 1	0.5	0.09	32	777 742	356
4S/10W- 1B 1 S 10- 8-65	--	7.6	1080	--	--	--	--	0	136 2.23	--	93 2.62	--	--	--	--	--	--
4S/10W- 1F 1 S 10-27-65	--	7.6	1126	--	--	--	--	0	176 2.88	267 5.56	98 2.76	--	--	--	--	--	--
4S/10W-14H 2 S 3-28-66	--	7.8	997	120 5.99 59	22 1.81 18	52 2.26 22	4 0.10 1	0	217 3.56 35	198 4.12 40	79 2.23 22	24 0.39 4	0.5	0.03	32	633 638	390
LA HABRA HYDRO SUBAREA				U05F2													
3S/10W- 2N 2 S 11- 2-65	--	7.4	1450	109 5.44	42 3.45	--	--	0	295 4.84	--	141 3.98	81 1.31	--	--	--	--	445
4- 6-66	--	7.5	1410	113 5.64 37	41 3.37 22	141 6.13 40	4 0.10 1	0	296 4.85 32	237 4.93 33	134 3.78 25	99 1.60 11	0.7	0.13	62	995 977	451
3S/10W- 3P 1 S 12- 6-65	--	7.4	1270	91 4.54	38 3.13	--	--	0	283 4.64	--	148 4.17	42 0.68	--	--	--	--	384
3- 0-66	--	7.4	1290	95 4.74 36	38 3.13 24	118 5.13 39	3 0.08 1	0	289 4.74 36	188 3.91 29	143 4.03 30	38 0.61 5	0.6	0.10	73	893 839	394

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
ANAHEIM HYDRO SUBUNIT LA HABRA HYDRO SUBAREA				U05F0				U05F2									
3S/10W- 4D 1 S 10-19-65	--	7.5	1520	116 5.79 34	49 4.03 24	158 6.87 41	5 0.13 1	0	331 5.43 33	381 7.93 48	114 3.21 19	0	0.8	0.30	32	1053	491
4- 6-66	--	7.3	1540	--	--	--	--	0	342 5.61	--	116 3.27	1 0.02	--	--	--	1019	
3S/10W- 7H 3 S 10-19-65	--	7.2	1590	--	--	--	--	0	278 4.56	--	287 8.09	78 1.26	--	--	--		
4- 6-66	--	7.2	1820	203 10.13 55	38 3.13 17	119 5.17 28	1 0.03	0	288 4.72 26	141 2.94 16	324 9.14 50	101 1.63 9	0.5	0.14	94	1218	664
3S/10W- 7H 4 S 11- 4-65	--	7.3	1380	137 6.84	40 3.29	--	--	0	338 5.54	--	190 5.36	86 1.39	--	--	--		507
3S/10W- 9H 1 S 6-14-66	--	7.8	960	--	--	--	--	0	333 5.46	--	30 0.85	--	--	--	--		
3S/10W- 9H 2 S 11-10-65	--	7.5	959	81 4.04	22 1.81	--	--	0	348 5.70	--	40 1.13	60 0.97	--	--	--		293
3S/10W- 9M 2 S 11- 1-65	--	7.6	1280	119 5.94	46 3.78	--	--	0	275 4.51	--	165 4.65	64 1.03	--	--	--		486
3S/10W- 9R 1 S 11- 2-65	--	7.3	1566	173 8.63	43 3.54	--	--	0	360 5.90	--	178 5.02	159 2.56	--	--	--		609
3S/10W-10C 1 S 11- 4-65	--	7.4	1590	117 5.84	53 4.36	--	--	0	329 5.39	--	142 4.00	20 0.32	--	--	--		510
3S/10W-10K 1 S 11-10-65	--	7.7	1590	120 5.99	47 3.87	--	--	0	331 5.43	--	137 3.86	15 0.24	--	--	--		493
3S/10W-10M 1 S 10-19-65	--	7.7	941	--	--	--	--	0	251 4.11	--	107 3.02	42 0.68	--	--	--		
3S/10W-10M 1 S 4- 6-66	--	7.9	933	86 4.29 45	34 2.80 29	56 2.43 25	3 0.08 1	0	255 4.18 44	84 1.75 19	107 3.02 32	28 0.45 5	0.3	0.08	53	576	355
3S/10W-10M 2 S 4- 6-66	--	7.7	892	84 4.19 47	26 2.14 24	58 2.52 28	2 0.05 1	0	220 3.61 41	65 1.35 15	84 2.37 27	97 1.56 18	0.6	0.04	58	587	317
3S/10W-10N 3 S 11- 3-65	--	7.3	2260	249 12.43	158 12.99	--	--	0	254 4.16	--	508 14.33	91 1.47	--	--	--		1272
3S/10W-10N 4 S 11- 2-65	--	7.3	1640	175 8.73	51 4.19	--	--	0	314 5.15	--	214 6.03	128 2.06	--	--	--		647
3S/10W-11P 1 S 11- 4-65	--	7.6	1640	100 4.99	47 3.87	--	--	0	318 5.21	--	163 4.60	79 1.27	--	--	--		443
3S/10W-11M 2 S 10-19-65	--	7.5	1720	129 6.44 35	55 4.52 25	170 7.39 40	3 0.08	0	382 6.26 34	216 4.50 24	186 5.25 28	151 2.44 13	0.5	0.19	31	1128	548
4- 6-66	--	7.6	1750	--	--	--	--	0	378 6.20	--	189 5.33	153 2.47	--	--	--		
3S/10W-12M 1 S 11-10-65	--	7.4	1220	120 5.99	40 3.29	--	--	0	300 4.92	--	176 4.96	34 0.55	--	--	--		464
3S/10W-15B 1 S 10-19-65	--	7.4	1530	--	--	--	--	0	309 5.06	--	159 4.48	60 0.97	--	--	--		
3S/10W-15D 2 S 11- 4-65	--	7.4	1340	125 6.24	44 3.62	--	--	0	324 5.31	--	138 3.89	58 0.94	--	--	--		493

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10 ⁶	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				
				CA	MG	NA	K	CO ₃	HCO ₃	SO ₄	CL	NO ₃	F	B	SiO ₂	TDS 180C 105C COMP
LA SAN GABRIEL RIVER HYDRO UNIT U0500																
YORBA LINDA HYDRO SUBAREA U05F3																
3S/ 9W-2P 1 S 10-27-65	--	8.1	6560	--	--	--	--	24 0.80	2830 46.38	--	915 25.80	0.0	--	--	--	--
3-15-66	--	7.9	6780	--	--	--	--	119 3.97	2850 46.71	--	915 25.80	0	--	--	--	--
3S/ 9W-16X 1 S 11-18-65	--	8.1	1040	32 1.60	.43 3.54	140 6.09	5 0.13	12 0.40	358 5.87	143 2.98	65 1.83	--	--	0.31	--	659 257
3S/ 9W-19B 2 S 10- 8-65	--	8.0	1050	64 3.19 30	41 3.37 32	93 4.04 38	3 0.08 1	5 0.17 2	291 4.77 44	117 2.44 22	112 3.16 29	19.0 0.31 3	0.1	0.21	16	684 328 613
3-15-66	--	8.2	1080	--	--	--	--	8 0.27	251 4.11	--	118 3.33	41 0.66	--	--	--	--
3S/ 9W-21D 1 S 10- 8-65	--	7.6	1030	--	--	--	--	0	403 6.61	--	65 1.83	0.0	--	--	--	--
3-15-66	--	7.6	1050	--	--	--	--	0	401 6.57	--	66 1.86	0	--	--	--	--
3S/ 9W-21D 2 S 10- 8-65	--	7.7	1070	--	--	--	--	0	431 7.06	--	59 1.66	0.0	--	--	--	--
3-15-66	--	7.8	1070	--	--	--	--	0	438 7.18	--	57 1.61	0	--	--	--	--
3S/ 9W-21M 2 S	--	7.9	950	--	--	--	--	12	355	--	71	0.0	--	--	--	--
3S/ 9W-21M 2 S 3-15-66	--	8.1	959	--	--	--	--	12 0.40	379 6.21	--	69 1.95	0	--	--	--	--
3S/ 9W-28L 2 S 10- 8-65	--	7.2	1300	--	--	--	--	0	318 5.21	--	268 7.56	0.0	--	--	--	--
3-15-66	--	7.3	1320	--	--	--	--	0	328 5.38	--	259 7.30	0	--	--	--	--
LONG HYDRO SUBUNIT W03A0																
2S/28E-25H 1 M 6-21-66	52	7.3	268	19 0.95 34	10 0.82 29	20 0.87 31	7 0.18 6	--	164 2.69 93	0	7 0.20 7	0.0	0.3	0.07	--	180 89 144
2S/28E-29D 1 M 6-13-66	55	7.7	186	10 0.50 26	4 0.33 17	22 0.96 50	5 0.13 7	0	95 1.56 86	4 0.08 4	6 0.17 9	0.3	0.5	0.31	--	150 42 99
2S/29E-31P 1 M 6-13-66	--	7.0	206	11 0.55 27	3 0.25 12	25 1.09 54	5 0.13 6	0	95 1.56 80	14 0.29 15	3 0.08 4	1.3 0.02 1	0.6	0.08	--	165 40 110
3S/27E-31C 1 M 6-22-66	39	5.9	79	3 0.15 20	2 0.16 21	8 0.35 46	4 0.10 13	--	46 0.75 00	0	0	0.0	0.1	0	--	55 16 40
3S/28E-25AS1 M 5-12-66	190	8.2	1542	3 0.15 1	1 0.08 1	325 14.13 95	22 0.56 4	0	481 7.88 52	84 1.75 12	190 5.36 36	1.2 0.02	8.6	9.20	--	1040 12 881
3S/28E-32E 1 M 6-14-66	--	4.4	49	0	0	0	0	0	0	11 0.23 88	1 0.03 12	0.3	0.1	0	--	8

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	IDS 180C 105C COAP	HARD- NESS CACO 3
LA SAN GABRIEL RIVER HYDRO UNIT U0500																	
YORBA LINDA HYDRO SUBAREA				U05F3													
3S/28E-32E 2 M 6-14-66	185	7.4	217	38 1.90 88	1 0.08 4	2 0.09 4	3 0.08 4	0	98 1.61 74	20 0.42 19	5 0.14 6	0.8 0.01	0.5	0.36	--	145 119	99
3S/28E-33P 1 M 5-13-66	--	7.5	409	13 0.65 16	9 0.74 15	58 2.52 62	7 0.18 4	0	173 2.84 69	17 0.33 8	33 0.93 23	0.0	0.4	1.46	--	310 224	70
3S/28E-33PS1 M 5-13-66	58	7.5	313	18 0.90 29	7 0.58 19	33 1.43 47	6 0.15 5	0	105 1.72 57	21 0.44 14	31 0.87 29	0.5 0.01	0.3	1.46	--	200 170	74
3S/28E-35KS1 M 6-14-66	54	7.3	173	12 0.60 33	5 0.41 23	16 0.70 39	4 0.10 6	--	91 1.49 85	8 0.17 10	3 0.08 5	0.6 0.01 1	0.3	0.08	--	120 94	51
3S/28E-35NS1 M 6-14-66	--	7.2	214	10 0.50 22	7 0.58 26	24 1.04 46	5 0.13 6	--	115 1.88 81	8 0.17 7	9 0.25 11	0.7 0.01	0.3	0.34	--	170 121	54
3S/28E-35NS2 M 6-14-66	60	7.2	201	9 0.45 21	7 0.58 27	22 0.96 45	5 0.13 6	--	108 1.77 86	7 0.15 7	5 0.14 7	0.7 0.01	0.3	0.17	--	150 109	52
3S/29E-21LS1 M 6-11-66	128	7.3	1779	28 1.40 7	0	380 16.52 88	37 0.95 5	0	791 12.96 69	60 1.25 7	160 4.51 24	0.3	4.9	31.00	--	1270 1090	70
3S/29E-21NS1 M 6-22-66	132	7.0	1754	26 1.30 7	0	380 16.52 88	35 0.89 5	0	781 12.80 69	60 1.25 7	158 4.46 24	0.0	4.8	31.00	--	1245 1079	65
3S/29E-31AS1 M 5-13-66	142	8.2	1487	16 0.80 5	1 0.08 1	315 13.70 91	21 0.54 4	0	498 8.16 55	78 1.62 11	180 5.08 34	0.0	6.0	8.00	--	960 870	44
4S/28E- 9FS1 M 6-19-66	53	7.6	118	16 0.80 76	0	5 0.22 21	1 0.03 3	0	46 0.75 71	13 0.27 26	1 0.03 3	0.0	0.2	0	--	65 59	40
4S/28E-14R 1 M 6-24-66	49	7.6	206	38 1.90 88	1 0.08 4	3 0.13 6	2 0.05 2	--	106 1.74 82	13 0.27 13	2 0.06 3	2.2 0.04 2	0.1	0	--	140 113	99
4S/29E- 6R 1 M 5-12-66	--	8.2	191	30 1.50 79	2 0.16 8	5 0.22 12	1 0.03 2	0	98 1.61 84	12 0.25 13	2 0.06 3	0.0	0.2	0	--	130 100	83
4S/29E-36LS1 M 6-16-66	50	7.8	86	10 0.50 57	1 0.08 9	6 0.26 30	1 0.03 3	0	46 0.75 88	3 0.06 7	1 0.03 4	0.5 0.01 1	0.2	0	--	55 45	29
4S/30E-29R 1 M 6-22-66	--	7.0	65	6 0.30 45	1 0.08 12	6 0.26 39	1 0.03 4	--	38 0.62 90	0	2 0.06 9	0.5 0.01 1	0.1	0.01	--	44 35	19
KELSO LANDIS HYDRO SUBUNIT				W25B0													
6N/ 3W- 9D 1 S 5-25-66	--	8.4	778	4 0.20 3	2 0.16 2	169 7.35 94	3 0.08 1	0	91 1.49 22	207 4.31 63	38 1.07 16	0.2	14.3	1.08	--	520 483	18
ANTELOPE HYDRO SUBUNIT				W26A0													
WILLOW SPRINGS HYDRO SUBAREA				W26A3													
10N/15W- 6KS1 S 5- 4-66	60	7.9	302	34 1.70 54	9 0.74 24	15 0.65 21	1 0.03 1	--	154 2.52 79	9 0.19 6	9 0.25 8	13 0.21 7	0.1	0	--	185 166	122
10N/16W- 3Q 1 S 10-29-65	57	7.7	225	24 1.20 52	9 0.74 32	8 0.35 15	1 0.03 1	0	104 1.70 74	5 0.10 4	4 0.11 5	25.0 0.40 17	0.2	0.02	--	120 127	97
NEENACH HYDRO SUBAREA				W26A4													
8N/17W-18KS1 S 3- 7-66	54	7.2	262	16 0.80 33	4 0.33 14	29 1.26 52	1 0.03 1	0	59 0.97 41	12 0.25 11	21 0.59 25	35 0.56 24	0.8	0.07	--	195 148	57
8N/17W-18K 1 S 10-30-65	69	7.1	229	16 0.80 37	3 0.25 12	25 1.09 51	0	0	77 1.26 59	11 0.23 11	11 0.31 15	20.0 0.32 15	1.1	0.04	--	190 125	53
8N/17W-19HS1 S 3- 7-66	64	8.5	962	66 3.29 30	23 1.89 17	130 5.65 52	2 0.05	14 0.47 4	425 6.97 66	79 1.64 16	51 1.44 14	3.7 0.06 1	2.4	2.14	--	640 582	259

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	6 ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
				ANTELOPE HYDRO UNIT				W2600									
ANTELOPE HYDRO SUBUNIT NEENACH HYDRO SUBAREA				W26A0		W26A4											
8N/18W-4KS1 S 4-15-66	--	8.2	269	22 1.10 41	8 0.66 24	20 0.87 32	3 0.08 3	--	128 2.10 77	6 0.12 4	9 0.25 9	17 0.27 10	0.5	0	--	108	88
8N/18W-10DS1 S 4-21-66	62	8.2	965	84 4.19 39	36 2.96 27	81 3.52 33	4 0.10 1	8 0.27 3	420 6.88 65	109 2.27 21	41 1.16 11	4 0.06 1	1.6	0.14	--	608	358
8N/18W-13QS1 S 3-7-66	62	8.2	584	37 1.85 32	15 1.23 21	61 2.65 46	2 0.05 1	0	176 2.88 51	18 0.37 7	82 2.31 41	4.3 0.07 1	1.1	0.08	--	350	154
8N/18W-24NS1 S 5-4-66	62	8.5	527	35 1.75 31	13 1.07 19	61 2.65 47	6 0.15 3	11 0.37 7	226 3.70 66	23 0.48 9	20 0.56 10	31 0.50 9	0.3	0.04	--	315	141
9N/17W-8RS1 S 6-4-66	61	7.7	534	61 3.04 50	33 2.71 45	6 0.26 4	2 0.05 1	--	336 5.51 92	11 0.23 4	7 0.20 3	4.2 0.07 1	0.2	0	--	290	288
9N/17W-10ES1 S 5-29-66	63	7.7	393	59 2.94 72	11 0.90 22	5 0.22 5	0	--	201 3.29 81	18 0.37 9	10 0.28 7	8 0.13 3	0.1	0	--	179	192
9N/17W-11ES2 S 4-27-66	66	7.9	503	58 2.89 55	15 1.23 23	26 1.13 21	1 0.03 1	--	244 4.00 76	31 0.65 12	20 0.56 11	1 0.02	0.6	0	--	279	206
9N/17W-19MS1 S 7-12-66	68	7.8	391	69 3.44 86	4 0.33 8	5 0.22 6	0	--	199 3.26 79	11 0.23 6	13 0.37 9	17 0.27 7	0.2	0.01	--	232	189
9N/17W-19M 1 S 10-29-65	68	8.1	280	41 2.05 73	6 0.49 18	5 0.22 8	1 0.03 1	0	129 2.11 75	12 0.25 9	7 0.20 7	16.0 0.26 9	0.3	0.02	--	145	127
9N/17W-20RS1 S 7-12-66	67	7.6	359	26 1.30 37	4 0.33 9	42 1.83 52	1 0.03 1	--	109 1.79 53	18 0.37 11	24 0.68 20	34 0.55 16	1.0	0.10	--	231	82
9N/17W-20R 1 S 10-29-65	72	7.9	347	23 1.15 34	6 0.49 15	39 1.70 50	1 0.03 1	0	115 1.88 55	18 0.37 11	20 0.56 16	38.0 0.61 18	0.8	0.12	--	200	82
9N/17W-21H 1 S 10-29-65	69	7.7	180	10 0.50 30	3 0.25 15	21 0.91 54	1 0.03 2	0	54 0.89 53	15 0.31 19	11 0.31 19	10.0 0.16 10	1.5	0.02	--	120	38
9N/17W-22C 1 S 5-29-66	80	7.7	487	67 3.34 65	14 1.15 22	13 0.57 11	3 0.08 2	--	240 3.93 76	37 0.77 15	15 0.42 8	1 0.02	0.4	0.04	--	275	225
9N/17W-29P 1 S 10-29-65	73	7.9	507	65 3.24 61	5 0.41 8	38 1.65 31	0	0	235 3.85 73	23 0.48 9	18 0.51 10	26.0 0.42 8	1.1	0.08	--	290	183
9N/18W-11AS1 S 6-5-66	65	7.8	1109	126 6.29 50	41 3.37 27	65 2.83 22	4 0.10 1	--	343 5.62 46	270 5.62 46	37 1.04 8	0.0	2.1	0.23	--	760	483
9N/18W-23BS1 S 6-4-66	58	7.9	469	54 2.69 53	27 2.22 44	3 0.13 3	0	--	281 4.61 89	7 0.15 3	10 0.28 5	8 0.13 3	0	0	--	230	246
9N/18W-23B 1 S 10-29-65	58	7.7	461	57 2.84 55	26 2.14 42	3 0.13 3	1 0.03 1	0	289 4.74 92	7 0.15 3	5 0.14 3	6.0 0.10 2	0.1	0.02	--	220	249
9N/18W-25FS1 S 5-23-66	64	7.5	327	46 2.30 70	9 0.74 22	5 0.22 7	1 0.03 1	--	152 2.49 75	8 0.17 5	7 0.20 6	28.2 0.45 14	0.3	0.01	--	192	152
9N/18W-28P 1 S 10-29-65	60	7.6	572	81 4.04 64	24 1.97 31	6 0.26 4	1 0.03	0	319 5.23 83	38 0.79 12	8 0.23 4	5.0 0.08 1	0.1	0.01	--	342	301
9N/18W-35AS1 S 5-28-66	59	7.7	484	86 4.29 83	9 0.74 14	4 0.17 3	0	--	281 4.61 87	10 0.21 4	10 0.28 5	13 0.21 4	0.3	0	--	279	252
9N/18W-36BS1 S 5-28-66	71	7.7	358	47 2.35 65	12 0.99 27	6 0.26 7	1 0.03 1	--	170 2.79 77	12 0.25 7	10 0.28 8	20 0.32 9	0.3	0.09	--	155	167
9N/18W-36RS1 S 4-14-66	57	8.3	450	48 2.40 51	6 0.49 10	39 1.70 36	3 0.08 2	9 0.30 7	173 2.84 64	20 0.42 9	20 0.56 13	20 0.32 7	3.5	0.02	--	265	145

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER						
				CA	MG	NA	K	CO	HCO	SO	CL	NO	F	B	SIO	IDS 180C 105C CACO COMP	HARD- NESS CACO	
DATE SAMPLED																		
				MOJAVE HYDRO UNIT				W2800										
9N/18W-36R 1 S	66	8.0	379	61	10	4	1	0	200	10	5	22.0	0.3	0	--	240	193	
10-29-65				3.04	0.82	0.17	0.03		3.28	0.21	0.14	0.35					212	
				75	20	4	1		82	5	4	9						
10N/16W-1JS1 S	63	8.3	398	46	14	20	1	8	212	4	14	11	0	0	--	240	173	
5-4-66				2.30	1.15	0.87	0.03	0.27	3.47	0.08	0.39	0.18					222	
				53	26	20	1	6	79	2	9	4						
10N/16W-3QS1 S	59	8.2	224	23	9	8	0	--	98	6	8	22	0	0.04	--	134	95	
5-4-66				1.15	0.74	0.35			1.61	0.12	0.23	0.35					124	
				51	33	16			70	5	10	15						
10N/16W-23RS1 S	65	7.5	936	77	26	97	3	--	416	114	30	0.8	4.7	0.54	--	576	299	
6-5-66				3.84	2.14	4.22	0.08		6.82	2.37	0.85	0.01					558	
				37	21	41	1		68	24	0							
10N/16W-27PS1 S	62	7.7	1008	154	29	46	0	--	352	218	22	1	1.7	0	--	739	503	
5-3-66				7.68	2.38	2.00			5.77	5.79	0.62	0.02					705	
				64	20	17			47	47	5							
10N/16W-27P 1 S	57	8.2	525	79	16	16	4	0	332	15	8	1.0	0.6	0.02	--	270	263	
10-29-65				3.94	1.32	0.70	0.10		5.44	0.31	0.23	0.02					303	
				65	22	12	2		91	5	4							
10N/16W-32RS1 S	92	8.0	555	63	12	37	3	--	243	56	25	2	0.8	0	--	310	207	
5-3-66				3.14	0.97	1.61	0.08		3.98	1.17	0.71	0.03					318	
				54	17	28	1		68	20	12	1						
11N/16W-34QS1 S	53	8.4	408	45	21	14	2	8	221	16	14	0.0	0.2	0.16	--	236	199	
5-4-66				2.25	1.73	0.61	0.05	0.27	3.62	0.33	0.39						229	
				48	37	13	1	6	79	7	8							
FL MIRAGE HYDRO SUBUNIT				W28A0														
3N/ 7W- 9M 1 S	--	7.4	609	87	27	9	4	0	330	67	5	0.5	0.4	0.04	--	385	328	
11-9-65				4.34	2.22	0.39	0.10		5.41	1.39	0.14	0.01					362	
				62	31	6	1		78	20	2							
	--	8.5	518	77	22	8	5	22	260	44	4	0.5	0.4	0.03	--	326	283	
5-5-66				3.84	1.81	0.35	0.13	0.73	4.26	0.92	0.11	0.01					311	
				63	30	6	2	12	71	15	2							
6N/ 7W-11R 1 S	--	8.5	507	0	3	101	1	5	85	147	5	0.2	1.1	0.12	--	340	13	
11-9-65					0.25	4.39	0.03	0.17	1.39	3.06	0.14						305	
					5	94	1	4	29	64	3							
	--	8.1	516	0	3	110	1	0	103	147	6	0.9	1.2	0.15	--	325	13	
5-5-66					0.25	4.78	0.03		1.69	3.06	0.17	0.01					320	
					5	94	1		34	62	3							
6N/ 7W-19E 1 S	--	7.8	544	47	11	50	5	0	90	186	6	1.0	0.6	0.01	--	391	163	
11-9-65				2.35	0.90	2.17	0.13		1.48	3.87	0.17	0.02					351	
				42	16	39	2		27	70	3							
7N/ 7W-32G 1 S	--	7.2	21450	1810	632	2500	24	0	123	1262	7750	36	1.1	0.29	--	15660	7121	
6-29-66				90.37	51.98	108.70	0.61		2.02	26.27	218.55	0.58					14076	
				36	21	43			1	11	88							
UPPER MOJAVE HYDRO SUBUNIT				W28B0														
2N/ 2W-30K 1 S	--	7.4	88	6	5	5	1	0	51	0	2	0	0.1	0.03	--	42	36	
1-25-66				0.30	0.41	0.22	0.03		0.84		0.06						44	
				31	43	23	3		93		7							
2N/ 2W-30K 1 S	--	7.0	80	5	4	5	1	0	46	1	2	0.7	0.1	0.02	--	64	29	
7-22-66				0.25	0.33	0.22	0.03		0.75	0.02	0.06	0.01					41	
				30	40	27	4		89	2	7	1						
2N/ 2W-30KS1 S	--	7.4	884	6	5	5	1	0	51	0	2	0	0.1	0.03	--	42	36	
1-25-66				0.30	0.41	0.22	0.03		0.84		0.06						44	
				31	43	23	3		93		7							
2N/ 2W-32R 2 S	--	8.0	283	31	11	13	3	0	175	1	7	0	0.2	0.02	--	144	123	
1-25-66				1.55	0.90	0.57	0.08		2.87	0.02	0.20						152	
				50	29	18	3		93	1	6							
2N/ 3W- 7H 1 S	52	8.2	240	24	7	13	2	5	110	3	9	0.0	0.1	0	--	120	89	
11-4-65				1.20	0.58	0.57	0.05	0.17	1.80	0.06	0.25						117	
				50	24	24	2	7	79	3	11							
	51	7.3	185	17	6	9	3	--	84	7	13	0.0	0.1	0	--	100	67	
4-29-66				0.85	0.49	0.39	0.08		1.38	0.15	0.37						96	
				47	27	22	4		73	8	19							
2N/ 3W-19L 1 S	--	6.5	951	7	4	8	1	0	48	1	7	0.2	0.2	0.03	--	83	34	
7-21-66				0.35	0.33	0.35	0.03		0.79	0.02	0.20						52	
				33	31	33	3		78	2	20							
2N/ 3W-19L 2 S	--	6.6	146	14	3	10	1	0	86	3	13	0	0.2	0.02	--	96	48	
7-21-66				0.70	0.25	0.43	0.03		1.41	0.06	0.37						86	
				50	18	30	2		77	3	20							

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10 ⁶	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO ₃	HCO ₃	SO ₄	CL	NO ₃	F	B	SIO ₂	TDS 180C 105C COMP	HARD- NESS CACO ₃ 3
UPPER MOJAVE HYDRO SUBUNIT				MOJAVE HYDRO UNIT				W2800									
2N/ 3W-19P 1 S 1-26-66	--	6.8	127	9 0.45 38	4 0.33 28	9 0.39 33	1 0.03 3	0	49 0.80 66	2 0.04 3	13 0.37 31	0	0.1	0.01	--	83	39
2N/ 3W-22D 1 S 1-25-66	--	7.7	134	13 0.65 46	4 0.33 23	9 0.39 27	2 0.05 4	0	65 1.07 78	3 0.06 4	9 0.25 18	0.3	0.1	0.05	--	56	49
7-22-66	--	7.2	134	12 0.60 41	5 0.41 28	9 0.39 27	2 0.05 3	0	64 1.05 81	2 0.04 3	7 0.20 15	0.8 0.01 1	0.1	0.02	--	71	51
2N/ 3W-26D 2 S 7-22-66	--	6.7	286	30 1.50 50	12 0.99 33	10 0.43 14	3 0.08 3	0	103 1.69 59	19 0.40 14	15 0.42 15	21 0.34 12	0.1	0	--	186	125
2N/ 3W-26E 1 S 7-22-66	--	6.8	240	22 1.10 45	11 0.90 37	9 0.39 16	2 0.05 2	0	96 1.57 65	14 0.29 12	12 0.34 14	14 0.23 9	0.2	0.03	--	169	100
2N/ 3W-26D 2 S 1-25-66	--	7.0	162	16 0.80 50	5 0.41 25	8 0.35 22	2 0.05 3	0	77 1.26 78	5 0.10 6	6 0.17 10	5.7 0.09 6	0.1	0.01	--	95	61
2N/ 3W-26E 1 S 1-25-66	--	7.1	158	16 0.80 47	6 0.49 29	8 0.35 21	2 0.05 3	0	74 1.21 76	6 0.12 8	6 0.17 11	6.0 0.10 6	0.1	0	--	95	65
2N/ 3W-27D 1 S 1-25-66	--	7.2	239	25 1.25 49	8 0.66 26	13 0.57 23	2 0.05 2	0	118 1.93 78	6 0.12 5	11 0.31 13	6.4 0.10 4	0.1	0.03	--	140	96
7-22-66	--	7.1	239	24 1.20 49	8 0.66 27	12 0.52 21	2 0.05 2	0	118 1.93 78	7 0.15 6	11 0.31 13	4.1 0.07 3	0.1	0.04	--	153	93
2N/ 4W- 6R 1 S 7-21-66	--	6.3	135	13 0.65 48	2 0.16 12	12 0.52 38	1 0.03 2	0	62 1.02 76	4 0.08 6	9 0.25 19	0	0.1	0	--	106	41
2N/ 4W- 8NS2 S 4-26-66	50	6.9	169	12 0.60 38	5 0.41 26	11 0.48 31	3 0.08 5	0	59 0.97 59	8 0.17 10	6 0.17 10	21.0 0.34 21	0.1	0	--	130	51
2N/ 4W- 8PS2 S 4-26-66	49	6.8	219	20 1.00 50	4 0.33 16	14 0.61 30	3 0.08 4	0	51 0.84 41	16 0.33 16	20 0.56 27	19.0 0.31 15	0.2	0	--	175	67
2N/ 4W-16G 1 S 5- 4-66	51	6.6	122	9 0.45 37	3 0.25 20	11 0.48 39	2 0.05 4	--	54 0.89 71	7 0.15 12	7 0.20 16	0.8 0.01 1	0.1	0	--	74	35
9-28-66	55	7.8	144	9 0.45 32	5 0.41 29	11 0.48 35	2 0.05 4	--	59 0.97 68	7 0.15 10	11 0.31 22	0	0.1	0.01	--	107	43
2N/ 4W-16KS1 S 11- 1-65	54	8.0	245	22 1.10 47	6 0.49 21	16 0.70 30	2 0.05 2	0	84 1.38 58	16 0.33 14	24 0.68 28	0.7 0.01	0.1	0.05	--	136	80
2N/ 4W-19A 1 S 1-26-66	--	6.7	95	5 0.25 26	4 0.33 34	8 0.35 36	1 0.03 3	0	34 0.56 66	2 0.04 5	5 0.14 16	6.7 0.11 13	0.2	0.01	--	83	29
7-21-66	--	6.7	122	7 0.35 29	6 0.49 40	8 0.35 29	1 0.03 2	0	46 0.75 61	5 0.10 8	9 0.25 20	7.8 0.13 11	0.1	0	--	82	42
2N/ 4W-20J 1 S 1-21-66	44	7.5	109	10 0.50 38	3 0.25 19	8 0.35 27	8 0.20 15	--	51 0.84 74	2 0.04 4	9 0.25 22	0.5 0.01 1	0.1	0	--	71	38
5- 6-66	51	6.6	102	9 0.45 42	3 0.25 23	8 0.35 32	1 0.03 3	--	54 0.89 86	0	5 0.14 13	0.6 0.01 1	0.1	0	--	55	35
2N/ 4W-20L 1 S 12-28-65	49	7.5	271	37 1.85 68	6 0.49 18	8 0.35 13	1 0.03 1	--	148 2.43 87	5 0.10 4	9 0.25 9	0.5 0.01	0.1	0	--	145	117
2N/ 4W-21N 3 S 4-26-66	53	7.5	280	31 1.55 53	9 0.74 25	12 0.52 18	4 0.10 3	0	146 2.39 83	12 0.25 9	8 0.23 8	1.4 0.02 1	0.2	0	--	180	115
2N/ 4W-21NS1 S 9-28-66	52	7.8	233	21 1.05 43	11 0.90 37	10 0.43 18	2 0.05 2	--	113 1.95 79	11 0.23 10	9 0.25 11	0.0	0.1	0.02	--	133	98

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL	CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
UPPER MOJAVE HYDRO SUBUNIT				MOJAVE HYDRO UNIT				W2800									
				W28B0													
2N/ 4W-21Q 2 S 5- 6-66	52	7.0	121	11 0.55 45	3 0.25 20	9 0.39 32	1 0.03 2	--	59 0.97 78	3 0.06 5	7 0.20 16	1.0 0.02 2	0.1	0	--	74	40
2N/ 4W-21R 1 S 5- 6-66	48	6.5	93	7 0.35 39	2 0.16 18	8 0.35 39	1 0.03 3	--	34 0.56 63	5 0.10 11	8 0.23 26	0.0	0.1	0	--	59	26
2N/ 4W-22E 3 S 5- 2-66	53	7.1	166	13 0.65 42	5 0.41 27	10 0.43 28	2 0.05 3	0	54 0.89 56	11 0.23 15	10 0.28 18	11.0 0.18 11	0.1	0	--	100	53
2N/ 4W-22F 5 S 5- 2-66	52	7.9	194	18 0.90 47	7 0.58 30	9 0.39 20	2 0.05 3	--	71 1.16 62	11 0.23 12	10 0.28 15	13.0 0.21 11	0.2	0	--	112	74
2N/ 4W-22E16 S 5- 2-66	52	7.3	153	13 0.65 45	4 0.33 23	10 0.43 29	2 0.05 3	--	51 0.84 58	12 0.25 17	9 0.25 17	6.5 0.10 7	0.2	0	--	82	49
2N/ 4W-23FS1 S 5- 5-66	50	7.5	240	31 1.55 60	7 0.58 23	9 0.39 15	2 0.05 2	--	145 2.38 91	6 0.12 5	4 0.11 4	0.8 0.01	0.2	0	--	126	107
2N/ 4W-27C 1 S 5- 2-66	50	7.8	167	17 0.85 50	5 0.41 24	9 0.39 23	2 0.05 3	--	84 1.38 80	7 0.15 9	6 0.17 10	1.0 0.02 1	0.2	0	--	98	63
2N/ 5W-15H 1 S 1-21-66	49	7.3	167	12 0.60 39	6 0.49 32	9 0.39 25	2 0.05 3	0	51 0.84 54	12 0.25 16	10 0.28 18	11.0 0.18 12	0	0	--	85	55
3N/ 4W-33QS1 S 4-28-66	62	7.8	279	21 1.05 35	12 0.99 33	20 0.87 29	2 0.05 2	--	154 2.52 85	7 0.15 5	9 0.25 8	2.3 0.04 1	0.4	0	--	150	102
4N/ 3W- 1M 1 S 10- 1-65	--	7.8	1500	104 5.19 35	30 2.47 17	163 7.09 48	5 0.13 1	0	129 2.11 14	215 4.48 30	290 8.18 55	3.5 0.06	0.7	0.65	--	1043	383
4- 6-66	--	7.8	1457	101 5.04 36	26 2.14 15	150 6.52 47	5 0.13 1	0	113 1.85 13	202 4.21 30	273 7.70 56	3.5 0.06	0.9	0.69	--	926	359
4N/ 3W- 6D 2 S 10- 1-65	--	7.2	361	42 2.10 58	9 0.74 20	17 0.74 20	2 0.05 1	0	137 2.25 61	12 0.25 7	11 0.31 8	54 0.87 24	0.3	0.02	--	285	142
4- 6-66	--	7.1	450	45 2.25 52	14 1.15 27	20 0.87 20	2 0.05 1	0	149 2.44 56	16 0.33 8	14 0.39 9	73 1.18 27	0.5	0.04	--	322	170
4N/ 3W- 9N 2 S 5-24-66	--	7.5	154	9 0.45 29	8 0.66 42	10 0.43 27	1 0.03 2	0	79 1.29 81	4 0.08 5	6 0.17 11	3.7 0.06 4	0.3	0.01	--	115	56
11-15-65	--	7.6	144	11 0.55 35	7 0.58 36	10 0.43 27	1 0.03 2	0	74 1.21 84	4 0.08 6	4 0.11 8	2.5 0.04 3	0.4	0.01	--	119	57
4N/ 3W-20L 1 S 11-15-65	--	7.6	301	37 1.85 58	8 0.66 21	15 0.65 20	2 0.05 2	0	147 2.41 77	15 0.31 10	8 0.23 7	12.0 0.19 6	0.4	0.02	--	206	126
5-24-66	--	7.6	2774	29 1.45 50	10 0.82 28	13 0.57 20	2 0.05 2	0	140 2.29 78	13 0.27 9	7 0.20 7	11 0.18 6	0.3	0.05	--	184	114
4N/ 7W-24D 1 S 11- 9-65	--	7.9	739	101 5.04 58	37 3.04 35	11 0.48 6	5 0.13 1	0	332 5.44 63	140 2.91 34	6 0.17 2	4.2 0.07 1	0.4	0.01	--	511	404
5- 5-66	--	8.1	761	108 5.39 61	35 2.88 32	11 0.48 5	6 0.15 2	2 0.07 1	348 5.70 64	138 2.87 32	6 0.17 2	4.3 0.07 1	0.5	0.02	--	526	414
5N/ 3W-24N 1 S 11-16-65	--	7.7	1412	80 3.99 29	30 2.47 18	162 7.04 52	5 0.13 1	0	116 1.90 14	176 3.66 27	281 7.92 59	0.3	1.6	0.50	--	1020	323
5N/ 3W-25F 1 S 11-16-65	--	7.8	1267	56 2.79 24	19 1.56 13	169 7.35 62	4 0.10 1	0	34 0.56 5	183 3.81 33	256 7.22 62	0.2	1.0	0.36	--	734	218
5N/ 3W-27E 1 S 11-15-65	--	7.7	693	46 2.30 33	15 1.23 18	78 3.39 48	4 0.10 1	0	126 2.07 30	178 3.71 53	40 1.13 16	5.2 0.08 1	1.4	0.63	--	524	177

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE								MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
UPPER MOJAVE HYDRO SUBUNIT				MOJAVE HYDRO UNIT								W2800					
W28B0																	
5N/ 3W-35N 1 S 4- 6-66	--	7.7	837	60 2.99 37	14 1.15 14	88 3.83 48	3 0.08 1	0	123 2.02 25	162 3.37 41	95 2.68 33	4.3 0.07 1	1.4	0.90	--	538	207
5N/ 4W- 8Q 0 S 11-15-65	--	8.4	186	6 0.30 15	3 0.25 12	34 1.48 72	1 0.03 1	2 0.07 3	101 1.66 82	3 0.06 3	7 0.20 10	2.3 0.04 2	0.3	0.01	--	149	28
5N/ 4W- 8Q 1 S 5- 9-66	--	8.1	197	5 0.25 12	5 0.41 20	32 1.39 66	2 0.05 2	0	106 1.74 83	0	11 0.31 15	2.5 0.04 2	0.3	0.01	--	123	33
5N/ 4W- 9G 2 S 5- 9-66	--	8.0	187	5 0.25 13	1 0.08 4	37 1.61 82	1 0.03 2	0	108 1.77 88	2 0.04 2	6 0.17 8	2.3 0.04 2	0.3	0.01	--	118	17
5N/ 4W- 9J 1 S 11-15-65	--	8.7	191	4 0.20 10	2 0.16 8	36 1.57 80	1 0.03 2	7 0.23 10	98 1.61 73	9 0.19 9	6 0.17 8	1.1 0.02 1	0.3	0.03	--	129	18
5- 9-66	--	8.1	192	7 0.35 17	1 0.08 4	37 1.61 78	1 0.03 1	0	101 1.66 79	9 0.19 9	8 0.23 11	1.5 0.02 1	0.3	0.02	--	120	22
5N/ 4W- 9P 1 S 11-15-65	--	7.2	189	5 0.25 12	6 0.49 24	30 1.30 63	1 0.03 1	0	106 1.74 85	6 0.12 6	6 0.17 8	1.3 0.02 1	0.3	0.05	--	182	37
5- 9-66	--	8.1	190	6 0.30 15	6 0.49 24	28 1.22 60	1 0.03 1	0	106 1.74 87	3 0.06 3	6 0.17 9	1.0 0.02 1	0.2	0.02	--	122	40
5N/ 4W-10N 2 S 11-15-65	--	8.8	204	5 0.25 11	3 0.25 11	40 1.74 77	1 0.03 1	12 0.40 18	95 1.56 69	7 0.15 7	5 0.14 6	1.3 0.02 1	0.6	0.04	--	159	25
5- 9-66	--	8.0	202	7 0.35 16	2 0.16 7	38 1.65 75	1 0.03 1	0	108 1.77 86	5 0.10 5	6 0.17 8	1.4 0.02 1	0.4	0.02	--	132	26
5N/ 4W-11P 2 S 11-16-65	--	8.3	216	12 0.60 27	5 0.41 18	28 1.22 54	1 0.03 1	2 0.07 3	85 1.39 63	19 0.40 18	11 0.31 14	1.0 0.02 1	0.5	0.11	--	112	51
5-24-66	--	8.2	296	4 0.20 8	5 0.41 16	46 2.00 76	1 0.03 1	0	69 1.13 41	29 0.60 22	36 1.02 37	0.1 0.02 1	0.5	0.21	--	186	31
5N/ 4W-14A 1 S 11-16-65	--	8.3	171	6 0.30 16	5 0.41 22	25 1.09 60	1 0.03 2	2 0.07 4	85 1.39 80	8 0.17 10	4 0.11 6	0.0	0.6	0.08	--	118	36
5N/ 4W-16M 1 S 11-15-65	--	8.2	188	5 0.25 12	6 0.49 24	30 1.30 63	1 0.03 1	5 0.17 8	98 1.61 79	5 0.10 5	5 0.14 7	1.2 0.02 1	0.3	0.05	--	168	37
5N/ 4W-19J 0 S 11-15-65	--	9.0	204	0 0.16 8	2 0.16 8	42 1.83 91	1 0.03 1	13 0.43 21	70 1.15 57	3 0.06 3	9 0.25 12	8.4 0.14 7	0.5	0.02	--	178	8
5N/ 4W-19J 1 S 5- 9-66	--	8.3	201	0 0.16 8	2 0.16 8	43 1.87 91	1 0.03 1	0	101 1.66 80	1 0.02 1	9 0.25 12	8.8 0.14 7	0.4	0.02	--	135	8
5N/ 4W-20B 1 S 11-15-65	--	8.3	194	5 0.25 12	5 0.41 19	34 1.48 68	1 0.03 1	5 0.17	101 1.66	3 0.06	6 0.17	1.8 0.03	0.4	0.01	--	167	33
5- 9-66	--	8.1	198	6 0.30 14	4 0.33 15	34 1.48 69	1 0.03 1	0	110 1.80 89	1 0.02 1	6 0.17 8	2.3 0.04 2	0.3	0.01	--	120	32
5N/ 4W-20H 1 S 11-15-65	--	8.1	202	15 0.75 34	6 0.49 22	21 0.91 41	2 0.05 2	0	110 1.80 87	3 0.06 3	6 0.17 8	3.0 0.05 2	0.3	0.02	--	143	62
5- 9-66	--	8.0	203	13 0.65 30	8 0.66 31	18 0.78 36	2 0.05 2	0	118 1.93 89	0	7 0.20 9	2.0 0.03 1	0.2	0.01	--	116	66
5N/ 4W-24A 1 S 11-16-65	--	8.3	171	6 0.30 16	5 0.41 22	25 1.09 60	1 0.03 2	2 0.07 4	85 1.39 80	8 0.17 10	4 0.11 6	0	0.6	0.08	--	118	36
5-24-66	--	8.2	176	5 0.25 14	5 0.41 23	26 1.13 62	1 0.03 2	0	88 1.44 80	7 0.15 8	7 0.20 11	1.1 0.02 1	0.5	0.09	--	136	33
																96	

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE							MILLIGRAMS PER LITER					
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
UPPER MOJAVE HYDRO SUBUNIT				W2880	MOJAVE HYDRO UNIT							W2800					
5N/ 4W-24X 1 S 11-15-65	--	8.7	212	5 0.25 11	1 0.08 4	42 1.83 84	1 0.03 1	10 0.33 16	77 1.26 61	3 0.06 3	10 0.28 13	9.5 0.15 7	0.5	0.02	--	172	17
5- 9-66	--	8.2	237	6 0.30 12	5 0.41 17	39 1.70 69	2 0.05 2	0 1.80 78	110 1.80 78	5 0.10 4	12 0.34 15	4.0 0.06 3	0.4	0.01	--	148	36
5N/ 5W-22E 2 S 11- 9-65	--	8.1	431	29 1.45 34	6 0.49 12	51 2.22 52	3 0.08 2	0 1.18 28	72 1.18 28	142 2.96 70	2 0.06 1	1.7 0.03 1	0.4	0.01	--	287	97
5- 5-66	--	7.9	435	26 1.30 31	7 0.58 14	51 2.22 53	3 0.08 2	0 1.10 26	67 1.10 26	141 2.94 71	4 0.11 3	1.4 0.02	0.4	0.02	--	306	94
6N/ 3W- 9D 1 S 11-16-65	--	8.4	775	5 0.25 3	2 0.16 2	156 6.78 94	2 0.05 1	13 0.43 7	57 0.93 14	208 4.33 66	32 0.90 14	0.5 0.01	15.8	--	--	473	21
6N/ 3W- 9E 1 S 11-16-65	--	8.3	1773	35 1.75 10	9 0.74 4	344 14.96 85	4 0.10 1	10 0.33 2	232 3.80 22	398 8.29 49	141 3.98 23	42.0 0.68 4	12.4	1.90	--	1164	125
6N/ 3W-28R 1 S 11-15-65	--	7.9	838	64 3.19 39	23 1.89 23	72 3.13 38	2 0.05 1	0 1.90 23	116 1.90 23	159 3.31 40	83 2.34 28	46.0 0.74 9	0.8	0.02	--	631	254
5-24-66	--	8.1	840	75 3.74 45	16 1.32 16	74 3.22 39	2 0.05 1	0 1.88 22	115 1.88 22	157 3.27 39	86 2.43 29	49 0.79 9	0.7	0.22	--	596	253
6N/ 3W-32R 1 S 11-16-65	--	7.1	903	86 4.29 48	17 1.40 16	74 3.22 36	3 0.08 1	0 2.15 24	131 2.15 24	135 2.81 31	117 3.30 37	43.0 0.69 8	0.9	0.19	--	573	285
5-25-66	--	7.8	907	86 4.29 49	15 1.23 14	74 3.22 37	3 0.08 1	0 2.21 25	135 2.21 25	132 2.75 31	114 3.21 36	43 0.69 8	0.7	0.18	--	594	276
11-16-65	--	7.1	903	86 4.29 48	17 1.40 16	74 3.22 36	3 0.08 1	0 2.15 24	131 2.15 24	135 2.81 31	117 3.30 37	43.0 0.69 8	0.9	0.19	--	573	285
5-25-66	--	7.8	907	86 4.29 49	15 1.23 14	74 3.22 37	3 0.08 1	0 2.21 25	135 2.21 25	132 2.75 31	114 3.21 36	43 0.69 8	0.7	0.18	--	594	276
6N/ 4W- 6D 1 S 11-16-65	--	7.4	1004	101 5.04 48	22 1.81 17	83 3.61 34	3 0.08 1	0 4.23 41	258 4.23 41	175 3.64 35	88 2.48 24	0 0.7	0.13	--	631	343	
5-25-66	--	7.5	1060	119 5.94 52	20 1.64 14	85 3.70 33	3 0.08 1	0 4.54 40	277 4.54 40	198 4.12 36	98 2.76 24	0.3 0.6	0.15	--	691	379	
6N/ 4W-29N 2 S 11-15-65	--	7.6	471	43 2.15 43	12 0.99 20	42 1.83 36	2 0.05 1	0 3.43 69	209 3.43 69	34 0.71 14	30 0.85 17	0 0.5	0.10	--	326	157	
6N/ 5W- 1H 1 S 10-19-65	--	6.7	1330	122 6.09 42	27 2.22 15	139 6.04 42	4 0.10 1	0 4.70 33	287 4.70 33	309 6.43 45	110 3.10 22	0 0.7	0.22	--	902	416	
6N/ 5W- 2E99 S 11- 9-65	--	7.8	476	45 2.25 45	7 0.58 12	48 2.09 42	2 0.05 1	0 3.21 64	196 3.21 64	47 0.98 19	30 0.85 17	0.9 0.01	0.5	0.09	--	142	
5- 5-66	--	8.0	473	40 2.00 41	8 0.66 14	49 2.13 44	2 0.05 1	0 3.02 61	184 3.02 61	49 1.02 21	31 0.87 18	1.6 0.03 1	0.5	0.10	--	298	133
6N/ 5W- 8F 1 S 11- 9-65	--	8.3	460	6 0.30 7	4 0.33 7	89 3.87 85	1 0.03 1	0 2.07 45	126 2.07 45	112 2.33 51	6 0.17 4	0.3 0.6	0.09	--	307	32	
5- 5-66	--	8.3	456	6 0.30 7	3 0.25 6	90 3.91 87	1 0.03 1	14 0.47 11	98 1.61 36	110 2.29 51	3 0.08 2	1.4 0.02	0.6	0.10	--	304	28
6N/ 5W-29J 2 S 11- 9-65	--	7.9	485	45 2.25 44	8 0.66 13	50 2.17 42	2 0.05 1	0 3.33 64	203 3.33 64	47 0.98 19	30 0.85 16	0.8 0.01	0.5	0.10	--	297	146
11- 9-65	--	7.9	485	45 2.25 44	8 0.66 13	50 2.17 42	2 0.05 1	0 3.33 76	203 3.33 76	47 0.98 22	3 0.08 2	0.8 0.01	0.5	0.10	--	297	146

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10 ⁶	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				TDS 180C 105C COMP	HARD- NESS CACO ₃
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2		
MOJAVE HYDRO UNIT																	
W2800																	
6N/ 5W-29J 2 S 5-5-66	--	8.1	477	44 2.20 43	8 0.66 13	51 2.22 43	2 0.05 1	0	196 3.21 64	48 1.00 20	29 0.82 16	0.3	0.5	0.10	--	289	14
7N/ 4W-7C 1 S 6-16-66	--	7.2	1384	138 6.89 44	29 2.38 15	146 6.35 40	4 0.10 1	0	231 3.79 24	421 8.77 55	117 3.30 21	1.8 0.03	0.8	0.24	--	1028	46
7N/ 4W-31N 1 S 11-16-65	--	7.8	737	83 4.14 54	13 1.07 14	55 2.39 31	2 0.05 1	0	268 4.39 58	79 1.64 22	56 1.58 21	0	0.7	0.13	--	453	26
5-25-66	--	7.9	691	77 3.84 52	15 1.23 17	52 2.26 31	2 0.05 1	0	260 4.26 58	80 1.67 23	50 1.41 19	0.2	0.5	0.14	--	437	25
MIDDLE MOJAVE HYDRO SUBUNIT																	
W28C0																	
8N/ 4W-12P 1 S 11-29-65	--	7.2	1461	163 8.13 51	35 2.88 18	111 4.83 30	4 0.10 1	0	469 7.69 49	156 3.25 21	139 3.92 25	54 0.87 6	0.6	0.17	--	1025	55
6-16-66	--	7.6	1607	149 7.44 45	24 1.97 12	165 7.17 43	3 0.08	0	532 8.72 53	178 3.71 23	135 3.81 23	9.4 0.15 1	0.7	0.27	--	971	47
8N/ 4W-15E 1 S 3-31-66	--	8.0	604	55 2.74 43	12 0.99 16	58 2.52 40	2 0.05 1	0	194 3.18 52	84 1.75 28	37 1.04 17	12 0.19 3	0.6	0.15	--	363	18
8N/ 4W-15E 3 S 4-1-66	--	8.1	614	54 2.69 42	13 1.07 17	60 2.61 41	2 0.05 1	0	199 3.26 51	88 1.83 29	40 1.13 18	12 0.19 3	0.7	0.16	--	384	18
8N/ 4W-20A 1 S 11-29-65	--	7.8	1598	85 4.24 27	13 1.07 7	241 10.48 66	3 0.08 1	0	234 3.84 24	250 5.21 33	232 6.54 41	12 0.19 1	1.0	0.59	--	1028	26
6-16-66	--	8.0	1909	107 5.34 26	20 1.64 8	318 13.83 66	3 0.08	0	258 4.23 20	310 6.45 31	365 10.29 49	10.5 0.17 1	0.8	0.66	--	1216	34
8N/ 4W-21C 1 S 11-29-65	--	7.4	1506	164 8.18 49	32 2.63 16	133 5.78 35	3 0.08	0	124 2.03 12	549 11.43 70	101 2.85 17	1.2 0.02	0.9	0.25	--	1170	54
6-16-66	--	7.6	1200	129 6.44 50	24 1.97 15	103 4.48 35	3 0.08 1	0	179 2.93 22	395 8.22 62	73 2.06 16	0	0.8	0.19	--	874	42
8N/ 4W-31R 1 S 11-29-65	--	7.3	1260	89 4.44 33	13 1.07 8	178 7.74 58	3 0.08 1	0	368 6.03 45	239 4.98 37	82 2.31 17	3.1 0.05	2.1	0.57	--	828	27
6-16-66	--	7.5	1800	159 7.93 39	28 2.30 11	234 10.17 50	4 0.10	0	488 8.00 40	397 8.27 42	124 3.50 18	7.6 0.12 1	0.6	0.38	--	1263	51
9N/ 2W-1C 1 S 5-4-66	--	7.9	749	76 3.79 49	11 0.90 12	69 3.00 39	3 0.08 1	--	204 3.34 47	136 2.83 39	34 0.96 13	2.2 0.04 1	0.5	--	--	505	23
9N/ 2W-1F 2 S 11-29-65	--	7.8	742	51 2.54 34	13 1.07 14	90 3.91 52	2 0.05 1	0	206 3.38 45	116 2.42 32	56 1.58 21	9.5 0.15 2	0.9	0.41	--	479	18
6-16-66	--	7.9	764	61 3.04 39	12 0.99 13	83 3.61 47	3 0.08 1	0	196 3.21 41	126 2.62 34	60 1.69 22	14 0.23 3	0.8	0.37	--	514	20
9N/ 2W-6B 1 S 11-29-65	--	7.6	336	26 1.30 38	8 0.66 19	33 1.43 42	2 0.05 1	0	139 2.28 67	28 0.58 17	18 0.51 15	3.4 0.05 1	0.7	0.08	--	227	9
6-17-66	--	7.9	342	26 1.30 36	9 0.74 21	34 1.48 41	3 0.08 2	0	135 2.21 60	28 0.58 16	29 0.82 22	3.6 0.06 2	0.6	0.07	--	229	10
9N/ 2W-17E 1 S 11-29-65	--	7.8	746	27 1.35 18	10 0.82 11	123 5.35 70	3 0.08 1	0	209 3.43 47	117 2.44 33	51 1.44 20	3.8 0.06 1	3.7	1.00	--	486	10
6-16-66	--	7.9	758	22 1.10 14	13 1.07 14	127 5.52 71	3 0.08 1	0	204 3.34 45	123 2.56 34	52 1.47 20	3.8 0.06 1	4.3	0.87	--	519	10

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
MIDDLE MOJAVE HYDRO SUBUNIT					MOJAVE HYDRO UNIT				W2800								
9N/ 3W-3A 2 S 11-30-65	--	8.0	605	51 2.54 41	9 0.74 12	66 2.87 46	2 0.05 1	0 3.46 55	211 1.27 20	61 1.49 24	53 2.1 0.03	2.1 0.8	0.12	--	338	164	
6-17-66	--	7.7	591	45 2.25 37	11 0.90 15	66 2.87 47	2 0.05 1	0 3.43 56	209 1.25 20	50 1.41 23	2.1 0.03	0.7	0.15	--	374	158	
9N/ 3W-24J 1 S 11-29-65	--	7.8	597	31 1.55 25	9 0.74 12	86 3.74 61	3 0.08 1	0 3.46 57	72 1.50 25	39 1.10 18	1.0 0.02	1.4	0.29	--	408	115	
6-16-66	--	7.9	593	29 1.45 24	10 0.82 14	85 3.70 61	3 0.08 1	0 3.38 56	74 1.54 25	40 1.13 19	0.5 0.01	1.4	0.29	--	380	114	
9N/ 3W-26H 1 S 11-29-65	--	7.9	692	13 0.65 9	8 0.66 10	127 5.52 80	3 0.08 1	0 2.87 43	175 2.56 38	123 1.18 18	42 0.10 1	6.2 1.8	0.77	--	446	66	
6-16-66	--	8.1	677	13 0.65 10	8 0.66 10	125 5.44 80	3 0.08 1	0 2.80 42	171 2.58 38	124 1.24 18	44 0.11 2	6.9 1.9	0.68	--	450	66	
9N/ 3W-28A 1 S 11-29-65	--	7.2	1478	142 7.09 47	27 2.22 15	133 5.78 38	4 0.10 1	0 4.15 28	253 5.52 37	265 5.25 35	186 0.15 1	9.0 0.7	0.29	--	1035	466	
6-17-66	--	7.7	1151	107 5.34 45	20 1.64 14	113 4.91 41	4 0.10 1	0 3.29 28	201 4.85 41	233 3.55 30	126 0.18 2	10.9 0.7	0.32	--	764	349	
9N/ 3W-28L 1 S 9-29-66	--	7.8	1033	62 3.09 29	13 1.07 10	148 6.44 60	6 0.15 1	0 3.62 34	221 5.02 47	241 1.92 18	68 0.13 1	7.9 1.7	0.75	--	664	208	
10N/ 2W-30Q 1 S 11-30-65	--	8.0	424	33 1.65 38	9 0.74 17	44 1.91 44	2 0.05 1	0 3.00 68	183 0.69 16	33 0.68 15	24 0.02	1.4 0.6	0.09	--	228	120	
6-16-66	--	8.1	384	34 1.70 42	6 0.49 12	41 1.78 44	2 0.05 1	0 2.74 70	167 0.54 14	26 0.65 16	23 0.01	0.8 0.6	0.09	--	245	110	
10N/ 3W-15Q 3 S 6-29-66	--	8.1	754	49 2.45 34	12 0.99 14	87 3.78 52	2 0.05 1	0 2.61 36	159 1.75 24	84 2.82 39	100 0.12 2	7.7 0.6	0.20	--	477	172	
10N/ 3W-26F 3 S 9-29-66	--	7.2	3361	433 21.61 54	81 6.66 17	274 11.91 30	5 0.13	0 6.28 16	732 15.24 39	610 17.20 44	30 0.48 1	0.5 1.18	--	2684	1415		
10N/ 3W-26F 5 S 9-29-66	--	7.5	3519	516 25.75 59	90 7.40 17	233 10.13 23	7 0.18	0 5.79 14	818 17.03 40	670 18.89 45	25 0.40 1	0.3 1.38	--	3090	1659		
10N/ 3W-27Q 1 S 11-30-65	--	7.9	845	61 3.04 36	14 1.15 14	95 4.13 49	2 0.05 1	0 2.95 35	180 3.00 35	144 2.48 29	88 0.05 1	3.3 0.7	0.33	--	475	210	
MIDDLE MOJAVE HYDRO SUBUNIT					W28C0												
10N/ 3W-27D 1 S 6-17-66	--	7.8	802	61 3.04 38	11 0.90 11	91 3.96 50	3 0.08 1	0 2.88 36	176 2.81 35	135 2.34 29	83 0.05 1	3.1 0.7	0.36	--	535	197	
10N/ 3W-35E 1 S 11-30-65	--	8.0	401	23 1.15 29	7 0.58 15	50 2.17 55	2 0.05 1	0 2.25 57	137 0.56 14	27 1.13 29	40 0.2	0.8 0.19	--	252	87		
6-17-66	--	7.9	394	19 0.95 23	11 0.90 22	50 2.17 53	2 0.05 1	0 2.21 57	135 0.50 13	24 1.16 30	41 0	0.7 0.18	--	293	93		
10N/ 3W-36J 2 S 11-29-65	--	7.8	636	61 3.04 47	14 1.15 18	50 2.17 34	2 0.05 1	0 2.70 42	165 1.96 31	94 1.66 26	59 0.08 1	4.8 0.7	0.13	--	435	210	
6-16-66	--	7.6	524	51 2.54 49	9 0.74 14	43 1.87 36	3 0.08 2	0 2.61 50	159 1.33 25	64 1.24 24	44 0.04 1	2.3 2.2	0.08	--	324	164	
HARPER HYDRO SUBUNIT					W28D0												
HARPER HYDRO SUBAREA					W28D2												
9N/ 4W-15E 2 S 3-31-66	--	8.1	604	55 2.74 44	12 0.99 16	57 2.48 40	2 0.05 1	0 3.18 51	194 1.75 28	84 1.07 17	38 0.19 3	12 0.6	0.15	--	359	187	

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CA	CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
					MG	NA	K	CO ₃	HCO ₃	SO ₄	CL	NO ₃	F	B	SiO ₂	TDS 105C COMP	HARD- NESS CACO ₃	
MOJAVE HYDRO UNIT																		
LOWER MOJAVE HYDRO SUBUNIT				W28E0					W2800									
9N/ 1E- 1L 1 S 12- 1-65	--	7.6	499	41 2.05 40	9 0.74 14	53 2.30 45	2 0.05 1	0	206 3.38 66	38 0.79 15	32 0.90 17	4.7 0.08 2	0.6	0.19	--	307	140	
6-22-66	--	7.7	493	41 2.05 41	9 0.74 15	50 2.17 44	0	0	204 3.34 65	36 0.75 15	33 0.93 18	7.7 0.12 2	0.5	0.26	--	326	140	
LOWER MOJAVE HYDRO SUBUNIT				W28E0					W2800									
9N/ 1E- 1L 4 S 12- 1-65	--	7.6	499	41 2.05 39	9 0.74 14	54 2.35 45	2 0.05 1	0	206 3.38 66	38 0.79 15	30 0.85 17	4.8 0.08 2	0.6	0.16	--	306	140	
6-22-66	--	8.3	514	48 2.40 46	7 0.58 11	52 2.26 43	1 0.03 1	0	206 3.38 66	29 0.60 12	39 1.10 21	5.0 0.08 2	0.5	0.16	--	344	149	
9N/ 1E-13E 1 S 6-22-66	--	8.1	714	57 2.84 38	11 0.90 12	83 3.61 49	2 0.05 1	0	223 3.65 49	95 1.98 27	62 1.75 23	5.5 0.09 1	0.6	0.44	--	464	187	
9N/ 1E-13E 2 S 6-22-66	--	8.2	919	90 4.49 43	16 1.32 13	106 4.61 44	3 0.08 1	0	324 5.31 51	125 2.60 25	80 2.26 22	18 0.29 3	0.6	0.64	--	654	291	
9N/ 1E-15N 2 S 12- 1-65	--	7.3	1159	94 4.69 38	20 1.64 13	135 5.87 48	3 0.08 1	0	361 5.92 49	157 3.27 27	102 2.88 24	8.1 0.13 1	0.6	0.66	--	671	317	
6-17-66	--	7.5	1138	92 4.59 38	16 1.32 11	140 6.09 50	4 0.10 1	0	368 6.03 50	152 3.16 26	101 2.85 23	5.8 0.09 1	0.5	0.65	--	736	296	
9N/ 2E- 8N 2 S 12- 1-65	--	7.9	348	26 1.30 36	7 0.58 16	39 1.70 47	2 0.05 1	0	160 2.62 74	24 0.50 14	14 0.39 11	2.8 0.05 1	0.7	0.09	--	195	94	
6-22-66	--	8.0	346	26 1.30 36	7 0.58 16	39 1.70 47	1 0.03 1	0	152 2.49 72	20 0.42 12	18 0.51 15	2.2 0.04 1	0.6	0.11	--	235	94	
9N/ 2E-18E 1 S 12- 1-65	--	7.7	726	70 3.49 47	11 0.90 12	68 2.96 40	3 0.08 1	0	247 4.05 54	87 1.81 24	52 1.47 19	13.0 0.21 3	0.6	0.17	--	400	220	
6-22-66	--	7.8	614	57 2.84 45	10 0.82 13	59 2.57 41	2 0.05 1	0	204 3.34 53	72 1.50 24	45 1.27 20	9.8 0.16 3	0.6	0.15	--	401	183	
9N/ 2E-36C 1 S 11- 2-65	--	8.0	487	31 1.55 31	7 0.58 12	62 2.70 55	4 0.10 2	0	152 2.49 51	61 1.27 26	39 1.10 22	1.9 0.03 1	0.7	0.53	--	331	107	
10N/ 2E-31R 1 S 12- 1-65	--	7.8	655	28 1.40 21	9 0.74 11	99 4.30 66	3 0.08 1	0	167 2.74 42	102 2.12 33	56 1.58 24	2.0 0.03	0.8	1.11	--	413	107	
10N/ 2E-31R 1 S 6-22-66	--	8.2	637	28 1.40 22	9 0.74 12	94 4.09 65	2 0.05 1	0	164 2.69 43	92 1.92 31	57 1.61 26	1.6 0.03	0.7	0.96	--	433	107	
10N/ 4E- 5M 1 S 2-14-66	--	8.7	1071	0 0.08 1	1 0.08 1	250 10.87 99	1 0.03	20 0.67 7	400 6.56 64	93 1.94 19	39 1.10 11	1.9 0.03	17.5	1.83	--	652	4	
10N/ 4E-19J 2 S 2-14-66	--	7.9	399	7 0.35 9	5 0.41 11	69 3.00 78	3 0.08 2	0	86 1.41 38	47 0.98 27	44 1.24 34	2.4 0.04 1	0.8	0.29	--	224	38	
9N/ 1W-10D 2 S 12- 1-65	--	7.4	778	70 3.49 42	16 1.32 16	78 3.39 41	3 0.08 1	0	265 4.34 53	117 2.44 30	51 1.44 17	1.0 0.02	0.5	0.19	--	495	241	
6-22-66	--	7.8	638	61 3.04 45	11 0.90 13	62 2.70 40	2 0.05 1	0	223 3.65 55	86 1.79 27	41 1.16 18	1.0 0.02	0.4	0.17	--	422	197	
9N/ 1W-10G 1 S 12- 1-65	--	7.4	929	74 3.69 38	15 1.23 13	106 4.61 48	3 0.08 1	0	286 4.69 48	159 3.31 34	60 1.69 17	2.2 0.04	0.6	0.27	--	574	246	
6-22-66	--	7.7	1652	117 5.84 32	21 1.73 10	238 10.35 57	4 0.10 1	0	461 7.56 42	320 6.66 37	122 3.44 19	14 0.23 1	0.7	0.53	--	1113	379	
																1064		

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
				CA	MG	NA	K	CO ₃	HCO ₃	SO ₄	CL	NO ₃	F	B	SiO ₂	TDS 180C 105C COMP	HARD- NESS CACO ₃
MOJAVE HYDRO UNIT																	
W2800																	
9N/ 1W-13H 1 S 6-17-66	--	8.3	891	67 3.34 36	12 0.99 11	110 4.78 52	3 0.08 1	0	231 3.79 41	123 2.56 28	96 2.71 30	5.6 0.09 1	0.7	0.42	--	561	217
10N/ 1W-32J 1 S 12- 1-65	--	7.9	592	54 2.69 44	9 0.74 12	60 2.61 43	3 0.08 1	0	219 3.59 58	75 1.56 25	35 0.99 16	1.9 0.03	0.6	0.14	--	346	172
6-22-66	--	7.9	742	69 3.44 44	12 0.99 13	75 3.26 42	3 0.08 1	0	236 3.87 50	121 2.52 33	45 1.27 17	1.7 0.03	0.5	0.17	--	492	222
LUCERNE HYDRO UNIT																	
X0100																	
4N/ 1E- 1R 2 S 10- 6-65	--	8.2	1167	24 1.20 11	6 0.49 4	212 9.22 84	5 0.13 1	0	131 2.15 20	252 5.25 49	118 3.33 31	2.4 0.04	4.9	0.81	--	709	85
4-11-66	--	8.2	1136	19 0.95 9	7 0.58 5	208 9.04 84	5 0.13 1	--	125 2.05 19	250 5.21 49	118 3.33 31	0.3	4.5	0.73	--	675	77
4N/ 1E- 6H 1 S 10- 1-65	--	7.8	565	53 2.64 43	22 1.81 29	38 1.65 27	2 0.05 1	0	209 3.43 54	111 2.31 36	21 0.59 9	2.3 0.04 1	0.4	0.05	--	372	223
4- 7-66	--	7.9	637	61 3.04 45	22 1.81 27	42 1.83 27	2 0.05 1	0	204 3.34 49	127 2.64 39	27 0.76 11	2.8 0.05 1	0.4	0.13	--	403	243
4N/ 1E- 6Q 1 S 10- 1-65	--	7.7	861	80 3.99 44	37 3.04 34	45 1.96 22	2 0.05 1	0	188 3.08 34	146 3.04 33	102 2.88 32	7.3 0.12 1	0.7	0.08	--	643	352
4- 7-66	--	7.6	1228	117 5.84 46	52 4.28 34	56 2.43 19	3 0.08 1	0	152 2.49 20	226 4.71 38	173 4.88 40	13 0.21 2	0.7	0.11	--	859	506
4N/ 1E- 9A 1 S 10- 6-65	--	7.8	573	55 2.74 46	21 1.73 29	34 1.48 25	2 0.05 1	0	129 2.11 36	151 3.14 53	21 0.59 10	1.7 0.03 1	0.5	0.03	--	395	224
4-11-66	--	7.8	573	56 2.79 47	20 1.64 28	34 1.48 25	2 0.05 1	--	128 2.10 36	150 3.12 53	23 0.65 11	1.8 0.03 1	0.5	0.07	--	358	222
4N/ 1E-12P 2 S 10- 6-65	--	7.7	803	46 2.30 28	37 3.04 37	62 2.70 33	4 0.10 1	0	121 1.98 25	145 3.02 38	99 2.79 35	6.4 0.10 1	0.7	0.05	--	599	267
4-11-66	--	7.9	803	41 2.05 26	38 3.13 39	61 2.65 33	4 0.10 1	--	123 2.02 26	139 2.89 37	100 2.82 36	5.0 0.08 1	0.7	0.08	--	488	259
4N/ 1E-32A 1 S 10- 6-65	--	7.7	612	39 1.95 29	21 1.73 26	62 2.70 40	13 0.33 5	0	286 4.69 72	62 1.29 20	18 0.51 8	0.0	1.3	0.15	--	368	184
5- 2-66	--	8.1	609	35 1.75 26	23 1.89 29	60 2.61 39	15 0.38 6	5 0.17 3	270 4.43 69	63 1.31 20	18 0.51 8	0	1.2	0.15	--	363	182
4N/ 2E- 7N 2 S 10- 6-65	--	7.7	1191	78 3.89 32	45 3.70 30	103 4.48 37	6 0.15 1	0	95 1.56 13	289 6.02 51	147 4.15 35	1.4 0.02	0.9	0.20	--	819	380
4-11-66	--	7.8	1188	79 3.94 33	42 3.45 29	103 4.48 37	6 0.15 1	--	96 1.61 14	291 6.06 51	149 4.20 35	1.4 0.02	0.9	0.22	--	766	370
4N/ 2E-17B 1 S 10- 6-65	--	7.9	525	32 1.60 30	16 1.32 25	54 2.35 44	3 0.08 1	0	131 2.15 42	83 1.73 34	33 0.93 18	22.0 0.35 7	0.8	0.05	--	325	146
4-11-66	--	7.9	609	39 1.95 32	19 1.56 26	56 2.43 40	3 0.08 1	--	128 2.10 36	95 1.98 34	45 1.27 22	34 0.55 9	0.8	0.17	--	361	176
4N/ 3E-31F 1 S 4-11-66	--	7.9	894	60 2.99 33	21 1.73 19	99 4.30 47	5 0.13 1	--	145 2.38 26	277 5.77 62	40 1.13 12	2.0 0.03	1.3	0.29	--	591	236
5N/ 1E-15G 1 S 12-17-65	--	7.6	7305	224 11.18 16	15 1.23 2	1278 55.57 80	70 1.79 3	0	90 1.48 2	519 10.81 16	2030 57.25 82	0.2	4.3	5.95	--	4330	621

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
LUCERNE HYDRO UNIT																	
X0100																	
5N/ 1E-17C 2 S 10- 6-65	--	7.5	5074	196 9.78 19	36 2.96 6	888 38.61 75	11 0.28 1	0	90 1.48 3	672 13.99 28	1210 34.12 69	0.4 0.01	3.3	4.65	--	3164 3066	638
4-11-66	--	7.5	4878	196 9.78 20	25 2.06 4	840 36.52 75	10 0.26 1	0	86 1.41 3	682 14.20 28	1222 34.46 69	0.1	3.5	4.60	--	3119 3025	592
5N/ 1E-19P 1 S 4- 7-66	--	7.6	3321	321 16.02 48	97 7.98 24	215 9.35 28	5 0.13	0	128 2.10 6	329 6.85 20	879 24.79 73	2.2 0.04	0.5	0.08	--	2997 1912	1201
5N/ 1E-21R 1 S 4- 7-66	--	7.6	7225	279 13.92 20	20 1.64 2	1248 54.26 77	27 0.69 1	--	22 0.36 1	580 12.08 17	2050 57.81 82	0.6 0.01	5.4	3.00	--	4563 4224	779
5N/ 1E-23C 1 S 10- 6-65	--	7.4	9775	306 15.27 16	26 2.14 2	1860 80.87 82	8 0.20	0	95 1.56 2	726 15.12 15	2925 82.49 83	1.0 0.02	4.9	6.70	--	6094 5910	871
4-11-66	--	7.8	9381	289 14.42 15	25 2.06 2	1776 77.22 82	18 0.46	--	101 1.66 2	699 14.55 15	2808 79.19 83	0.8 0.01	4.9	6.90	--	5816 5677	825
5N/ 1E-28A 1 S 10- 6-65	--	7.4	4600	151 7.53 16	26 2.14 5	820 35.65 78	14 0.36 1	0	124 2.03 5	566 11.78 26	1105 31.16 69	1.0 0.02	5.2	2.95	--	2824 2752	484
5N/ 1E-28X 1 S 6- 1-66	--	7.8	3827	119 5.94 16	11 0.90 2	704 30.61 81	13 0.33 1	0	93 1.52 4	447 9.31 24	985 27.78 72	1.0 0.02	5.4	2.40	--	2310 2334	342
5N/ 1E-29N 1 S 10- 6-65	--	7.7	857	72 3.59 42	35 2.88 34	47 2.04 24	2 0.05 1	0	149 2.44 30	76 1.58 19	148 4.17 51	2.7 0.04	0.4	0.05	--	531 456	324
4- 7-66	--	7.6	787	72 3.59 46	26 2.14 28	46 2.00 26	2 0.05 1	--	157 2.57 34	78 1.62 21	122 3.44 45	2.0 0.03	0.5	0.07	--	457 426	287
5N/ 1E-31F 1 S 10- 1-65	--	7.8	816	75 3.74 44	32 2.63 31	46 2.00 24	2 0.05 1	0	193 3.16 37	122 2.54 30	99 2.79 33	4.3 0.07 1	0.5	0.02	--	542 476	319
4- 7-66	--	7.9	557	47 2.35 42	15 1.23 22	46 2.00 36	2 0.05 1	0	164 2.69 48	87 1.81 32	40 1.13 20	1.5 0.02	0.4	0.06	--	324 320	179
5N/ 1E-32P 1 S 10- 1-65	--	7.4	1850	136 6.79 33	67 5.51 27	189 8.22 40	3 0.08	0	353 5.79 28	409 8.52 41	210 5.92 29	27.0 0.44 2	2.8	0.45	--	1342 1218	615
4- 7-66	--	7.6	1782	134 6.69 34	60 4.93 25	186 8.09 41	3 0.08	--	329 5.39 26	394 8.20 42	195 5.50 28	28 0.45 2	0.5	0.47	--	1211 1163	581
5N/ 1E-32R 1 S 10- 1-65	--	7.8	647	50 2.50 38	23 1.89 28	51 2.22 33	2 0.05 1	0	131 2.15 32	173 3.60 54	31 0.87 13	0.5 0.01	0.7	0.06	--	421 396	220
4- 7-66	--	8.1	608	49 2.45 40	20 1.64 27	47 2.04 33	2 0.05 1	0	130 2.13 34	158 3.29 53	28 0.79 13	0.5 0.01	0.6	0.10	--	402 369	205
5N/ 1E-35E 2 S 12- 9-65	--	7.6	1182	55 2.74 24	30 2.47 22	139 6.04 53	5 0.13 1	0	129 2.11 19	222 4.62 41	162 4.57 40	1.1 0.02	1.6	0.67	--	732 680	261
5N/ 1E-35G 1 S 7- 2-66	--	8.0	991	12 0.60 6	5 0.41 4	195 8.48 88	4 0.10 1	0	120 1.97 21	153 3.19 34	145 4.09 44	3.3 0.05 1	3.0	0.68	--	589 580	51
4N/ 1W- 1J 1 S 10- 1-65	--	7.9	535	44 2.20 38	22 1.81 31	39 1.70 30	2 0.05 1	0	209 3.43 58	91 1.89 32	19 0.54 9	2.7 0.04 1	0.8	0.02	--	337 323	201
4- 7-66	--	7.9	555	46 2.30 39	22 1.81 31	39 1.70 29	2 0.05 1	--	194 3.18 54	93 1.94 33	24 0.68 12	4.2 0.07 1	0.6	0.05	--	337 326	206
4N/ 1W- 1P 2 S 10- 1-65	--	7.7	1080	101 5.04 43	55 4.52 39	47 2.04 17	3 0.08 1	0	180 2.95 25	252 5.25 44	111 3.13 26	38.0 0.61 5	0.6	0	--	768 696	478
4- 6-66	--	7.6	1958	115 5.74 26	69 5.67 26	243 10.57 48	4 0.10	0	525 8.60 39	490 10.20 46	106 2.99 13	23 0.37 2	0.7	0.52	--	1370 1309	571

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	6 ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	IDS 180C 105C COMP	HARD- NESS CACO 3
LUCERNE HYDRO UNIT																	
X0100																	
4N/ 1W-2H 4 S 4- 7-66	--	7.7	2612	174 8.68 34	86 7.07 27	226 9.83 38	5 0.13 1	0	162 2.66 10	156 3.25 13	692 19.51 77	3.4 0.05	0.7	0.27	--	2059 1423	788
4N/ 1W-9R 1 S 10- 1-65	--	8.2	429	44 2.20 48	11 0.90 20	33 1.43 31	1 0.03 1	0	193 3.16 68	54 1.12 24	13 0.37 8	0.3	0.7	0.03	--	292 252	155
4- 6-66	--	7.8	929	95 4.74 50	15 1.23 13	81 3.52 37	2 0.05 1	0	216 3.54 37	169 3.52 37	83 2.34 25	6.3 0.10 1	1.7	0.24	--	634 559	299
4N/ 1W-11N 2 S 10- 1-65	--	8.1	372	25 1.25 30	23 1.89 45	23 1.00 24	3 0.08 2	0	211 3.46 79	32 0.67 15	6 0.17 4	4.2 0.07 2	0.3	0.01	--	226 220	157
4N/ 1W-11O 1 S 10- 1-65	--	7.6	764	69 3.44 39	40 3.29 38	46 2.00 23	1 0.03	0	384 6.29 72	80 1.67 19	19 0.54 6	13.0 0.21 2	0.5	0.05	--	490 457	337
4- 6-66	--	7.5	869	79 3.94 41	43 3.54 37	50 2.17 22	1 0.03	0	395 6.47 68	97 2.02 21	28 0.79 8	17 0.27 3	0.7	0.07	--	562 510	374
4N/ 1W-11X 1 S 5-13-66	--	7.9	428	34 1.70 36	27 2.22 46	18 0.78 16	3 0.08 2	5 0.17 4	228 3.74 80	28 0.58 12	6 0.17 4	0	0.3	0.04	--	250 233	196
4N/ 1W-11X 2 S 5-13-66	--	8.6	387	26 1.30 37	15 1.23 35	20 0.87 25	3 0.08 2	14 0.47 14	132 2.16 63	32 0.67 19	5 0.14 4	0.6 0.01	0.3	0.02	--	215 181	127
4N/ 1W-14Q 4 S 10- 1-65	--	7.9	419	44 2.20 46	23 1.89 40	14 0.61 13	2 0.05 1	0	253 4.15 85	25 0.52 11	5 0.14 3	2.9 0.05 1	0.2	0.01	--	256 241	205
4- 6-66	--	7.6	430	47 2.35 48	22 1.81 37	15 0.65 13	2 0.05 1	0	243 3.98 81	27 0.56 11	11 0.31 6	3.7 0.06 1	0.2	0.04	--	234 247	208
10- 1-65	--	7.9	419	44 2.20 46	23 1.89 40	14 0.61 13	2 0.05 1	0	253 4.15 85	25 0.52 11	5 0.14 3	2.9 0.05 1	0.2	0.01	--	256 241	205
4- 6-66	--	7.6	430	47 2.35 48	22 1.81 37	15 0.65 13	2 0.05 1	0	243 3.98 81	27 0.56 11	11 0.31 6	3.7 0.06 1	0.2	0.04	--	234 247	208
4N/ 1W-18E 1 S 10- 1-65	--	7.7	1402	78 3.89 25	43 3.54 23	180 7.83 51	6 0.15 1	0	253 4.15 26	486 10.12 64	50 1.41 9	3.3 0.05	1.8	2.65	--	1069 975	372
4- 6-66	--	8.0	1273	52 2.59 20	22 1.81 14	198 8.61 66	5 0.13 1	0	214 3.51 27	415 8.64 66	36 1.02 8	1.3 0.02	1.5	3.70	--	897 840	220
6N/ 1W-36L 1 S 11- 5-65	--	7.5	1227	103 5.14 43	30 2.47 21	96 4.17 35	3 0.08 1	0	116 1.90 16	130 2.71 23	245 6.91 58	19 0.31 3	0.7	0.23	--	1013 684	381
6N/ 1W-36L 2 S 11- 5-65	--	7.7	2031	143 7.14 38	29 2.38 13	213 9.26 49	4 0.10 1	0	95 1.56 8	111 2.31 12	520 14.66 78	18 0.29 2	1.3	0.44	--	1619 1086	476
JOHNSON HYDRO UNIT																	
X0200																	
2N/ 2E-19A 1 S 7-26-66	--	6.9	281	28 1.40 45	14 1.15 37	11 0.48 16	2 0.05 2	0	159 2.61 88	8 0.17 6	6 0.17 6	0.0	0.1	0.02	--	174 147	128
3N/ 4E- 6X 1 S 12- 9-65	--	8.1	1958	26 1.30 7	21 1.73 9	368 16.00 83	6 0.15 1	0	108 1.77 9	552 11.49 60	204 5.75 30	0.9 0.01	4.6	2.20	--	1338 1238	152
4N/ 2E-25JS1 S 10- 6-65	--	7.0	943	89 4.44 43	30 2.47 24	73 3.17 31	9 0.23 2	0	205 3.36 33	278 5.79 57	37 1.04 10	0.0	0.7	0.24	--	660 618	346
4-11-66	--	8.1	735	62 3.09 39	27 2.22 28	55 2.39 30	6 0.15 2	10 0.33 4	113 1.85 23	234 4.87 61	34 0.96 12	0.3	0.6	0.16	--	502 485	266
4N/ 3E-23G 1 S 10- 6-65	--	7.6	1401	94 4.69 31	74 6.09 40	99 4.30 28	6 0.15 1	0	149 2.44 16	418 8.70 59	128 3.61 24	4.4 0.07	0.7	0.14	--	1014 897	539
5- 2-66	--	7.4	1252	85 4.24 32	62 5.10 39	84 3.65 28	6 0.15 1	0	140 2.29 17	372 7.75 59	110 3.10 24	3.0 0.05	1.3	0.14	--	890 792	467

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10 ⁶	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO ₃	HCO ₃	SO ₄	CL	NO ₃	F	B	SIO ₂	TDS 180C 105C COMP	HARD- NESS CACO ₃
JOHNSON HYDRO UNIT																	
X0200																	
4N/ 4E-19C 1 S 10- 6-65	--	7.7	2823	190 9.48 30	135 11.10 35	248 10.78 34	8 0.20 1	0	147 2.41 8	723 15.05 49	465 13.11 43	15.0 0.24 1	1.0	0.32	--	2283	1030
5- 2-66	--	7.7	3654	252 12.57 30	175 14.39 34	352 15.30 36	9 0.23 1	0	145 2.38 6	1020 21.24 50	672 18.95 44	19.6 0.32 1	1.3	0.50	--	3134	1349
4N/ 4E-19E 3 S 10- 6-65	--	7.5	1796	107 5.34 29	86 7.07 39	131 5.70 31	6 0.15 1	0	126 2.07 12	212 4.41 25	390 11.00 62	8.0 0.13 1	1.1	0.19	--	1118	621
4N/ 4E-19E 3 S 5- 2-66	--	8.0	1848	90 4.49 24	98 8.06 44	130 5.65 31	7 0.18 1	0	76 1.25 7	213 4.43 25	439 12.38 69	0	1.1	0.18	--	1232	628
FENNER HYDRO SUBUNIT				X1080													
10N/14E-21J 1 S 3-14-66	--	7.6	1562	109 5.44 36	76 6.25 42	74 3.22 21	6 0.15 1	0	278 4.56 31	90 1.87 13	298 8.40 57	0.0	0.3	0.14	--	1050	585
SAN GORGONIO HYDRO SUBUNIT				X19C0													
SAN GORGONIO HYDRO SUBAREA				X19C2													
2S/ 1E-17L 1 S 9-22-66	60	7.7	328	37 1.85 53	16 1.32 38	7 0.30 9	2 0.05 1	0	168 2.75 79	22 0.46 13	8 0.23 7	1 0.02 1	0.5	0.01	--	176	159
10- 7-65	--	8.1	340	39 1.95 55	14 1.15 33	8 0.35 10	3 0.08 2	0	171 2.80 79	25 0.52 15	7 0.20 6	1.5 0.02 1	0.4	0.04	--	181	155
4- 1-66	--	7.8	339	40 2.00 58	13 1.07 31	8 0.35 10	2 0.05 1	0	170 2.79 79	22 0.46 13	10 0.28 8	1 0.02 1	0.4	0	--	193	154
2S/ 1E-29F 1 S 9-22-66	64	7.7	324	37 1.85 55	14 1.15 34	7 0.30 9	2 0.05 1	0	168 2.75 80	21 0.44 13	8 0.23 7	0.0	0.4	0.01	--	176	150
2S/ 1E-33J 1 S 9-22-66	64	7.9	333	38 1.90 54	15 1.23 35	7 0.30 9	3 0.08 2	0	172 2.82 81	20 0.42 12	8 0.23 7	2 0.03 1	0.4	0.01	--	187	157
10- 8-65	--	8.1	353	42 2.10 56	14 1.15 31	9 0.39 10	3 0.08 2	0	179 2.93 80	24 0.50 14	7 0.20 5	2 0.03 1	0.3	0.04	--	191	163
2S/ 1E-33J 2 S 4- 1-66	--	7.7	329	38 1.90 56	13 1.07 31	9 0.39 11	2 0.05 1	0	163 2.67 77	23 0.48 14	10 0.28 8	2 0.03 1	0.4	0	--	180	149
3S/ 1E- 7E 1 S 9-22-66	68	7.7	394	40 2.00 49	13 1.07 26	23 1.00 24	1 0.03 1	0	210 3.44 83	8 0.17 4	17 0.48 12	4 0.06 1	0.3	0	--	229	154
10- 8-65	--	8.1	375	39 1.95 51	10 0.82 21	24 1.04 27	1 0.03 1	0	196 3.21 82	12 0.25 6	13 0.37 9	5 0.08 2	0.3	0.03	--	212	139
4- 1-66	--	8.0	379	40 2.00 50	10 0.82 21	26 1.13 28	2 0.05 1	0	196 3.21 82	11 0.23 6	15 0.42 11	3 0.05 1	0.3	0	--	204	141
3S/ 2E-22B 1 S 9-19-66	68	7.7	422	30 1.50 34	11 0.90 20	43 1.87 43	5 0.13 3	0	210 3.44 76	12 0.25 6	29 0.82 18	2 0.03 1	0.6	0.02	--	218	120
6- 6-66	72	8.0	536	39 1.95 36	11 0.90 17	54 2.35 44	7 0.18 3	0	193 3.16 65	25 0.52 11	41 1.16 24	2 0.03 1	0.5	0.02	--	343	143
3S/ 2E-23C 1 S 6- 6-66	68	7.5	275	22 1.10 39	6 0.49 17	27 1.17 42	2 0.05 2	0	127 2.08 76	7 0.15 5	17 0.48 18	1.0 0.02 1	0.4	0	--	188	80
9-19-66	78	8.0	268	20 1.00 35	7 0.58 20	28 1.22 43	2 0.05 2	0	130 2.13 75	7 0.15 5	18 0.51 18	3 0.05 2	0.5	0	--	164	79
3S/ 3E- 8M 1 S 9-19-66	78	7.6	353	34 1.70 44	12 0.99 26	26 1.13 29	2 0.05 1	0	174 2.85 71	26 0.54 14	18 0.51 13	6.5 0.10 3	0.6	0	--	203	135

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER								MILLIGRAMS PER LITER				
					MILLIEQUIVALENTS PER LITER				PERCENT REACTANCE VALUE				TDS	HARD-	180C	NESS	
DATE SAMPLED				CA	MG	NA	K	CO	HCO	SO	CL	NO	F	B	SIO	105C	CALO
								3	3	4		3			2	COMP	3
				WHITEWATER HYDRO UNIT								X1900					
COACHELLA HYDRO SUBUNIT				X19D0													
GARNET HILL HYDRO SUBAREA				X19D1													
2S/ 3E-7JS1 S	--	8.2	874	80	35	50	8	0	287	199	18	1.5	1.1	0.03	--	547	344
2-26-66				3.99	2.88	2.17	0.20		4.70	4.14	0.51	0.02					534
				43	31	23	2		50	44	5						
3S/ 4E-22A 2 S	70	8.0	328	7	1	76	1	0	98	62	22	3	0.5	0.01	--	216	22
4-7-66				0.35	0.08	3.30	0.03		1.61	1.29	0.62	0.05					221
				9	2	88	1		45	36	17	1					
3S/ 5E-20D 1 S	78	7.8	1070	69	18	125	9	0	93	363	48	0.5	1.1	0.06	--	696	246
10-8-65				3.44	1.48	5.44	0.23		1.52	7.56	1.35	0.01					679
				32	14	51	2		15	72	13						
MISSION CREEK HYDRO SUBAREA				X19D2													
2S/ 4E-18D 3 S	--	8.2	1064	100	41	72	11	0	277	299	23	0.9	1.7	0.03	--	726	418
2-3-66				4.99	3.37	3.13	0.28		4.54	6.23	0.65	0.01					685
				42	29	27	2		40	55	6						
2S/ 5E-3GL 1 S	114	8.3	1530	36	1	274	5	0	41	468	117	5.5	5.2	0.93	--	952	94
10-8-65				1.80	0.08	11.91	0.13		0.67	9.74	3.30	0.09					933
				13	1	86	1		5	71	24	1					
2S/ 5E-30L 2 S	82	8.0	1197	57	12	174	9	0	105	387	57	2.5	1.1	0.13	--	759	192
10-8-65				2.84	0.99	7.57	0.23		1.72	8.06	1.61	0.04					751
				24	9	65	2		15	71	14						
3S/ 4E-22A 2 S	80	7.7	373	5	3	70	3	0	101	64	21	5	0.5	0	--	232	25
9-19-66				0.25	0.25	3.04	0.08		1.66	1.33	0.59	0.08					221
				7	7	84	2		45	36	16	2					
	78	8.5	351	7	1	63	3	5	96	55	14	1	0.7	0	--	172	22
10-8-65				0.35	0.08	2.74	0.08	0.17	1.57	1.15	0.39	0.02					197
				11	2	84	2	5	48	35	12	1					
3S/ 5E-17K 1 S	80	8.0	1344	61	13	224	9	0	103	428	81	2	1.5	0.54	--	866	206
4-7-66				3.04	1.07	9.74	0.23		1.69	8.91	2.28	0.03					871
				22	8	69	2		13	69	18						
3S/ 5E-18M 1 S	80	7.8	670	42	14	77	7	0	143	175	22	1	1.4	0.08	--	426	163
10-8-65				2.10	1.15	3.35	0.18		2.34	3.64	0.62	0.02					410
				31	17	49	3		35	55	9						
	79	8.0	671	43	13	74	3	0	138	177	21	0.0	1.2	0.04	--	423	161
4-7-66				2.15	1.07	3.22	0.08		2.26	3.69	0.59						400
				33	16	49	1		35	56	9						
3S/ 5E-18R 1 S	80	7.6	1150	77	19	140	11	0	98	399	56	1	1.1	0.12	--	761	270
10-8-65				3.84	1.56	6.09	0.28		1.61	8.31	1.58	0.02					752
				33	13	52	2		14	72	14						
	80	8.0	1265	85	19	153	10	0	110	438	59	3	0.9	0.10	--	846	290
4-7-66				4.24	1.56	6.65	0.26		1.80	9.12	1.66	0.05					822
				33	12	52	2		14	72	13						
3S/ 5E-20D 1 S	82	8.0	1077	70	19	120	9	0	91	370	50	2	1.1	0.06	--	719	253
4-7-66				3.49	1.56	5.22	0.23		1.49	7.70	1.41	0.03					686
				33	15	50	2		14	72	13						
3S/ 5E-23C 1 S	68	7.5	275	22	6	27	2	0	127	7	17	1.0	0.4	0	--	188	80
6-6-66				1.10	0.49	1.17	0.05		2.08	0.15	0.48	0.02					145
				39	17	42	2		76	5	18	1					
MIRACLE HILL HYDRO SUBAREA				X19D3													
2S/ 5E-19L 1 S	--	7.9	2128	257	79	120	15	0	65	1012	67	0.0	0.8	0.07	--	1722	967
2-3-66				12.82	6.50	5.22	0.38		1.07	21.07	1.89						1583
				51	26	21	2		4	88	8						
2S/ 5E-30L 1 S	80	7.9	1551	37	3	298	7	0	39	497	129	9	5.2	1.00	--	1001	105
9-19-66				1.85	0.25	12.96	0.18		0.64	10.35	3.64	0.15					1005
				12	2	85	1		4	70	25	1					
2S/ 5E-30L 2 S	89	7.9	1204	61	14	179	9	0	93	392	72	6.5	1.3	0.11	--	795	210
9-27-66				3.04	1.15	7.78	0.23		1.52	8.16	2.03	0.10					781
				25	9	64	2		13	69	17	1					
2S/ 5E-30L 1 S	98	7.8	1667	42	0	348	5	0	38	502	138	6	5.3	1.06	--	1037	105
4-7-66				2.10		15.13	0.13		0.62	10.45	3.89	0.10					1066
				12		87	1		4	69	26	1					
2S/ 5E-30L 2 S	79	7.9	1176	39	6	229	8	0	80	390	58	1.0	0.9	0.13	--	732	122
4-7-66				1.95	0.49	9.96	0.20		1.31	8.12	1.64	0.02					771
				15	4	79	2		12	73	15						
3S/ 4E-10J 1 S	78	7.8	354	21	2	51	5	0	151	12	24	2	0.7	0	--	204	61
5-4-66				1.05	0.16	2.22	0.13		2.47	0.25	0.68	0.03					192
				29	4	62	4		72	7	20	1					

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10 ⁶	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SiO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
SKY VALLEY HYDRO SUBAREA				X19D4				X1900									
2S/ 4F-35A 1 S 3- 1-66	--	8.3	715	71 3.54 49	14 1.15 16	55 2.39 33	8 0.20 3	11 0.37 5	182 2.98 41	157 3.27 45	21 0.59 8	7 0.11 2	0.6	0.04	--	440	235
3S/ 4E- 1H 1 S 3- 1-66	--	8.1	637	47 2.35 38	7 0.58 9	69 3.00 49	8 0.20 3	-- 1.56 25	95 4.04 65	194 0.54 9	19 0.08 1	5 0.08 1	0.6	0.02	--	450	147
3S/ 4F- 7L 1 S 3- 1-66	80	8.3	844	51 2.54 31	7 0.58 7	112 4.87 59	8 0.20 2	7 0.23 3	129 2.11 26	231 4.81 59	32 0.90 11	9 0.15 2	0.9	0.10	--	525	156
3S/ 5E- 4N 1 S 3- 1-66	102	8.0	1217	33 1.65 15	0	214 9.30 84	5 0.13 1	-- 0.79 7	48 8.20 76	394 1.78 16	63 0.06 1	4 0.06 1	3.5	0.53	--	739	83
3S/ 5E-17K 1 S 3- 1-66	83	8.0	1331	62 3.09 23	12 0.99 7	206 8.96 68	9 0.23 2	0 1.70 13	104 8.81 68	423 2.28 16	81 0.10 1	6.0 0.10 1	2.2	0.47	--	850	204
INJIO HYDRO SUBAREA				X19D7													
3S/ 4E-36M 1 S 9-23-66	72	8.2	393	48 2.40 57	12 0.99 24	16 0.70 17	4 0.10 2	0 3.20 78	195 0.48 12	23 0.37 9	13 0.03 1	2 0.03 1	0.6	0.01	--	229	170
10- 4-65	--	8.1	397	48 2.40 58	11 0.90 22	17 0.74 18	3 0.08 2	0 3.26 78	199 0.50 12	24 0.39 9	14 0.03 1	2 0.03 1	0.9	0.07	--	220	165
4- 5-66	65	8.3	392	49 2.45 59	11 0.90 22	16 0.70 17	3 0.08 2	7 0.23 6	179 2.93 72	24 0.50 12	13 0.37 9	2 0.03 1	0.8	0	--	216	168
4S/ 4E- 1M 1 S 10- 5-65	--	7.9	322	35 1.75 53	9 0.74 23	17 0.74 23	2 0.05 2	0 2.66 79	162 0.29 9	14 0.37 11	13 0.05 1	3 0.05 1	0.8	0.06	--	167	125
4- 5-66	68	8.1	320	37 1.85 56	8 0.66 20	17 0.74 22	2 0.05 2	0 2.62 81	160 0.23 7	11 0.37 11	13 0.03 1	2 0.03 1	0.7	0.01	--	179	126
4S/ 4E-11K 1 S 9-22-66	74	8.2	479	56 2.79 56	11 0.90 18	27 1.17 23	5 0.13 3	0 3.06 62	187 0.90 16	43 0.76 15	27 0.21 4	13 0.21 4	0.5	0.01	--	277	185
4S/ 4E-110 1 S 4- 5-66	80	8.1	367	43 2.15 58	6 0.49 13	21 0.91 25	5 0.13 4	0 2.79 74	170 0.52 14	25 0.39 10	14 0.05 1	3 0.05 1	0.3	0.01	--	208	132
9-23-66	76	8.3	461	53 2.64 55	9 0.74 15	29 1.26 26	6 0.15 3	7 0.23 5	184 3.02 64	40 0.83 18	19 0.54 11	6 0.10 2	0.3	0.01	--	260	169
4S/ 4E-11R 1 S 9-21-66	74	8.2	288	32 1.60 54	7 0.58 19	16 0.70 23	4 0.10 3	0 2.29 77	140 0.37 13	18 0.28 9	10 0.02 1	1.5 0.02 1	0.5	0	--	146	109
4S/ 4E-11K 1 S 10- 5-65	--	7.5	493	59 2.94 60	9 0.74 15	26 1.13 23	3 0.08 2	0 2.79 56	170 1.31 26	63 0.68 14	24 0.21 4	13 0.21 4	0.4	0.07	--	301	184
4S/ 4E-110 1 S 10- 4-65	--	8.2	465	53 2.64 55	9 0.74 15	29 1.26 26	6 0.15 3	0 3.41 71	208 0.85 18	41 0.51 11	18 0.05 1	3 0.05 1	0.4	0.06	--	261	169
4- 5-66	80	8.1	367	43 2.15 58	6 0.49 13	21 0.91 25	5 0.13 4	0 2.79 74	170 0.52 14	25 0.39 10	14 0.05 1	3 0.05 1	0.3	0.01	--	208	132
4S/ 4E-11R 1 S 10- 5-65	--	7.8	291	33 1.65 57	6 0.49 17	16 0.70 24	3 0.08 3	0 2.33 79	142 0.37 13	18 0.25 8	9 0.01 1	0.7 0.01 1	0.5	0.05	--	188	107
4S/ 4F-14R 2 S 9-23-66	82	8.1	331	31 1.55 47	4 0.33 10	29 1.26 39	5 0.13 4	0 2.07 63	126 0.60 18	29 0.51 16	18 0.11 3	7 0.11 3	0.3	0.01	--	198	94
4S/ 4E-23C 1 S 9-22-66	68	7.8	272	26 1.30 49	5 0.41 15	20 0.87 33	3 0.08 3	0 1.57 59	96 0.17 6	8 0.56 21	20 0.35 13	22 0.35 13	0.1	0	--	154	86
4S/ 4E-23E 1 S 9-22-66	66	7.9	212	22 1.10 52	4 0.33 16	14 0.61 29	3 0.08 4	0 1.56 73	95 0.21 10	10 0.28 13	10 0.09 4	5.5 0.09 4	0.1	0	--	120	72
4S/ 4E-23C 1 S 10- 5-65	--	7.6	447	53 2.64 60	8 0.66 15	24 1.04 24	3 0.08 2	0 2.61 57	159 1.21 27	58 0.59 13	21 0.15 3	9 0.15 3	0.2	0.08	--	273	165

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	ECx10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER										MILLIGRAMS PER LITER		
					MILLIEQUIVALENTS PER LITER				PERCENT REACTANCE VALUE						TDS	HARD-NESS	
DATE SAMPLED				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	180C 105C COMP	105C CACO 3
WHITEWATER HYDRO UNIT																	
INDIO HYDRO SUBAREA																	
X19D7																	
4S/ 4E-23C 1 S	76	8.2	352	36	4	29	3	0	144	18	20	13	0.1	0	--	204	107
4- 5-66				1.80	0.33	1.26	0.08		2.36	0.37	0.56	0.21					
				52	10	36	2		67	11	16	6				194	
4S/ 4E-23F 1 S	--	7.8	224	23	4	14	3	0	99	9	12	5	0.1	0.04	--	137	74
10- 4-65				1.15	0.33	0.61	0.08		1.62	0.19	0.34	0.08					
				53	15	28	4		73	9	15	4				119	
	74	7.8	228	26	3	14	3	0	98	9	11	6	0	0	--	137	78
4- 5-66				1.30	0.25	0.61	0.08		1.61	0.19	0.31	0.10					
				58	11	27	4		73	9	14	5				120	
4S/ 4E-26A 1 S	--	7.6	438	49	9	26	3	0	146	70	21	0	0.4	0.08	--	263	160
10- 4-65				2.45	0.74	1.13	0.08		2.39	1.46	0.59						
				56	17	26	2		54	33	13					250	
	78	8.0	438	51	8	25	3	0	144	69	21	1	0.3	0.02	--	270	160
4- 5-66				2.54	0.66	1.09	0.08		2.36	1.44	0.59	0.02					
				58	15	25	2		54	33	13					249	
SKY VALLEY HYDRO SUBAREA																	
X19D4																	
4S/ 5E-19D 1 S	74	8.2	371	48	7	17	4	0	156	30	19	5.5	0.6	0	--	219	149
9-21-66				2.40	0.58	0.74	0.10		2.56	0.62	0.54	0.09					
				63	15	19	3		67	16	14	2				208	
	--	7.6	465	55	9	24	3	0	157	63	23	6	0.4	0.08	--	274	174
10- 5-65				2.74	0.74	1.04	0.08		2.57	1.31	0.65	0.10					
				60	16	23	2		56	28	14	2				261	
4S/ 5E-33B 1 S	68	8.2	441	53	9	24	2	0	155	55	20	16	0.3	0.01	--	266	169
9-21-66				2.64	0.74	1.04	0.05		2.54	1.15	0.56	0.26					
				59	17	23	1		56	25	12	6				256	
4S/ 5E-33B 3 S	68	8.2	452	54	10	24	3	0	155	64	23	10	0.3	0.01	--	288	176
9-21-66				2.69	0.82	1.04	0.08		2.54	1.33	0.65	0.16					
				58	18	22	2		54	28	14	3				265	
4S/ 5E-33G 1 S	76	8.2	488	59	11	26	3	0	168	62	23	17	0.4	0.02	--	292	192
9-21-66				2.94	0.90	1.13	0.08		2.75	1.29	0.65	0.27					
				58	18	22	2		55	26	13	5				284	
	64	8.1	496	60	10	26	3	0	167	62	23	16	0.4	0.02	--	301	191
3-31-66				2.99	0.82	1.13	0.08		2.74	1.29	0.65	0.26					
				60	16	23	2		55	26	13	5				283	
4S/ 5E-33R 1 S	64	8.1	489	54	9	24	3	0	153	59	23	8	0.3	0.02	--	268	172
4- 6-66				2.69	0.74	1.04	0.08		2.51	1.23	0.65	0.13					
				59	16	23	2		56	27	14	3				256	
5S/ 5E- 2F 2 S	64	8.0	407	44	5	30	4	0	134	49	25	3	0.3	0	--	252	131
3-31-66				2.20	0.41	1.30	0.10		2.20	1.02	0.71	0.05					
				55	10	32	2		55	26	18	1				226	
	68	8.3	403	43	6	29	3	0	137	52	24	5	0.3	0.01	--	244	132
9-21-66				2.15	0.49	1.26	0.08		2.25	1.08	0.68	0.08					
				54	12	32	2		55	26	17	2				230	
	--	8.3	405	45	5	29	3	0	133	51	24	4	0.2	0.06	--	237	133
10- 5-65				2.25	0.41	1.26	0.08		2.18	1.06	0.68	0.06					
				56	10	32	2		55	27	17	2				227	
	64	8.0	407	44	5	30	4	0	134	49	25	3	0.3	0	--	252	131
3-31-66				2.20	0.41	1.30	0.10		2.20	1.02	0.71	0.05					
				55	10	32	2		55	26	18	1				226	
5S/ 5E-12H 2 S	--	7.9	303	34	5	19	2	0	129	29	13	1	0.3	0.07	--	181	106
10- 5-65				1.70	0.41	0.83	0.05		2.11	0.60	0.37	0.02					
				57	14	28	2		68	19	12	1				167	
SANTA ANA RIVER HYDRO UNIT																	
Y0100																	
LOWER SANTA ANA RIV HYDRO SUBUNITY01A0																	
EAST COASTAL PLAIN HYDRO SUBAREA Y01A1																	
1S/ 7W- 8N 1 S	--	7.7	407	56	10	13	2	0	169	26	8	39	0.4	0.05	--	280	181
7-15-66				2.79	0.82	0.57	0.05		2.77	0.54	0.23	0.63					
				66	19	13	1		66	13	6	15				237	
3S/ 8W-25J 1 S	--	7.7	1670	173	44	131	5	0	388	368	153	0	0.5	0.21	23	1163	613
10- 5-65				8.63	3.62	5.70	0.13		6.36	7.66	4.31						
				48	20	32	1		35	42	24					1088	
3S/ 8W-33K 2 S	--	7.3	1590	--	--	--	--	0	341	416	123	--	--	0.14	--		
10-27-65									5.59	8.66	3.47						
3S/ 9W-35Q 1 S	--	7.6	1170	--	--	--	--	0	185	289	105	4	--	--	--		
3-31-66									3.03	6.02	2.96	0.06					

TABLE E-1

ANALYSES OF GROUND WATER

SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10'	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
SANTA ANA RIVER HYDRO UNIT Y0100																
LOWER SANTA ANA RIV HYDRO SUBUNITY01A0 EAST COASTAL PLAIN HYDRO SUBAREA Y01A1																
4S/ 9W- 1E 2 S 10- 5-65	--	7.6	1680	--	--	--	--	0	310 5.08	385 8.02	169 4.77	--	--	--	--	
4S/ 9W- 7Q 5 S 10- 8-65	--	7.7	1090	--	--	--	--	0	157 2.57	280 5.83	99 2.79	--	--	--	--	
4S/ 9W-27F 1 S 2- 8-66	--	7.4	977	100 4.99 49	39 3.21 32	44 1.91 19	1 0.03	--	214 3.51 35	194 4.04 40	70 1.97 20	33 0.53 5	0.4	0.06	--	615 587
10-14-65	--	7.5	964	--	--	--	--	0	217 3.56	195 4.06	63 1.78	--	--	--	--	
4-18-66	--	7.4	959	--	--	--	--	0	216 3.54	193 4.02	65 1.83	39 0.63	--	--	--	
4S/ 9W-28X 1 S 4-11-66	--	7.6	573	57 2.84 49	14 1.15 20	40 1.74 30	2 0.05 1	0	188 3.08 55	75 1.56 28	29 0.82 15	12 0.19 3	0.2	0.08	40	376 362
4S/ 9W-31B 1 S 10- 5-65	68	7.8	547	60 2.99 54	12 0.99 18	34 1.48 27	2 0.05 1	0	203 3.33 61	48 1.00 18	34 0.96 18	10.0 0.16 3	0.4	0.05	22	351 322
4-11-66	--	7.8	549	--	--	--	--	0	199 3.26	48 1.00	34 0.96	11 0.18	--	--	--	
4S/10W- 3P 1 S 2- 8-66	--	7.7	1040	113 5.64 52	27 2.22 21	64 2.78 26	5 0.13 1	--	235 3.85 36	192 4.00 38	92 2.59 24	13 0.21 2	0.5	0.11	--	640 622
4S/10W- 4R 5 S 4- 1-66	--	7.7	1060	130 6.49 61	16 1.32 12	64 2.78 26	5 0.13 1	--	251 4.11 38	186 3.87 35	94 2.65 24	19 0.31 3	0.6	0.17	--	662 638
4S/10W-13H 2 S 3-30-66	--	8.0	1040	95 4.74 43	22 1.81 17	97 4.22 39	5 0.13 1	--	132 2.16 20	282 5.87 55	95 2.68 25	0	0.7	0.13	--	720 662
4S/10W-14D 2 S 10-27-65	--	7.8	987	--	--	--	--	0	193 3.16	230 4.79	80 2.26	9.5 0.15	--	--	--	
4S/10W-24D 2 S 3-28-66	--	7.7	1050	112 5.59 53	20 1.64 16	74 3.22 30	5 0.13 1	0	181 2.97 28	255 5.31 49	85 2.40 22	5 0.08 1	0.5	0.08	33	683 678
4S/10W-24J 1 S 4-11-66	--	7.8	626	72 3.59 56	15 1.23 19	35 1.52 24	3 0.08 1	0	202 3.31 52	88 1.83 29	38 1.07 17	7 0.11 2	0.4	0.06	33	400 391
4S/10W-25N 1 S 3-28-66	--	7.7	1050	115 5.74 53	21 1.73 16	74 3.22 30	5 0.13 1	0	185 3.03 28	248 5.16 48	89 2.51 23	8 0.13 1	0.5	0.07	33	688 684
4S/10W-29M 1 S 11- 8-65	65	8.0	979	118 5.89 58	22 1.81 18	53 2.30 23	5 0.13 1	0	259 4.25 42	128 2.66 26	75 2.12 21	70.0 1.13 11	0.6	0.10	--	640 599
4S/11W-12R 6 S 4- 1-66	--	7.8	900	110 5.49 59	17 1.40 15	55 2.39 25	4 0.10 1	--	248 4.06 44	156 3.25 35	54 1.52 17	22 0.35 4	0.8	0.13	--	573 541
4S/11W-24P 1 S 11- 8-65	66	8.0	843	114 5.69 61	20 1.64 18	42 1.83 20	4 0.10 1	0	271 4.44 49	169 3.52 39	40 1.13 12	0.0	0.7	0.06	--	580 523
4S/11W-31F 1 S 3-30-66	--	7.5	940	118 5.89 59	23 1.89 19	48 2.09 21	4 0.10 1	--	281 4.61 47	142 2.96 30	70 1.97 20	12 0.19 2	0.6	0.16	--	592 556
5S/ 7W-19R 1 S 10-14-65	--	7.6	1010	108 5.39 49	29 2.38 22	73 3.17 29	3 0.08 1	0	355 5.82 52	219 4.56 41	27 0.76 7	0	0.4	0.18	20	673 654
5S/ 8W- 1N 1 S 10-14-65	--	7.6	1240	--	--	--	--	0	273 4.47	--	45 1.27	--	--	--	--	

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PLR LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CALCO 3
SANTA ANA RIVER HYDRO UNIT Y0100																		
LOWER SANTA ANA RIV HYDRO SUBUNITY01A0 FAST COASTAL PLAIN HYDRO SUBAREA Y01A1																		
5S/ 8W-13C 1 S	10-14-65	--	7.4	847	--	--	--	--	0	295 4.84	--	27 0.76	--	--	--	--	--	
5S/ 8W-31K 1 S	10- 5-65	--	7.7	1720	--	--	--	--	0	302 4.95	--	174 4.91	--	--	--	--	--	
5S/ 8W-32L 1 S	3-29-66	84	7.3	1780	--	--	--	--	0	307 5.03	--	172 4.85	12 0.19	--	--	--	--	
5S/ 9W-14Q 2 S	10- 5-65	--	7.5	1780	--	--	--	--	0	304 4.98	399 8.31	184 5.19	--	--	--	--	--	
5S/ 9W-15J 1 S	10-27-65	--	7.5	924	93 4.64 48	22 1.81 19	73 3.17 33	3 0.08 1	0	232 3.80 39	147 3.06 32	87 2.45 25	20.0 0.32 3	0.2	0.07	27	642 586	323
	3-29-66	78	7.6	884	78 3.89 43	20 1.64 18	79 3.43 38	2 0.05 1	0	234 3.84 43	128 2.66 30	77 2.17 24	15 0.24 3	0.3	0.14	44	579 558	277
5S/ 9W-21R 1 S	3-29-66	76	7.6	726	64 3.19 42	15 1.23 16	70 3.04 40	2 0.05 1	0	227 3.72 50	118 2.46 33	36 1.02 14	14 0.23 3	0.2	0.09	33	460 464	221
5S/ 9W-24H 1 S	10- 5-65	--	7.7	1880	96 4.79 25	39 3.21 17	259 11.26 58	2 0.05	0	316 5.18 27	377 7.85 41	190 5.36 28	58.0 0.94 5	0.6	0.29	43	1258 1220	400
	3-23-66	--	7.6	1820	--	--	--	--	0	323 5.29	--	199 5.61	49 0.79	--	--	--	--	
5S/ 9W-25E 1 S	3-30-66	--	7.9	1160	61 3.04 25	34 2.80 23	144 6.26 51	3 0.08 1	--	372 6.10 51	196 4.08 34	61 1.72 14	2.5 0.04	0.7	0.20	--	681 685	292
	3-29-66	78	7.6	1130	56 2.79 23	33 2.71 23	146 6.35 53	3 0.08 1	0	364 5.97 51	189 3.93 34	61 1.72 15	6 0.10 1	0.6	0.24	58	736 732	275
5S/ 9W-32A 1 S	10-19-65	--	8.2	424	--	--	--	--	8 0.27	159 2.61	--	15 0.42	--	--	--	--	--	
	3-23-66	--	8.8	399	--	--	--	--	14 0.47	131 2.15	--	17 0.48	--	--	--	--	--	
5S/ 9W-34J 1 S	3-23-66	86	7.6	726	42 2.10 29	10 0.82 11	99 4.30 59	3 0.08 1	0	246 4.03 55	96 2.00 27	46 1.30 18	0	0.4	0.21	93	470 511	146
5S/ 9W-34J 2 S	10- 5-65	--	7.8	1216	--	--	--	--	0	359 5.88	--	74 2.09	--	--	--	--	--	
5S/ 9W-34Q 1 S	10- 5-65	82	7.6	933	--	--	--	--	0	209 3.43	--	150 4.23	--	--	--	--	--	
	3-23-66	85	7.6	916	--	--	--	--	0	211 3.46	--	153 4.31	--	--	--	--	--	
5S/ 9W-35J 1 S	3-30-66	--	7.5	1040	76 3.79 35	26 2.14 20	114 4.96 45	3 0.08 1	--	296 4.85 45	183 3.81 35	74 2.09 19	3.7 0.06 1	0.5	0.15	--	706 626	297
5S/ 9W-36R 1 S	3-23-66	--	7.7	2210	--	--	--	--	0	373 6.11	--	270 7.61	75 1.21	--	--	--	--	
5S/10W- 1E 2 S	2- 7-66	--	7.7	797	86 4.29 57	18 1.48 19	40 1.74 23	3 0.08 1	--	231 3.79 51	72 1.50 20	62 1.75 23	26 0.42 6	0.4	0.10	--	392 421	289
5S/10W- 9C 1 S	1-27-66	--	8.0	806	90 4.49 54	19 1.56 19	50 2.17 26	3 0.08 1	--	215 3.52 43	114 2.37 29	64 1.80 22	30.0 0.48 6	0.4	0.06	--	480 476	303

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	ECX10	MINERAL	CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER						
						CA	MG	NA	K	CO ₃	HCO ₃	SO ₄	CL	NO ₃	F	B	SiO ₂	TDS	HARD- 180C NESS 105C CACO ₃ COMP	
SANTA ANA RIVER HYDRO UNIT																			Y0100	
LOWER SANTA ANA RIV HYDRO SUBUNITYO1A0																				
EAST COASTAL PLAIN HYDRO SUBAREA Y01A1																				
5S/10W-10D	2 S	68	8.0	967	124	23	50	4	0	284	146	84	8.0	0.6	0.10	--	695	404		
11- 8-65					6.19	1.89	2.17	0.10		4.65	3.04	2.37	0.13							
					60	18	21	1		46	30	23	1				579			
5S/10W-13B	3 S	69	8.1	444	46	10	34	2	0	200	54	15	2.0	0.4	0.06	--	275	156		
11- 8-65					2.30	0.82	1.48	0.05		3.28	1.12	0.42	0.03							
					49	18	32	1		68	23	9	1				262			
5S/10W-22E	3 S	66	8.0	595	71	13	37	2	0	249	59	30	3.0	0.6	0.08	--	370	231		
11- 8-65					3.54	1.07	1.61	0.05		4.08	1.23	0.85	0.05							
					56	17	26	1		66	20	14	1				338			
5S/10W-26D	3 S	--	7.6	432	30	9	45	2	--	180	43	14	0.6	0.3	0.03	--	234	112		
2- 7-66					1.50	0.74	1.96	0.05		2.95	0.90	0.39	0.01							
					35	17	46	1		69	21	9					232			
5S/10W-26N	1 S	--	7.8	471	40	12	39	2	0	184	55	16	0	0.4	0.03	--	257	150		
2- 7-66					2.00	0.99	1.70	0.05		3.02	1.15	0.45								
					42	21	36	1		65	25	10					255			
5S/10W-28H	2 S	68	7.8	924	112	20	63	2	0	370	100	63	1.0	0.9	0.12	--	580	362		
11- 8-65					5.59	1.64	2.74	0.05		6.06	2.08	1.78	0.02							
					56	16	27			61	21	18					544			
5S/10W-29P	4 S	68	8.1	782	97	18	47	3	0	305	100	47	7.0	0.5	0.10	--	520	316		
11- 8-65					4.84	1.48	2.04	0.08		5.00	2.08	1.33	0.11							
					57	18	24	1		59	24	16	1				470			
5S/10W-32F	4 S	--	7.9	917	104	22	63	3	0	261	175	64	4	0.4	0.04	--	590	350		
10- 1-65					5.19	1.81	2.74	0.08		4.28	3.64	1.80	0.06							
					53	18	28	1		44	37	18	1				564			
		--	--	786	71	20	65	3	0	190	159	63	0.5	0.5	0.12	--	490	259		
3-28-66					3.54	1.64	2.83	0.08		3.11	3.31	1.78	0.01							
					44	20	35	1		38	40	22					476			
5S/10W-32J	1 S	69	7.9	399	39	8	36	2	0	190	39	12	0.0	0.3	0.05	--	240	131		
11- 9-65					1.95	0.66	1.57	0.05		3.11	0.81	0.34								
					46	16	37	1		73	19	8					230			
		--	7.9	404	35	10	36	2	0	190	33	14	0.0	0.4	0.06	--	240	129		
3-28-66					1.75	0.82	1.57	0.05		3.11	0.69	0.39								
					42	20	37	1		74	16	9					224			
5S/10W-33D	1 S	65	7.9	451	52	6	35	2	0	195	41	20	0.0	0.4	0.06	--	260	154		
11- 9-65					2.59	0.49	1.52	0.05		3.20	0.85	0.56								
					56	11	33	1		69	18	12					252			
5S/11W- 2N	1 S	67	7.4	464	52	10	30	3	0	207	36	17	3.0	0.6	0.06	--	265	171		
11- 9-65					2.59	0.82	1.30	0.08		3.39	0.75	0.48	0.05							
					54	17	27	2		73	16	10	1				253			
5S/11W- 4A	2 S	66	7.9	398	42	5	36	2	0	190	31	13	1.0	0.4	0.06	--	230	126		
11- 9-65					2.10	0.41	1.57	0.05		3.11	0.65	0.37	0.02							
					51	10	38	1		75	16	9					224			
5S/11W- 7C	1 S	--	7.7	340	11	1	66	1	--	160	24	12	0	0.6	0.13	--	188	32		
3-30-66					0.55	0.08	2.87	0.03		2.62	0.50	0.34								
					16	2	81	1		76	14	10					194			
		78	8.5	338	8	2	66	1	5	148	22	13	3.0	0.6	0.08	--	195	28		
11- 9-65					0.40	0.16	2.87	0.03	0.17	2.43	0.46	0.37	0.05							
					12	5	83	1	5	70	13	11	1				193			
5S/11W- 7C	2 S	80	8.4	303	6	0	70	1	5	147	7	21	3.0	0.6	0.14	--	200	15		
11- 9-65					0.30		3.04	0.03	0.17	2.41	0.15	0.59	0.05							
					9		90	1	5	72	4	18	1				186			
5S/11W- 7L	1 S	68	8.0	424	44	5	39	2	0	195	38	12	0.0	0.4	0.06	--	230	131		
11- 9-65					2.20	0.41	1.70	0.05		3.20	0.79	0.34								
					50	9	39	1		74	18	8					236			
5S/11W- 8C	1 S	68	7.9	1318	90	33	123	6	0	134	348	119	1.0	0.5	0.16	--	790	360		
11- 9-65					4.49	2.71	5.35	0.15		2.20	7.25	3.36	0.02							
					35	21	42	1		17	57	26					786			
5S/11W-14A	4 S	63	7.9	498	63	11	33	3	0	254	38	18	0.0	0.6	0.06	--	310	202		
11-10-65					3.14	0.90	1.43	0.08		4.16	0.79	0.51								
					57	16	26	1		76	14	9					291			
5S/11W-14A	9 S	61	7.8	577	68	13	36	3	0	259	57	23	0.0	0.5	0.02	--	303	223		
11-10-65					3.39	1.07	1.57	0.08		4.25	1.19	0.65								
					55	18	26	1		70	20	11					328			
5S/11W-15G	1 S	69	12.2	5400	473	0	160	34	204	0	4	140	15	0.3	0.08	--	2250	1181		
9-21-66					23.60		6.96	0.87	6.80		0.08	3.95	0.24							
					75		22	3	61		1	36	2				1030			

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	ECX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				
						CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
LOWER SANTA ANA RIV HYDRO SUBUNITY01A0																		
EAST COASTAL PLAIN HYDRO SUBAREA Y01A1																		
SANTA ANA RIVER HYDRO UNIT Y0100																		
5S/11W-15G	2 S	66	8.3	405	45	8	32	3	5	190	34	13	0.0	0.6	0.04	--	237	146
9-21-66					2.25	0.66	1.39	0.08	0.17	3.11	0.71	0.37						234
					51	15	32	2	4	71	16	8						
5S/11W-15G	3 S	64	8.3	412	45	8	30	3	5	205	19	13	3.0	0.5	0.04	--	235	146
9-21-66					2.25	0.66	1.30	0.08	0.17	3.36	0.40	0.37	0.05					227
					52	15	30	2	4	77	9	9	1					
5S/11W-16G	1 S	72	8.1	360	31	5	42	3	0	168	35	14	0.0	0.4	0.06	--	205	98
9-23-66					1.55	0.41	1.83	0.08		2.75	0.73	0.39						213
					40	11	47	2		71	19	10						
5S/11W-16G	2 S	71	8.2	441	48	12	32	3	0	217	40	15	0.5	0.6	0.06	--	255	170
9-23-66					2.40	0.99	1.39	0.08		3.56	0.83	0.42	0.01					258
					49	20	29	2		74	17	9						
5S/11W-16G	3 S	75	7.9	421	49	7	31	3	0	198	37	12	0.1	0.6	0.06	--	253	152
9-23-66					2.45	0.58	1.35	0.08		3.25	0.77	0.34						237
					55	13	30	2		75	18	8						
5S/11W-19A	1 S	--	8.4	386	9	1	82	1	7	206	3	17	2.4	0.6	0.24	--	168	27
1-14-66					0.45	0.08	3.57	0.03	0.23	3.38	0.06	0.48	0.04					224
					11	2	86	1	5	81	1	11	1					
5S/11W-20G	1 S	--	8.3	464	53	10	31	3	8	202	32	17	0.5	0.6	0.05	--	255	173
1-28-66					2.64	0.82	1.35	0.08	0.27	3.31	0.67	0.48	0.01					254
					54	17	28	2	6	70	14	10						
5S/11W-20J	4 S	74	8.3	461	52	9	34	3	0	210	41	20	0.0	0.5	0.04	--	260	167
11-10-65					2.59	0.74	1.48	0.08		3.44	0.85	0.56						263
					53	15	30	2		71	18	12						
5S/11W-20K	9 S	--	7.9	430	43	8	35	2	0	194	32	17	0.0	0.6	0.05	--	241	141
1-28-66					2.15	0.66	1.52	0.05		3.18	0.67	0.48						233
					49	15	35	1		73	15	11						
5S/11W-20R	2 S	66	8.0	479	52	9	36	3	0	208	39	28	0.0	0.4	0.03	--	250	167
11-10-65					2.59	0.74	1.57	0.08		3.41	0.81	0.79						270
					52	15	32	2		68	16	16						
5S/11W-21G	1 S	69	8.0	402	36	4	44	2	0	178	33	12	0.7	--	0.10	--	230	107
9-27-66					1.80	0.33	1.91	0.05		2.92	0.69	0.34	0.01					219
					44	8	47	1		74	17	9						
5S/11W-21G	2 S	69	8.3	405	39	6	38	2	0	182	33	12	1.0	--	0.10	--	225	122
9-27-66					1.95	0.49	1.65	0.05		2.98	0.69	0.34	0.02					221
					47	12	40	1		74	17	8						
5S/11W-21G	3 S	68	8.3	468	54	7	33	3	0	196	47	16	1.4	--	0.10	--	268	164
9-27-66					2.69	0.58	1.43	0.08		3.21	0.98	0.45	0.02					258
					56	12	30	2		69	21	10						
5S/11W-21J	1 S	--	8.4	361	8	0	71	1	7	138	31	15	1.0	0.4	0.08	--	154	20
1-14-66					0.40		3.09	0.03	0.23	2.26	0.65	0.42	0.02					202
					11		88	1	6	63	18	12	1					
5S/11W-21M	3 S	67	8.1	376	26	2	55	2	0	167	36	15	0.0	0.3	0.04	--	202	73
11-10-65					1.30	0.16	2.39	0.05		2.74	0.75	0.42						218
					33	4	61	1		70	19	11						
5S/11W-21N	2 S	70	8.2	617	70	10	51	3	0	200	130	19	0.0	0.4	0.02	--	374	216
11-10-65					3.49	0.82	2.22	0.08		3.28	2.71	0.54						382
					53	12	34	1		50	42	8						
5S/11W-21Q	1 S	66	7.8	918	108	20	56	4	0	236	144	89	9.0	0.4	0.10	--	582	352
11-10-65					5.39	1.64	2.43	0.10		3.87	3.00	2.51	0.15					547
					56	17	25	1		41	31	26	2					
		67	8.2	352	7	0	75	1	0	163	26	11	2.0	0.6	0.14	--	210	18
4-20-66					0.35		3.26	0.03		2.67	0.54	0.31	0.03					203
					10		90	1		75	15	9	1					
5S/11W-21Q	5 S	72	7.9	919	109	19	56	4	0	233	146	89	9.0	0.4	0.08	--	585	350
11-10-65					5.44	1.56	2.43	0.10		3.82	3.04	2.51	0.15					547
					57	16	25	1		40	32	26	2					
5S/11W-22G	2 S	67	8.6	425	44	7	36	3	6	188	35	11	0.7	--	0.10	--	238	139
9-27-66					2.20	0.58	1.57	0.08	0.20	3.08	0.73	0.31	0.01					235
					50	13	35	2	5	71	17	7						
5S/11W-22G	3 S	67	8.2	570	63	9	44	4	0	220	77	20	1.4	--	0.10	--	329	194
9-27-66					3.14	0.74	1.91	0.10		3.61	1.60	0.56	0.02					327
					53	13	32	2		62	28	10						
5S/11W-22G	4 S	67	8.2	826	105	19	46	4	0	256	182	26	0.8	--	0.10	--	512	340
9-27-66					5.24	1.56	2.00	0.10		4.20	3.79	0.73	0.01					509
					59	18	22	1		48	43	8						

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	ECX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				
						CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 105C COMP
SANTA ANA RIVER HYDRO UNIT Y0100																		
LOWER SANTA ANA RIV HYDRO SUBUNITY01A0 EAST COASTAL PLAIN HYDRO SUBAREA Y01A1																		
5S/11W-23A	3 S	--	7.6	500	57	9	30	3	--	212	44	15	0	0.6	0.10	--	241	179
3-31-66					2.84	0.74	1.30	0.08		3.47	0.92	0.42						263
					57	15	26	2		72	19	9						
5S/11W-23M	1 S	--	8.2	807	104	16	43	4	--	229	175	35	1	0.5	0.08	--	532	326
1-27-66					5.19	1.32	1.87	0.10		3.75	3.64	0.99	0.02					491
					61	16	22	1		45	43	12						
5S/11W-23R	1 S	--	8.0	455	51	9	30	3	--	206	39	19	1	0.6	0.05	--	265	164
1-27-66					2.54	0.74	1.30	0.08		3.38	0.81	0.54	0.02					254
					55	16	28	2		71	17	11						
5S/11W-26M	7 S	--	7.4	414	7	1	85	1	--	208	7	16	1	0.7	0.14	--	220	22
2-8-66					0.35	0.08	3.70	0.03		3.41	0.15	0.45	0.02					221
					8	2	89	1		85	4	11						
5S/11W-26H	8 S	67	8.0	449	53	9	30	3	0	214	42	16	1.0	0.6	0.07	--	255	169
9-22-66					2.64	0.74	1.30	0.08		3.51	0.87	0.45	0.02					260
					55	16	27	2		72	18	9						
5S/11W-26D	4 S	68	7.8	413	41	6	42	3	0	203	35	13	0.2	0.5	0.10	--	266	127
9-22-66					2.05	0.49	1.83	0.08		3.33	0.73	0.37						241
					46	11	41	2		75	16	8						
5S/11W-26D	5 S	67	8.2	431	51	9	31	3	0	203	42	15	1.0	0.6	0.10	--	272	164
9-22-66					2.54	0.74	1.35	0.08		3.33	0.87	0.42	0.02					253
					54	16	29	2		72	19	9						
5S/11W-26D	6 S	67	8.0	998	151	20	54	6	0	222	329	27	25.0	0.6	0.16	--	766	459
9-22-66					7.53	1.64	2.35	0.15		3.64	6.85	0.76	0.40					722
					65	14	20	1		31	59	7	3					
5S/11W-26E	5 S	--	8.4	367	14	0	66	1	5	148	27	16	1.5	0.5	0.08	--	206	35
1-27-66					0.70		2.87	0.03	0.17	2.43	0.56	0.45	0.02					204
					19		80	1	5	67	15	12	1					
5S/11W-26H	7 S	68	7.8	403	41	7	36	2	0	198	33	12	0.0	0.5	0.06	--	217	132
9-22-66					2.05	0.58	1.57	0.05		3.25	0.69	0.34						229
					48	14	37	1		76	16	8						
5S/11W-26M	7 S	77	8.1	394	8	0	84	1	--	203	10	17	1	0.6	0.26	--	240	20
1-27-66					0.40		3.65	0.03		3.33	0.21	0.48	0.02					222
					10		89	1		82	5	12						
5S/11W-26M	8 S	78	8.3	383	7	0	81	1	6	176	10	17	4.5	0.6	0.17	--	223	18
1-27-66					0.35		3.52	0.03	0.20	2.88	0.21	0.48	0.07					214
					9		90	1	5	75	5	13	2					
5S/11W-26M	9 S	78	8.5	360	7	0	77	1	7	173	14	13	0.0	0.6	0.18	--	235	18
4-20-66					0.35		3.35	0.03	0.23	2.84	0.29	0.37						205
					9		90	1	6	76	8	10						
5S/11W-26P	1 S	--	8.4	362	9	0	76	1	6	185	6	17	0.8	0.6	0.16	--	217	23
1-27-66					0.45		3.30	0.03	0.20	3.03	0.12	0.48	0.01					207
					12		87	1	5	79	3	13						
5S/11W-26P	3 S	--	8.0	372	7	0	79	0	--	176	23	16	4.0	0.6	0.16	--	221	18
1-27-66					0.35		3.43			2.88	0.48	0.45	0.06					216
					9		91			74	12	12	2					
5S/11W-26Q	1 S	69	8.0	364	31	5	41	3	0	178	32	9	0.1	0.4	0.06	--	223	98
9-22-66					1.55	0.41	1.78	0.08		2.92	0.67	0.25						209
					41	11	47	2		76	17	7						
5S/11W-26Q	2 S	67	7.8	678	85	12	43	4	0	188	72	89	4.7	0.5	0.06	--	454	262
9-22-66					4.24	0.99	1.87	0.10		3.08	1.50	2.51	0.08					403
					59	14	26	1		43	21	35	1					
5S/11W-27D	5 S	68	8.0	408	43	8	35	3	0	200	37	12	0.1	0.6	0.06	--	256	141
9-22-66					2.15	0.66	1.52	0.08		3.28	0.77	0.34						237
					49	15	34	2		75	18	8						
5S/11W-27D	6 S	68	8.2	455	46	9	40	3	0	185	45	27	0.0	0.6	0.06	--	284	152
9-22-66					2.30	0.74	1.74	0.08		3.03	0.94	0.76						262
					47	15	36	2		64	20	16						
5S/11W-27D	7 S	68	8.2	421	46	8	35	3	0	195	38	17	0.3	0.6	0.06	--	265	148
9-22-66					2.30	0.66	1.52	0.08		3.20	0.79	0.48						244
					50	14	33	2		72	18	11						
5S/11W-27F	5 S	--	8.4	609	72	12	41	3	8	193	108	20	0.0	0.6	0.06	--	379	229
1-28-66					3.59	0.99	1.78	0.08	0.27	3.16	2.25	0.56						359
					56	15	28	1	4	51	36	9						
5S/11W-27H	4 S	--	8.3	825	90	13	56	4	7	203	82	97	3.0	0.5	0.23	--	505	278
1-27-66					4.49	1.07	2.43	0.10	0.23	3.33	1.71	2.74	0.05					453
					56	13	30	1	3	41	21	34	1					

TABLE E-1

ANALYSES OF GROUND WATER

SOUTHERN CALIFORNIA

WELL NO	DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
SANTA ANA RIVER HYDRO UNIT Y0100																		
OWNER SANTA ANA RIV HYDRO SUBUNITY01A0																		
EAST COASTAL PLAIN HYDRO SUBAREA Y01A1																		
5S/11W-27P	3 S	69	8.6	411	31	4	53	2	10	182	0	32	2	0.6	0.08	--	232	94
1-28-66					1.55	0.33	2.30	0.05	0.33	2.98		0.90	0.03				224	
					37	8	54	1	8	70		21	1					
5S/11W-28D	4 S	--	8.3	845	98	27	45	4	12	198	220	26	0.9	0.4	0.09	--	593	356
1-28-66					4.89	2.22	1.96	0.10	0.40	3.25	4.58	0.73	0.01				531	
					53	24	21	1	4	36	51	8						
5S/11W-29B13	3 S	68	3.3	7062	543	146	386	46	0	0	0	2308	4.0	0.1	0.29	--	4532	1957
3-4-66					27.10	12.01	16.78	1.18				65.09	0.06				3433	
					47	21	29	2				00						
5S/11W-32A	1 S	73	7.7	2836	73	20	498	6	--	366	0	752	1.2	0.6	1.30	--	1560	264
9-29-66					3.64	1.64	21.65	0.15		6.00		21.21	0.02				1532	
					13	6	80	1		22		78						
5S/11W-33H	1 S	--	8.4	363	7	1	75	1	10	178	0	19	0.9	0.6	0.15	--	218	22
1-28-66					0.35	0.08	3.26	0.03	0.33	2.92		0.54	0.01				202	
					9	2	88	1	9	77		14						
5S/11W-34F	3 S	85	8.6	628	6	0	141	2	17	317	4	21	6.0	0.6	0.64	--	394	15
1-28-66					0.30		6.13	0.05	0.57	5.20	0.08	0.59	0.10				354	
					5		95	1	9	80	1	9	2					
		--	7.7	604	5	1	146	3	0	371	0	17	12	0.7	0.60	--	420	17
4-20-66					0.25	0.08	6.35	0.08		6.08		0.48	0.19				368	
					4	1	94	1		90		7	3					
5S/11W-35C	4 S	--	8.3	362	13	1	67	1	6	171	12	17	1.5	0.6	0.11	--	204	37
1-27-66					0.65	0.08	2.91	0.03	0.20	2.80	0.25	0.48	0.02				203	
					18	2	79	1	5	75	7	13	1					
5S/11W-36B	2 S	--	8.2	494	58	9	32	3	--	210	45	25	3.0	0.4	0.05	--	270	182
1-27-66					2.89	0.74	1.39	0.08		3.44	0.94	0.71	0.05				279	
					57	15	27	2		67	18	14	1					
5S/11W-36C	1 S	67	8.2	499	57	10	29	3	0	207	48	23	1.0	0.5	0.05	--	300	183
1-27-66					2.84	0.82	1.26	0.08		3.39	1.00	0.65	0.02				273	
					57	16	25	2		67	20	13						
5S/11W-36P	1 S	--	8.2	725	44	17	86	3	--	171	127	61	0.0	0.6	0.15	--	431	180
1-27-66					2.20	1.40	3.74	0.08		2.80	2.64	1.72					423	
					30	19	50	1		39	37	24						
6S/ 8W- 5E	2 S	--	7.6	1080	--	--	--	--	0	281	--	85	--	--	--	--		
10- 5-65										4.61		2.40						
		84	7.4	1040	--	--	--	--	0	286	--	79	8.4	--	--	--		
3-23-66										4.69		2.23	0.14					
6S/ 8W- 7Q	1 S	--	7.4	1270	--	--	--	--	0	204	--	168	36	0.1	--	--		
10- 5-65										3.34		4.74	0.58					
6S/ 8W- 7Q	1 S	--	7.3	1250	--	--	--	--	0	209	--	165	39	--	--	--		
3-23-66										3.43		4.65	0.63					
6S/ 9W- 1L	1 S	78	7.3	1270	--	--	--	--	0	240	--	159	--	--	--	--		
10- 5-65										3.93		4.48						
		--	7.2	1240	--	--	--	--	0	238	--	157	--	--	--	--		
4-26-66										3.90		4.43						
6S/ 9W- 2D	1 S	82	7.5	753	--	--	--	--	0	209	86	78	--	--	--	--		
3-23-66										3.43	1.79	2.20						
6S/ 9W- 5A	1 S	92	8.9	508	5	0	112	1	18	150	16	56	0	0.9	0.35	19	318	13
10- 5-65					0.25		4.87	0.03	0.60	2.46	0.33	1.58					302	
					5		95	1	12	49	7	32						
6S/10W- 1E	2 S	85	8.5	654	7	0	135	1	10	192	6	96	2.0	0.9	0.53	--	394	18
1-28-66					0.35		5.87	0.03	0.33	3.15	0.12	2.71	0.03				353	
					6		94		5	50	2	43						
		--	7.8	452	--	--	--	--	0	166	--	51	--	--	--	--		
3-29-66										2.72		1.44						

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				TDS 180C 105C COMP	HARD- NESS CACO ₃
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2		
SANTA ANA RIVER HYDRO UNIT Y0100																	
MIDDLE SANTA ANA RIV HYDR SUBUNITY01B0 CHINO HYDRO SUBAREA Y01B1																	
6S/10W- 1L 1 S 10-19-65	--	7.9	861	--	--	--	--	0	184 3.02	--	49 1.38	--	--	--	--	--	--
3-23-66	--	7.8	908	--	--	--	--	0	188 3.08	--	52 1.47	--	--	--	--	--	--
6S/10W- 5R 3 S 1-27-66	61	8.3	416	38 1.90 44	8 0.66 15	40 1.74 40	1 0.03 1	--	177 2.90 68	43 0.90 21	17 0.48 11	0.0	0.2	0.04	--	241	121
6S/10W- 5B 4 S 10- 1-65	--	8.0	438	43 2.15 47	9 0.74 16	38 1.65 36	2 0.05 1	0	198 3.25 70	45 0.94 20	15 0.42 9	0	0.3	0.06	--	250	145
6S/11W- 1N 2 S 1-27-66	64	8.0	510	14 0.70 13	0	109 4.74 87	1 0.03 1	0	293 4.80 89	0	20 0.56 10	1.0 0.02	0.7	0.50	--	321	31
6S/11W- 3R 2 S 1-28-66	--	7.8	639	21 1.05 17	5 0.41 7	105 4.57 75	1 0.03	--	195 3.20 52	9 0.19 3	96 2.71 44	2 0.03	0.6	0.28	--	352	71
6S/11W-12E 3 S 1-27-66	--	8.3	647	41 2.05 32	9 0.74 12	81 3.52 55	3 0.08 1	5 0.17 3	176 2.88 45	95 1.98 31	49 1.38 21	2 0.03	0.6	0.14	--	387	140
SANTIAGO HYDRO SUBAREA Y01A2																	
5S/ 7W-19R 1 S 3-31-66	--	7.4	770	90 4.49 54	25 2.06 25	40 1.74 21	2 0.05 1	0	285 4.67 55	158 3.29 39	18 0.51 6	0	0.2	0.09	26	554	321
5S/ 8W- 1N 1 S 3-31-66	--	7.6	1220	68 3.39 27	16 1.32 11	178 7.74 62	2 0.05	0	266 4.36 34	344 7.16 56	46 1.30 10	0	--	0.15	22	856	230
5S/ 8W-13C 1 S 3-31-66	--	7.4	678	85 4.24 59	22 1.81 25	26 1.13 16	1 0.03	0	248 4.06 57	118 2.46 35	19 0.54 8	4 0.06 1	0.2	0.07	27	478	303
SANTA ANA NARROWS HYDRO SUBAREA Y01A3																	
3S/ 8W-25J 1 S 3-31-66	--	7.7	1640	--	--	--	--	0	384 6.29	361 7.52	153 4.31	0	--	--	--	--	--
3S/ 8W-31E 2 S 10- 5-65	--	7.5	1220	106 5.29 41	32 2.63 21	108 4.70 37	5 0.13 1	0	191 3.13 25	317 6.60 52	105 2.96 23	2 0.03	0.5	0.11	14	831	396
3-31-66	--	7.5	1220	--	--	--	--	0	186 3.05	306 6.37	113 3.19	5 0.08	--	--	--	--	--
3S/ 8W-33K 2 S 3-31-66	--	7.2	2100	209 10.43 44	85 6.99 30	138 6.00 26	4 0.10	0	368 6.03 25	624 12.99 54	176 4.96 21	3 0.05	0.6	0.14	35	1593	872
3S/ 8W-34F 1 S 3-31-66	--	7.3	1520	--	--	--	--	0	354 5.80	340 7.08	137 3.86	4 0.06	--	--	--	--	--
1S/ 5W- 6D 1 S 2-25-66	--	8.2	306	42 2.10 63	10 0.82 25	8 0.35 11	2 0.05 2	0	157 2.57 80	22 0.46 14	5 0.14 4	3.4 0.05 2	0.5	0.04	--	193	146
1S/ 5W- 7N 1 S 3- 4-66	--	8.0	316	45 2.25 66	9 0.74 22	8 0.35 10	2 0.05 1	0	159 2.61 79	24 0.50 15	5 0.14 4	3.6 0.06 2	0.5	0.01	--	195	150
1S/ 5W-15G 1 S 2-25-66	--	8.2	413	62 3.09 67	8 0.66 14	18 0.78 17	2 0.05 1	0	187 3.06 69	27 0.56 13	11 0.31 7	30 0.48 11	0.4	0.03	--	284	188
1S/ 5W-16J 1 S 3- 4-66	--	7.7	434	58 2.89 64	10 0.82 18	17 0.74 16	2 0.05 1	0	181 2.97 67	28 0.58 13	11 0.31 7	34 0.55 12	0.3	0.02	--	290	186
1S/ 5W-36A 1 S 9-16-66	69	8.3	838	54 2.69 33	4 0.33 4	60 2.61 32	98 2.51 31	7 0.23 3	295 4.84 60	55 1.15 14	55 1.55 19	20 0.32 4	0.6	0.62	--	540	151
																499	

TABLE E-1
ANALYSIS OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SiO 2	IDS 105C COMP
SANTA ANA RIVER HYDRO UNIT Y0100																	
MIDDLE SANTA ANA RIV HYDR SUBUNITY0100 CHINO HYDRO SUBAREA Y01B1																	
1S/ 6W-8Q 1 S 10- 5-65	--	7.8	302	35 1.75 55	8 0.66 21	17 0.74 23	2 0.05 2	0 2.66 83	162 0.15 5	7 0.25 8	9 0.13 4	8 0.3 0	0 --	187 166	121		
3-29-66	--	7.6	341	41 2.05 58	8 0.66 19	18 0.78 22	2 0.05 1	0 2.93 85	179 0.08 2	4 0.23 7	8 0.19 6	12.0 0.4 0	0 --	204 181	136		
1S/ 6W-11B 1 S 1- 7-66	--	7.7	366	53 2.64 65	7 0.58 14	18 0.78 19	2 0.05 1	0 3.43 87	209 0.12 3	6 0.25 6	9 0.14 4	8.7 0.2 0	0 --	213 207	161		
7-15-66	--	7.7	364	52 2.59 65	7 0.58 15	17 0.74 19	2 0.05 1	0 3.38 86	206 0.17 4	8 0.23 6	9 0.15 4	9.2 0.2 0.03	--	223 205	159		
1S/ 6W-11N 1 S 1- 7-66	--	7.8	359	49 2.45 63	8 0.66 17	17 0.74 19	2 0.05 1	0 3.33 87	203 0.12 3	6 0.25 7	9 0.14 4	8.8 0.3 0	0 --	222 200	156		
7-15-66	--	7.8	362	51 2.54 66	9 0.74 19	17 0.52 14	2 0.05 1	0 3.21 84	196 0.31 8	15 0.20 5	7 0.09 2	5.7 0.4 0.04	--	212 198	164		
1S/ 6W-12P 1 S 1- 7-66	--	7.9	383	50 2.50 61	8 0.66 16	20 0.87 21	2 0.05 1	0 3.25 80	198 0.21 5	10 0.31 8	11 0.31 8	19 0.2 0	0 --	237 218	158		
7-15-66	--	8.0	367	53 2.64 65	11 0.90 22	11 0.48 12	2 0.05 1	0 3.15 79	192 0.48 12	23 0.23 6	8 0.13 3	8.3 0.4 0.03	--	223 211	177		
1S/ 6W-16A 1 S 3-28-66	--	7.4	341	40 2.00 54	11 0.90 24	17 0.74 20	2 0.05 1	0 3.08 83	188 0.21 6	10 0.31 8	11 0.10 3	6.0 0.3 0	0 --	210 190	145		
1S/ 6W-16L 1 S 1- 7-66	--	7.8	348	35 1.75 48	8 0.66 18	26 1.13 31	4 0.10 3	0 2.33 66	142 0.79 22	38 0.39 11	14 0.01 11	0.6 1.6 0.05	--	201 197	121		
1S/ 6W-17F 1 S 10- 5-65	--	7.8	295	37 1.85 59	7 0.58 19	15 0.65 21	2 0.05 2	0 2.69 86	164 0.12 4	6 0.20 6	7 0.10 3	6 0.2 0	0 --	180 161	122		
1S/ 6W-17G 1 S 10- 7-65	--	7.7	286	34 1.70 55	7 0.58 19	17 0.74 24	2 0.05 2	0 2.56 84	156 0.19 6	9 0.20 7	7 0.08 3	5 0.2 0	0 --	170 158	114		
1S/ 6W-17H 1 S 10- 7-65	--	7.8	267	32 1.60 56	6 0.49 17	16 0.70 25	2 0.05 2	0 2.38 83	145 0.23 8	11 0.17 6	6 0.10 3	6 0.2 0	0 --	160 150	105		
4- 1-66	--	7.7	272	33 1.65 60	4 0.33 12	17 0.74 27	2 0.05 2	0 2.44 86	149 0.15 5	7 0.17 6	6 0.09 3	5.5 0.1 0.02	--	140 148	99		
1S/ 6W-21P 1 S 12- 8-65	--	7.3	1458	244 12.18 77	23 1.89 12	39 1.70 11	4 0.10 1	0 3.33 20	203 6.97 43	335 5.89 36	209 0.10 1	6 0.3 0.02	--	1160 960	704		
3-29-66	--	7.5	1185	192 9.59 77	19 1.56 12	30 1.30 10	3 0.08 1	0 3.70 30	226 4.73 38	227 3.75 30	133 0.24 2	15.0 0.2 0	0 --	880 730	557		
1S/ 6W-28N 1 S 3-29-66	--	7.8	419	58 2.89 68	5 0.41 10	21 0.91 21	2 0.05 1	0 3.21 75	196 0.15 4	7 0.62 15	22 0.29 7	18.0 0.2 0	0 --	235 230	165		
1S/ 6W-29R 1 S 1- 7-66	--	7.9	428	59 2.94 65	2 0.16 4	31 1.35 30	2 0.05 1	0 3.11 72	190 0.17 4	8 0.76 18	27 0.29 7	18 0.2 0.01	--	267 241	155		
3-29-66	--	7.9	445	59 2.94 65	5 0.41 9	25 1.09 24	2 0.05 1	0 3.15 70	192 0.21 5	10 0.79 18	28 0.34 8	21.0 0.2 0	--	248 245	168		
1S/ 6W-31D 1 S 3-29-66	--	7.8	252	28 1.40 53	6 0.49 19	16 0.70 27	2 0.05 2	0 2.26 86	138 0.21 8	10 0.14 5	5 0.03 1	2.0 0.2 0	0 --	134 137	95		
1S/ 6W-31M 1 S 3-29-66	--	7.7	492	54 2.69 53	13 1.07 21	28 1.22 24	2 0.05 1	0 3.52 70	215 0.15 3	7 0.99 20	35 0.35 7	22.0 0.3 0	0 --	267 267	188		
1S/ 6W-34V 1 S 7-15-66	--	7.7	424	57 2.84 66	6 0.47 11	21 0.91 21	2 0.05 1	0 2.85 68	174 0.27 6	13 0.76 18	27 0.34 8	21 0.2 0.05	--	267 233	167		

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE								MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 105C COMP
SANTA ANA RIVER HYDRO UNIT Y0100																	
MIDDLE SANTA ANA RIV HYDR SUBUNITY01B0 CHINO HYDRO SUBAREA Y01B1																	
1S/ 6W-35A 1 S 1- 7-66	--	8.0	316	48 2.40 69	8 0.66 19	8 0.35 10	2 0.05 1	0	170 2.79 84	19 0.40 12	3 0.08 2	3.7 0.06 2	0.5	0	--	184	153
7-15-66	--	8.2	368	50 2.50 63	10 0.82 21	14 0.61 15	2 0.05 1	0	192 3.15 81	14 0.29 7	11 0.31 8	9.3 0.15 4	0.3	0	--	218	166
1S/ 7W- 8N 1 S 1- 7-66	--	7.6	353	49 2.45 67	7 0.58 16	13 0.57 16	2 0.05 1	0	188 3.08 83	12 0.25 7	7 0.20 5	12 0.19 5	0.5	0.01	--	216	151
1S/ 7W-20A 1 S 1- 7-66	--	7.9	358	43 2.15 56	8 0.66 17	22 0.96 25	2 0.05 1	0	183 3.00 79	21 0.44 12	7 0.20 5	9.9 0.16 4	0.4	0.04	--	236	14
7-19-66	--	7.7	375	45 2.25 57	12 0.99 25	15 0.65 16	2 0.05 1	0	174 2.85 73	16 0.33 8	9 0.25 6	29 0.47 12	0.4	0.04	--	249	16
1S/ 7W-21D 1 S 3- 7-66	--	8.1	328	32 1.60 46	10 0.82 23	24 1.04 30	2 0.05 1	0	164 2.69 78	22 0.46 13	6 0.17 5	7.0 0.11 3	0.4	0.02	--	196	12
7-19-66	--	7.8	327	33 1.65 47	10 0.82 24	22 0.96 28	2 0.05 1	0	167 2.74 81	16 0.33 10	7 0.20 6	6.7 0.11 3	0.4	0.02	--	212	12
1S/ 7W-23D 1 S 3- 8-66	--	7.6	367	43 2.15 55	12 0.99 25	16 0.70 18	2 0.05 1	0	196 3.21 84	6 0.12 3	10 0.28 7	14.0 0.23 6	0.2	0.06	--	228	15
1S/ 7W-26A 1 S 3-29-66	--	8.0	305	42 2.10 58	8 0.66 18	19 0.83 23	2 0.05 1	0	196 3.21 88	12 0.25 7	5 0.14 4	3.0 0.05 1	0.2	0	--	187	13
1S/ 7W-26P 1 S 3-29-66	--	7.9	347	44 2.20 60	7 0.58 16	19 0.83 23	2 0.05 1	0	199 3.26 88	15 0.31 8	4 0.11 3	2.0 0.03 1	0.2	0	--	196	13
1S/ 7W-30Q 1 S 3- 7-66	--	7.9	364	47 2.35 61	10 0.82 21	15 0.65 17	2 0.05 1	0	187 3.06 81	10 0.21 6	8 0.23 6	16.6 0.27 7	0.3	0.02	--	227	15
1S/ 7W-34K 1 S 8-16-66	--	7.9	366	47 2.35 61	10 0.82 21	16 0.70 18	--	0	206 3.38 85	6 0.12 3	10 0.28 7	12 0.19 5	0.3	0	--	207	15
1S/ 7W-35B 1 S 3-29-66	--	8.2	356	40 2.00 52	11 0.90 23	21 0.91 24	2 0.05 1	0	203 3.33 86	5 0.10 3	13 0.37 10	4.0 0.06 2	0.3	0	--	210	14
1S/ 8W-10N 1 S 10-22-65	70	8.3	295	27 1.35 46	1 0.08 3	33 1.43 49	2 0.05 2	5 0.17 6	134 2.20 73	19 0.40 13	7 0.20 7	4.0 0.06 2	0.2	0	--	154	7
1S/ 8W-14A 3 S 7- 8-66	--	7.7	444	52 2.59 56	16 1.32 29	15 0.65 14	2 0.05 1	0	184 3.02 65	23 0.48 10	10 0.28 6	55 0.89 19	0.4	0.05	--	284	15
8-10-66	--	7.8	447	56 2.79 59	14 1.15 25	16 0.70 15	2 0.05 1	0	176 2.88 64	26 0.54 12	9 0.25 6	52 0.84 19	0.4	0.01	--	302	15
9- 1-66	--	7.7	451	57 2.84 61	14 1.15 25	15 0.65 14	2 0.05 1	0	189 3.10 64	26 0.54 11	10 0.28 6	55 0.89 19	0.3	0.09	--	290	20
1S/ 8W-14N 1 S 8-10-66	--	7.8	460	65 3.24 66	13 1.07 22	12 0.52 11	2 0.05 1	0	187 3.06 64	29 0.60 13	10 0.28 6	52 0.84 18	0.3	0	--	291	21
9- 1-66	--	7.8	459	66 3.29 68	12 0.99 20	12 0.52 11	2 0.05 1	0	196 3.21 65	27 0.56 11	12 0.34 7	53 0.85 17	0.3	0.02	--	283	2
1S/ 8W-14A 1 S 10- 8-65	--	7.8	451	57 2.84 60	15 1.23 26	15 0.65 14	2 0.05 1	0	193 3.16 65	28 0.58 12	9 0.25 5	52 0.84 17	0.4	0.02	--	309	20
10-14-65	--	7.6	505	--	--	--	--	--	--	35 0.73	--	--	--	--	--	319	
10-22-65	--	7.7	467	--	--	--	--	--	--	28 0.58	--	--	--	--	--	300	

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	FCX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIU 2	IDS 180C 105C COMP	HARD- NESS CALO 3
SANTA ANA RIVER HYDRO UNIT Y0100																		
MIDDLE SANTA ANA RIV HYDR SUBUNITYO1B0 CHINO HYDRO SUBAREA Y01B1																		
15/ 8W-14A 1 S	11-18-65	--	7.7	565	75 3.74 65	17 1.40 24	13 0.57 10	2 0.05 1	0	183 3.00 52	49 1.02 18	11 0.31 5	92 1.48 25	0.4	0	--	339	257
	12-23-65	--	7.6	447	57 2.84 61	13 1.07 23	16 0.70 15	2 0.05 1	0	186 3.05 64	25 0.52 11	15 0.37 8	51 0.82 17	0.4	0.03	--	290	196
	1- 7-66	--	7.8	456	55 2.74 59	15 1.27 26	15 0.65 14	2 0.05 1	0	186 3.05 66	30 0.62 13	8 0.23 5	44 0.71 15	0.4	0.08	--	293	199
	7-15-66	--	7.8	453	57 2.84 61	14 1.15 25	15 0.65 14	2 0.05 1	0	179 2.93 63	25 0.52 11	12 0.34 7	55 0.89 19	0.4	0.03	--	330	200
15/ 8W-14A 3 S	1- 6-66	--	8.2	547	73 3.64 66	15 1.23 22	14 0.61 11	2 0.05 1	0	186 3.05 55	40 0.83 15	14 0.39 7	80 1.29 23	0.4	0.02	--	351	244
	1-20-66	--	7.7	464	--	--	--	--	--	--	27 0.56	--	--	--	--	--	287	
	1-27-66	--	7.6	492	--	--	--	--	--	--	33 0.69	--	--	--	--	--	290	
	2- 3-66	--	7.8	450	55 2.74 58	15 1.23 26	16 0.70 15	2 0.05 1	0	190 3.11 66	24 0.50 11	8 0.23 5	52.0 0.84 18	0.4	0.02	--	280	199
	3-11-66	--	7.8	452	56 2.79 59	14 1.15 25	16 0.70 15	2 0.05 1	0	181 2.97 63	29 0.60 13	9 0.25 5	53.8 0.87 19	0.4	0.03	--	291	197
	6- 9-66	--	7.9	452	56 2.79 58	16 1.32 27	15 0.65 13	3 0.08 2	0	187 3.06 63	27 0.56 12	12 0.34 7	55 0.89 18	0.4	0.02	--	300	206
	7- 8-66	--	7.7	444	52 2.59 56	16 1.32 29	15 0.65 14	2 0.05 1	0	184 3.02 65	23 0.48 10	10 0.28 6	55 0.89 19	0.4	0.05	--	284	196
15/ 8W-14N 1 S	10- 8-65	--	7.9	456	64 3.19 66	13 1.07 22	12 0.52 11	2 0.05 1	0	198 3.25 68	25 0.52 11	9 0.25 5	49 0.79 16	0.4	0.02	--	300	213
	1- 6-66	--	8.0	489	67 3.34 68	12 0.99 20	12 0.52 11	2 0.05 1	0	193 3.16 64	27 0.56 11	13 0.37 8	51.0 0.82 17	0.3	0.04	--	310	217
	1-27-66	--	7.7	471	--	--	--	--	--	--	28 0.58	--	--	--	--	--	277	
	2- 3-66	--	7.8	466	63 3.14 66	13 1.07 22	12 0.52 11	2 0.05 1	0	193 3.16 66	26 0.54 11	9 0.25 5	53.0 0.85 18	0.3	0.01	--	278	211
	3-11-66	--	7.8	469	61 3.04 63	15 1.23 25	12 0.52 11	2 0.05 1	0	187 3.06 63	29 0.60 12	10 0.28 6	55.0 0.89 18	0.3	0.02	--	283	214
	6- 9-66	--	7.8	465	68 3.39 68	13 1.07 21	11 0.48 10	2 0.05 1	0	194 3.18 65	29 0.60 12	10 0.28 6	54 0.87 18	0.3	0.04	--	295	223
	7- 8-66	--	7.8	460	62 3.09 64	15 1.23 25	11 0.48 10	2 0.05 1	0	192 3.15 65	26 0.54 11	11 0.31 6	53.0 0.85 18	0.3	0.15	--	267	216
15/ 8W-15J 1 S	7- 8-66	--	7.7	392	46 2.30 55	15 1.23 30	13 0.57 14	2 0.05 1	0	174 2.85 70	22 0.46 11	9 0.25 6	31 0.50 12	0.3	0.61	--	234	177
	8-10-66	--	8.0	384	53 2.64 65	10 0.87 20	13 0.57 14	2 0.05 1	0	174 2.85 70	26 0.54 13	7 0.20 5	29 0.47 12	0.3	0	--	270	173
	9- 1-66	--	7.6	384	53 2.64 65	10 0.82 20	13 0.57 14	2 0.05 1	0	181 2.97 71	23 0.48 12	9 0.25 6	29 0.47 11	0.3	0.03	--	241	173

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL	CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER			
					CA	MG	NA	K	CO ₃	HCO ₃	SO ₄	CL	NO ₃	F	B	SIO ₂	TDS 105C COMP
SANTA ANA RIVER HYDRO UNIT Y0100																	
MIDDLE SANTA ANA RIV HYDR SUBUNITY0180																	
CHINO HYDRO SUBAREA Y01R1																	
1S/ 8W-15P 2 S 10-14-65	--	7.8	388	--	--	--	--	--	--	24	--	--	--	--	--	242	
										0.50							
10-22-65	--	7.7	389	--	--	--	--	--	--	29	--	--	--	--	--	244	
										0.60							
1- 6-66	--	8.1	413	56	9	16	2	0	188	27	7	34	0.3	0.03	--	278 177	
				2.79	0.74	0.70	0.05		3.08	0.56	0.20	0.55					
				65	17	16	1		70	13	5	13				244	
1-20-66	--	7.7	401	--	--	--	--	--	--	24	--	--	--	--	--	235	
										0.50							
1-27-66	--	7.8	397	--	--	--	--	--	--	25	--	--	--	--	--	228	
										0.52							
2- 3-66	--	7.5	459	63	11	15	2	0	188	39	14	34.0	0.3	0.02	--	288 202	
				3.14	0.90	0.65	0.05		3.08	0.81	0.39	0.55					
				66	19	14	1		64	17	8	11				271	
3-11-66	--	7.9	430	59	11	16	2	0	184	33	10	28.8	0.3	0.02	--	284 192	
				2.94	0.90	0.70	0.05		3.02	0.69	0.28	0.46					
				64	20	15	1		68	16	6	10				251	
6- 9-66	--	8.0	393	49	13	15	2	0	187	26	10	25	0.3	0.02	--	250 176	
				2.45	1.07	0.65	0.05		3.06	0.54	0.28	0.40					
				58	25	15	1		71	13	7	9				232	
7- 8-66	--	7.9	382	47	12	16	2	0	181	19	7	24	0.3	0.11	--	201 167	
				2.35	0.99	0.70	0.05		2.97	0.40	0.20	0.39					
				57	24	17	1		75	10	5	10				216	
1S/ 8W-15P 3 S 10-14-65	--	7.8	388	--	--	--	--	--	--	24	--	--	--	--	--	242	
										0.50							
10-22-65	--	7.7	389	--	--	--	--	--	--	29	--	--	--	--	--	244	
										0.60							
11- 4-65	--	7.7	391	--	--	--	--	--	--	25	--	--	--	--	--	252	
										0.52							
11-12-65	--	7.6	394	--	--	--	--	--	--	26	--	--	--	--	--	276	
										0.54							
11-18-65	--	7.4	386	52	10	16	2	0	183	25	7	24	0.2	0	--	227 171	
				2.59	0.82	0.70	0.05		3.00	0.52	0.20	0.39					
				62	20	17	1		73	13	5	9				226	
12-23-65	--	7.7	436	61	10	15	2	0	190	34	13	26	0.3	0.02	--	285 193	
				3.04	0.82	0.65	0.05		3.11	0.71	0.37	0.42					
				67	18	14	1		67	15	8	9				255	
1S/ 8W-15P 4 S 7- 8-66	--	7.8	431	62	13	11	2	0	194	21	11	39	0.3	0	--	227 208	
				3.09	1.07	0.48	0.05		3.18	0.44	0.31	0.63					
				66	23	10	1		70	10	7	14				255	
1S/ 8W-15P 5 S 10-22-65	--	7.7	422	--	--	--	--	--	--	21	--	--	--	--	--	266	
										0.44							
1S/ 8W-15P 2 S 10-22-65	--	7.7	389	--	--	--	--	--	--	24	--	--	--	--	--	243	
										0.50							
10-28-65	--	7.9	378	--	--	--	--	--	--	32	--	--	--	--	--	254	
										0.67							
11- 4-65	--	7.3	477	--	--	--	--	--	--	15	--	--	--	--	--	292	
										0.31							
11-12-65	--	7.5	477	--	--	--	--	--	--	34	--	--	--	--	--	330	
										0.71							
6- 9-66	--	8.0	498	69	13	15	2	0	187	48	20	43	0.3	0.01	--	326 226	
				3.44	1.07	0.65	0.05		3.06	1.00	0.56	0.69					
				66	21	12	1		58	19	11	13				302	

TABLE L-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
MIDDLE SANTA ANA RIV HYDR SUBUNITY 01B0																	
CHINO HYDRO SUBAREA																	
SANTA ANA RIVER HYDRO UNIT																	
Y0100																	
Y01B1																	
1S/ 8W-250 1 S 1-20-66	--	7.6	358	--	--	--	--	--	--	0.19	--	--	--	--	--	196	
1-27-66	--	7.8	358	--	--	--	--	--	--	0.23	--	--	--	--	--	196	
2- 3-66	--	7.8	355	40 2.00 54	8 0.66 18	23 1.00 27	2 0.05 1	0	190 3.11 83	10 0.21 6	6 0.17 5	16.0 0.26 7	0.3	0.02	--	215 133 199	
3-11-66	--	7.9	357	33 1.65 43	14 1.15 30	22 0.96 25	2 0.05 1	0	189 3.10 82	10 0.21 6	6 0.17 5	17.5 0.28 7	0.3	0.01	--	217 140 198	
6- 9-66	--	8.1	356	39 1.95 51	11 0.90 24	21 0.91 24	2 0.05 1	0	192 3.15 82	11 0.23 6	6 0.17 4	18 0.29 8	0.3	0.02	--	212 143 203	
7- 8-66	--	7.8	354	38 1.90 49	12 0.99 26	21 0.91 24	2 0.05 1	0	189 3.10 83	8 0.17 5	7 0.20 5	17 0.27 7	0.3	0.11	--	179 145 198	
1S/ 8W-268 1 S 8-10-66	--	7.8	493	73 3.64 71	12 0.99 19	11 0.48 9	2 0.05 1	0	181 2.97 56	32 0.67 13	14 0.39 7	77 1.24 24	0.3	0	--	336 232 310	
9- 1-66	--	7.6	496	73 3.64 71	12 0.99 19	11 0.48 9	2 0.05 1	0	189 3.10 59	31 0.65 12	15 0.42 8	69 1.11 21	0.3	0.01	--	330 232 306	
10- 8-65	--	7.8	497	71 3.54 69	13 1.07 21	11 0.48 9	2 0.05 1	0	196 3.21 62	29 0.60 12	11 0.31 6	64 1.03 20	0.4	0.01	--	350 231 298	
10-14-65	--	7.8	490	--	--	--	--	--	--	30 0.62	--	--	--	--	--	312	
10-22-65	--	7.7	492	--	--	--	--	--	--	30 0.62	--	--	--	--	--	320	
10-28-65	--	7.8	490	--	--	--	--	--	--	29 0.60	--	--	--	--	--	311	
11-12-65	--	7.3	494	67 3.34 65	15 1.23 24	11 0.48 9	2 0.05 1	0	186 3.05 60	29 0.60 12	12 0.34 7	68 1.10 22	0.3	0	--	342 229 296	
1S/ 8W-268 1 S 6- 9-66	--	8.1	506	73 3.64 69	13 1.07 20	11 0.48 9	2 0.05 1	0	187 3.06 58	33 0.69 13	13 0.37 7	73 1.18 22	0.3	0.02	--	322 236 310	
7- 8-66	--	7.8	499	73 3.64 69	13 1.07 20	11 0.48 9	2 0.05 1	0	184 3.02 60	27 0.56 11	12 0.34 7	70 1.13 22	0.4	0.07	--	305 236 299	
1S/ 8W-27K 1 S 6- 9-66	--	7.8	435	60 2.99 65	14 1.15 25	9 0.39 9	2 0.05 1	0	189 3.10 67	21 0.44 10	12 0.34 7	46 0.74 16	0.4	0.02	--	265 207 257	
8-10-66	--	7.8	417	62 3.09 71	10 0.82 19	9 0.39 9	2 0.05 1	0	184 3.02 70	20 0.42 10	9 0.25 6	40 0.65 15	0.3	0	--	261 196 243	
9- 1-66	--	7.7	472	58 2.89 59	19 1.56 32	9 0.39 8	2 0.05 1	0	482 7.90 82	22 0.46 5	13 0.37 4	57 0.92 10	0.3	0.12	--	290 223 417	
10-22-65	--	7.6	450	--	--	--	--	--	--	22 0.46	--	--	--	--	--	294	
11-12-65	--	7.5	444	64 3.19 68	13 1.07 23	9 0.39 8	2 0.05 1	0	190 3.11 67	23 0.48 10	10 0.28 6	48 0.77 17	0.3	0.01	--	298 213 263	
3-11-66	--	7.7	415	56 2.79 64	14 1.15 26	9 0.39 9	2 0.05 1	0	187 3.06 71	19 0.40 9	8 0.23 5	38.0 0.61 14	0.3	0.01	--	252 197 238	
6- 9-66	--	7.8	435	60 2.99 65	14 1.15 25	9 0.39 9	2 0.05 1	0	189 3.10 67	21 0.44 10	12 0.34 7	46 0.74 16	0.4	0.02	--	265 207 257	

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
MIDDLE SANTA ANA RIV HYDR SUBUNITY0180 CHINO HYDRO SUBAREA Y0181																	
SANTA ANA RIVER HYDRO UNIT Y0100																	
1S/ 8W-28E 2 S	--	7.7	431	--	--	--	--	--	--	29	--	--	--	--	--	--	283
10-22-65										0.60							
	--	7.9	382	53	9	14	2	0	174	25	6	26	0.3	0	--	269	169
8-10-66				2.64	0.74	0.61	0.05		2.85	0.52	0.17	0.42					
				65	18	15	1		72	13	4	11				221	
1S/ 8W-28G 1 S	--	7.8	434	62	11	13	2	0	179	27	10	44	0.3	0	--	293	200
8-10-66				3.09	0.90	0.57	0.05		2.93	0.56	0.28	0.71					
				67	20	12	1		65	13	6	16				257	
1S/ 8W-28E 1 S	77	8.2	405	52	9	17	2	--	188	23	7	22	0.2	0.03	15	239	167
7-11-66				2.59	0.74	0.74	0.05		3.08	0.48	0.20	0.35				240	
				63	18	18	1		75	12	5	9					
1S/ 8W-28E 2 S	68	8.1	536	71	13	11	2	0	165	44	16	70.0	0.3	0.53	--	334	231
10-22-65				3.54	1.07	0.48	0.05		2.70	0.92	0.45	1.13				309	
				69	21	9	1		52	18	9	22					
	--	7.7	431	--	--	--	--	--	--	29	--	--	--	--	--	283	
										0.60							
1S/ 8W-28G 1 S	--	7.9	461	--	--	--	--	--	--	27	--	--	--	--	--	276	
10-28-65										0.56							
	--	7.0	457	--	--	--	--	--	--	26	--	--	--	--	--	273	
11- 4-65										0.54							
	--	7.5	460	--	--	--	--	--	--	26	--	--	--	--	--	316	
										0.54							
	--	7.8	437	59	12	14	2	0	179	27	9	43.8	0.3	0.02	--	273	197
3-11-66				2.94	0.99	0.61	0.05		2.93	0.56	0.25	0.71				255	
				64	22	13	1		66	13	6	16					
	--	8.0	447	63	12	12	2	0	187	27	13	48	0.4	0.02	--	283	207
6- 9-66				3.14	0.99	0.52	0.05		3.06	0.56	0.37	0.77				269	
				67	21	11	1		64	12	8	16					
	--	7.7	440	63	12	12	2	0	181	24	12	48	0.4	0.22	--	243	207
7- 8-66				3.14	0.99	0.52	0.05		2.97	0.50	0.34	0.77				263	
				67	21	11	1		65	11	7	17					
1S/ 8W-28N 1 S	70	8.1	393	48	11	14	2	0	176	24	11	21.0	0.3	0.15	--	231	165
10-22-65				2.40	0.90	0.61	0.05		2.88	0.50	0.31	0.34				218	
				61	23	15	1		71	12	8	8					
1S/ 8W-30J 1 S	69	8.0	571	76	15	16	2	0	188	68	21	42.0	0.4	0.34	--	344	251
10-22-65				3.79	1.23	0.70	0.05		3.08	1.42	0.59	0.68				333	
				66	21	12	1		53	25	10	12					
1S/ 8W-35C 1 S	--	8.0	340	45	11	11	2	0	184	14	5	7.8	0.4	0.01	--	199	158
3- 7-66				2.25	0.90	0.48	0.05		3.02	0.29	0.14	0.13				187	
				61	24	13	1		84	8	4	4					
	--	7.8	353	50	10	10	2	0	189	14	7	13	0.4	0.03	--	220	166
7-15-66				2.50	0.82	0.43	0.05		3.10	0.29	0.20	0.21				199	
				66	22	11	1		82	8	5	6					
1S/ 8W-35C 2 S	--	7.8	413	58	13	10	2	0	189	17	10	37	0.3	0.03	--	269	198
7-15-66				2.89	1.07	0.43	0.05		3.10	0.35	0.28	0.60				240	
				65	24	10	1		72	8	6	14					
2S/ 5W- 7N 1 S	--	8.3	1733	151	63	140	4	2	387	220	177	162	0.6	0.06	--	1172	636
2- 4-66				7.53	5.18	6.09	0.10	0.07	6.34	4.58	4.99	2.61				1110	
				40	27	32	1		34	25	27	14					
2S/ 6W- 1Q 1 S	--	7.4	561	36	20	50	2	0	165	54	54	16	0.9	0.06	--	395	172
10- 4-65				1.80	1.64	2.17	0.05		2.70	1.12	1.52	0.26				314	
				32	29	38	1		48	20	27	5					
	--	7.5	567	38	18	52	2	0	161	56	57	17.0	0.9	0.06	--	350	169
4-25-66				1.90	1.48	2.26	0.05		2.64	1.17	1.61	0.27				320	
				33	26	40	1		46	21	28	5					
2S/ 6W- 5A 1 S	--	8.1	316	41	5	18	2	0	173	12	7	5.5	0.2	0	--	193	123
2- 4-66				2.05	0.41	0.78	0.05		2.84	0.25	0.20	0.09				176	
				62	12	24	2		84	7	6	3					
2S/ 6W-12M 1 S	--	8.2	1008	84	41	70	1	0	366	85	89	23.6	0.5	0.11	--	612	378
2- 4-66				4.19	3.37	3.04	0.03		6.00	1.77	2.51	0.38				574	
				39	32	29			56	17	24	4					

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
					CA	MG	NA	K	CO .3	HCO 3	SO 4	CL	NO 3	F	B	S10 2	TDS 105C COMP	HARD- 180C NESS LACO 3
SANTA ANA RIVER HYDRO UNIT Y0100																		
MIDDLE SANTA ANA RIV HYDR SUBUNITY01B0 CHINO HYDRO SUBAREA Y01B1																		
2S/ 6W-12M 2 S	2- 4-66	--	8.2	1008	84 4.19 39	41 3.37 32	70 3.04 29	1 0.03	0	366 6.00 56	85 1.77 17	89 2.51 24	23.6 0.38 4	0.5	0.11	--	612	378
2S/ 6W-14K 1 S	2- 4-66	--	8.4	1319	106 5.29 37	47 3.87 27	113 4.91 35	2 0.05	7 0.23 2	385 6.31 45	138 2.87 21	132 3.72 27	50.5 0.81 6	0.8	0.07	--	840	458
2S/ 6W-21Q 1 S	2- 4-66	--	8.2	1106	130 6.49 57	8 0.66 6	95 4.13 36	4 0.10 1	0	324 5.31 46	116 2.42 21	136 3.84 33	4.0 0.06 1	0.2	0.27	--	701	358
2S/ 7W- 2G 1 S	10- 4-65	--	8.1	427	50 2.50 55	12 0.99 22	23 1.00 22	2 0.05 1	0	218 3.57 79	8 0.17 4	19 0.54 12	15 0.24 5	0.1	0	--	240	175
	3-29-66	--	7.9	431	51 2.54 57	11 0.90 20	23 1.00 22	2 0.05 1	0	218 3.57 79	7 0.15 3	19 0.54 12	15 0.24 5	0.3	0	--	245	172
2S/ 7W- 2Q 1 S	10- 4-65	--	7.8	526	62 3.09 56	15 1.23 22	26 1.13 21	2 0.05 1	0	228 3.74 68	12 0.25 5	35 0.99 18	31 0.50 9	0.1	0	--	300	216
	3-29-66	--	7.7	592	72 3.59 60	15 1.23 21	26 1.13 19	2 0.05 1	0	234 3.84 65	8 0.17 3	40 1.13 19	50.0 0.81 14	0.3	0	--	350	241
2S/ 7W- 3A 1 S	9-17-66	--	8.3	496	66 3.29 62	13 1.07 20	20 0.87 16	2 0.05 1	5 0.17 3	199 3.26 61	30 0.62 12	18 0.51 9	50 0.81 15	0.2	0	--	533	218
2S/ 7W- 4B 1 S	8-16-66	--	8.1	352	43 2.15 57	10 0.82 22	18 0.78 21	2 0.05 1	0	192 3.15 81	17 0.35 9	9 0.25 6	9.5 0.15 4	0.2	0.01	--	232	149
	2- 3-66	--	7.6	358	38 1.90 51	13 1.07 29	17 0.74 20	1 0.03 1	0	188 3.08 81	16 0.33 9	9 0.25 7	10.0 0.16 4	0.3	0.01	--	203	149
2S/ 7W- 4B 2 S	10- 4-65	--	7.6	354	38 1.90 50	13 1.07 28	18 0.78 21	2 0.05 1	0	188 3.08 82	15 0.31 8	9 0.25 7	8 0.13 3	0.3	0	--	240	149
	3-29-66	--	7.6	355	42 2.10 55	11 0.90 23	18 0.78 20	2 0.05 1	0	185 3.03 80	18 0.37 10	9 0.25 7	10.0 0.16 4	0.4	0	--	220	150
2S/ 7W-10M 1 S	8-16-66	--	8.2	847	104 5.19 58	32 2.63 29	26 1.13 13	2 0.05 1	5 0.17 2	262 4.29 48	45 0.94 11	76 2.14 24	83 1.34 15	0.3	0.01	--	531	391
2S/ 7W-10H 1 S	10- 4-65	--	7.8	1057	135 6.74 60	37 3.04 27	32 1.39 12	2 0.05	0	336 5.51 50	66 1.37 12	74 2.09 19	130 2.10 19	0.3	0.04	--	700	489
	3-29-66	--	7.6	1060	139 6.94 62	34 2.80 25	33 1.43 13	3 0.08 1	0	329 5.39 48	71 1.48 13	77 2.17 19	140.0 2.26 20	0.4	0.16	--	680	487
2S/ 7W-10L 4 S	10- 4-65	--	7.8	1083	135 6.74 58	38 3.13 27	38 1.65 14	2 0.05	0	352 5.77 50	81 1.69 15	94 2.65 23	85 1.37 12	0.2	0.34	--	670	494
	3-29-66	--	7.4	1076	137 6.84 60	35 2.88 25	39 1.70 15	2 0.05	0	361 5.92 52	77 1.60 14	86 2.43 21	92.0 1.48 13	0.4	0.62	--	710	486
2S/ 7W-10M 1 S	2- 3-66	--	7.5	902	112 5.59 61	30 2.47 27	25 1.09 12	2 0.05 1	0	286 4.69 50	45 0.94 10	77 2.17 23	95.0 1.53 16	0.4	0.08	--	534	403
2S/ 7W-11D 1 S	8-16-66	--	8.0	803	104 5.19 63	23 1.89 23	27 1.17 14	2 0.05 1	0	255 4.18 50	64 1.33 16	61 1.72 20	75 1.21 14	0.3	0.04	--	499	354
	2- 3-66	--	7.5	840	112 5.59 62	26 2.14 24	29 1.26 14	2 0.05 1	0	270 4.43 49	65 1.35 15	67 1.89 21	83.0 1.34 15	0.4	0.08	--	532	387
2S/ 7W-15Q 1 S	8-17-66	--	8.1	637	83 4.14 58	24 1.97 27	24 1.04 14	2 0.05 1	0	306 5.02 71	23 0.48 7	31 0.87 12	43 0.69 10	0.3	0	--	406	306
2S/ 7W-15K 1 S	10- 7-65	--	7.3	820	85 4.24	28 2.30	24 1.04	2 0.05	--	--	34 0.71	45 1.27	16.0 0.26	--	0.37	--	705	327

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
SANTA ANA RIVER HYDRO UNIT Y0100																		
MIDDLE SANTA ANA RIV HYDR SUBUNITY0180 CHINO HYDRO SUBAREA Y01R1																		
2S/ 7W-15K 1 S	5-19-66	--	7.6	800	107 5.34	27 2.22	28 1.22	2 0.05	--	--	32 0.67	50 1.41	25 0.40	--	0.23	--	510	378
2S/ 7W-15P 1 S	10- 7-65	--	6.8	1203	133 6.64	34 2.80	48 2.09	2 0.05	--	--	44 0.92	80 2.26	11.8 0.19	--	0.43	--	797	472
	5-19-66	--	7.2	1040	124 6.19	32 2.63	46 2.00	3 0.08	--	--	38 0.79	72 2.03	20 0.32	--	0.24	--	698	441
2S/ 7W-15Q 1 S	10- 7-65	--	6.8	1770	172 8.58	61 5.02	70 3.04	3 0.08	--	--	53 1.10	120 3.38	6.8 0.11	--	0.52	--	1252	681
	2- 3-66	--	7.7	700	87 4.34 59	23 1.89 26	24 1.04 14	2 0.05 1	0	294 4.82 66	31 0.65 9	33 0.93 13	55.0 0.89 12	0.3	0.01	--	402	312 400
	5-19-66	--	7.2	1575	204 10.18	53 4.36	66 2.87	3 0.08	--	--	46 0.96	120 3.38	9.6 0.15	--	0.47	--	956	728
2S/ 7W-15Q 2 S	10- 7-65	--	6.8	826	89 4.44	29 2.38	28 1.22	2 0.05	--	--	40 0.83	39 1.10	11.8 0.19	--	0.37	--	702	341
	5-19-66	--	7.8	765	102 5.09	18 1.48	24 1.04	2 0.05	--	--	28 0.58	36 1.02	15 0.24	--	0.22	--	584	329
2S/ 7W-17L 1 S	8-16-66	--	8.3	458	59 2.94 60	13 1.07 22	19 0.83 17	2 0.05 1	5 0.17 3	211 3.46 69	19 0.40 8	17 0.48 10	31 0.50 10	0.3	0.02	--	260	201 269
2S/ 7W-17D 1 S	2- 3-66	--	7.9	756	99 4.94 63	24 1.97 25	21 0.91 12	2 0.05 1	0	289 4.74 59	54 1.12 14	28 0.79 10	85 1.37 17	0.3	0.09	--	454	346 455
	8-16-66	--	7.7	819	107 5.34 61	29 2.38 27	24 1.04 12	2 0.05 1	0	297 4.87 55	60 1.25 14	36 1.02 11	107 1.73 20	0.3	0.01	--	524	386 511
	2- 3-66	--	7.9	756	99 4.94 63	24 1.97 25	21 0.91 12	2 0.05 1	0	289 4.74 59	54 1.12 14	28 0.79 10	85.0 1.37 17	0.3	0.09	--	454	346 455
2S/ 7W-17L 1 S	2- 3-66	--	8.0	598	78 3.89 63	16 1.32 21	22 0.96 15	2 0.05 1	0	247 4.05 66	28 0.58 9	22 0.62 10	55.0 0.89 14	0.3	0.04	--	388	261 345
2S/ 7W-21L 1 S	9-17-66	--	8.3	566	73 3.64 59	16 1.32 21	26 1.13 18	2 0.05 1	5 0.17 3	253 4.15 67	30 0.62 10	23 0.65 10	39 0.63 10	0.2	0	--	599	248 339
	2- 3-66	--	8.0	436	49 2.45 53	10 0.82 18	30 1.30 28	2 0.05 1	0	209 3.43 75	22 0.46 10	12 0.34 7	21.0 0.34 7	0.3	0	--	275	164 249
2S/ 7W-22K 1 S	9-17-66	--	8.0	332	42 2.10 58	9 0.74 20	17 0.74 20	2 0.05 1	0	201 3.29 87	8 0.17 5	8 0.23 6	5.0 0.08 2	0.2	0	--	212	142 190
2S/ 7W-23E 1 S	9-16-66	--	8.2	781	102 5.09 60	26 2.14 25	27 1.17 14	2 0.05 1	5 0.17 2	329 5.39 65	46 0.96 12	41 1.16 14	38 0.61 7	0.3	0	--	671	362 449
	2- 3-66	--	7.9	622	79 3.94 59	20 1.64 25	24 1.04 16	2 0.05 1	0	281 4.61 69	30 0.62 9	27 0.76 11	41.0 0.66 10	0.3	0	--	395	279 361
2S/ 7W-27A 1 S	8-17-66	--	7.8	1057	131 6.54 54	40 3.29 27	53 2.30 19	3 0.08 1	0	498 8.16 68	53 1.10 9	67 1.89 16	57 0.92 8	0.3	0	--	710	492 649
	2- 3-66	--	7.9	949	110 5.49 53	30 2.47 24	56 2.43 23	2 0.05	0	466 7.64 73	44 0.92 9	43 1.21 12	40.0 0.65 6	0.3	0.04	--	558	398 554
2S/ 7W-31R 1 S	9-16-66	--	7.9	973	117 5.84 56	23 1.89 18	62 2.70 26	3 0.08 1	0	368 6.03 58	119 2.48 24	59 1.66 16	12 0.19 2	0.3	0.02	--	645	387 576
2S/ 7W-31E 1 S	8-16-66	--	7.7	1104	131 6.54 51	21 1.73 14	103 4.48 35	2 0.05	0	500 8.20 65	96 2.00 16	65 1.83 15	31 0.50 4	0.3	0.26	--	726	414 695

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TOS 180C 105C COMP	HARD- NESS CACO 3
SANTA ANA RIVER HYDRO UNIT Y0100																	
MIDDLE SANTA ANA RIV HYDR SUBUNITY01B0 CHINO HYDRO SUBAREA				Y01B1													
2S/ 7W-31B 1 S 2- 4-66	--	8.2	364	28 1.40 38	8 0.66 18	36 1.57 43	2 0.05 1	0	162 2.66 73	29 0.60 16	10 0.28 8	7.5 0.12 3	0.4	0.05	--	223	103
2S/ 7W-32K 3 S 9-17-66	--	7.8	334	8 0.40 14	2 0.16 5	54 2.35 80	1 0.03 1	0	108 1.77 53	32 0.67 20	31 0.87 26	0.3	1.0	0.35	--	204	28
2S/ 7W-32F 1 S 8-17-66	--	8.3	577	62 3.09 49	10 0.82 13	53 2.30 37	3 0.08 1	0	238 3.90 63	54 1.12 18	29 0.82 13	21 0.34 6	0.3	0	--	337	196
2- 4-66	--	8.4	578	57 2.84 48	11 0.90 15	49 2.13 36	2 0.05 1	2 0.07 1	204 3.34 56	82 1.71 29	21 0.59 10	15.0 0.24 4	0.3	0.03	--	372	187
2S/ 7W-32K 3 S 2- 4-66	--	8.1	332	17 0.85 26	3 0.25 8	50 2.17 66	1 0.03 1	0	154 2.52 78	19 0.40 12	11 0.31 10	0.4 0.01	0.8	0.38	--	209	55
2S/ 7W-34K 2 S 2- 4-66	--	8.2	1610	206 10.28 55	56 4.61 25	82 3.57 19	3 0.08	0	390 6.39 34	437 9.10 48	103 2.90 15	26.2 0.42 2	0.5	0.03	--	1215	745
2S/ 8W-14B 1 S 8-16-66	--	8.1	390	52 2.59 61	11 0.90 21	16 0.70 17	2 0.05 1	0	192 3.15 75	21 0.44 10	13 0.37 9	16 0.26 6	0.3	0	--	231	175
2S/ 8W-14H 1 S 8-16-66	--	7.9	344	47 2.35 77	0	15 0.65 21	2 0.05 2	0	171 2.80 46	25 0.52 9	91 2.57 42	10.1 0.16 3	0.3	0	--	222	118
2S/ 8W-14B 1 S 2- 3-66	--	8.1	393	51 2.54 62	10 0.82 20	16 0.70 17	2 0.05 1	0	193 3.16 77	22 0.46 11	10 0.28 7	13.5 0.22 5	0.3	0	--	239	168
2S/ 8W-14H 1 S 10- 4-65	--	8.1	348	43 2.15 57	11 0.90 24	15 0.65 17	2 0.05 1	0	172 2.82 76	24 0.50 13	8 0.23 6	10 0.16 4	0.2	0.01	--	205	153
2- 3-66	--	8.1	382	48 2.40 61	10 0.82 21	16 0.70 18	1 0.03 1	0	183 3.00 75	26 0.54 13	9 0.25 6	14.0 0.23 6	0.3	0.01	--	242	161
3-30-66	--	7.9	363	46 2.30 60	10 0.82 21	15 0.65 17	2 0.05 1	0	176 2.88 75	24 0.50 13	10 0.28 7	12 0.19 5	0.3	0	--	220	156
2S/ 8W-22B 1 S 8-16-66	--	8.1	409	55 2.74 63	9 0.74 17	19 0.83 19	2 0.05 1	0	189 3.10 70	38 0.79 18	12 0.34 8	10.5 0.17 4	0.2	0	--	238	174
2S/ 8W-22B 1 S 2- 3-66	--	8.1	390	45 2.25 57	9 0.74 19	21 0.91 23	1 0.03 1	0	178 2.92 72	34 0.71 18	10 0.28 7	8.5 0.14 3	0.3	0.01	--	250	150
2S/ 8W-23C 4 S 10- 4-65	--	7.5	717	91 4.54 58	23 1.89 24	30 1.30 17	3 0.08 1	0	315 5.16 66	59 1.23 16	33 0.93 12	29 0.47 6	0.3	0.02	--	500	322
3-30-66	--	7.5	657	86 4.29 61	18 1.48 21	26 1.13 16	3 0.08 1	0	259 4.25 61	59 1.23 18	32 0.90 13	34 0.55 8	0.3	0.04	--	425	289
2S/ 8W-23K 1 S 10- 4-65	--	7.9	376	46 2.30 58	10 0.82 21	19 0.83 21	2 0.05 1	0	190 3.11 78	27 0.56 14	10 0.28 7	3 0.05 1	0.3	0.02	--	230	156
2S/ 8W-25L 1 S 8-16-66	--	7.9	719	98 4.89 63	18 1.48 19	30 1.30 17	3 0.08 1	0	228 3.74 48	126 2.62 34	27 0.76 10	42 0.68 9	0.3	0.03	--	469	319
2S/ 8W-25M 1 S 8-16-66	--	8.0	527	71 3.54 63	12 0.99 18	24 1.04 19	2 0.05 1	0	223 3.65 65	41 0.85 15	34 0.96 17	9.8 0.16 3	0.3	0.02	--	333	227
2S/ 8W-25L 1 S 10- 4-65	--	7.8	570	74 3.69 60	14 1.15 19	28 1.22 20	2 0.05 1	0	242 3.97 65	48 1.00 16	34 0.96 16	10 0.16 3	0.3	0	--	380	242
2- 3-66	--	8.0	820	116 5.79 66	18 1.48 17	34 1.48 17	3 0.08 1	0	237 3.88 44	186 3.87 44	22 0.62 7	30.0 0.48 5	0.3	0.03	--	579	364
3-30-66	--	7.5	665	89 4.44 62	16 1.32 19	30 1.30 18	2 0.05 1	0	271 4.44 62	64 1.33 19	42 1.18 16	14 0.23 3	0.3	0.04	--	450	288

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE							MILLIGRAMS PER LITER					
						CA	MG	NA	K	CO ₃	HCO ₃	SO ₄	CL	NO ₃	F	B	SIO ₂	TDS 180C 105C COMP
SANTA ANA RIVER HYDRO UNIT																		
MIDDLE SANTA ANA RIV HYDR SUBUNITYO180																		
CHINO HYDRO SUBAREA																		
Y01B1																		
1N/ 6W-25K 1 S	1- 7-66	--	8.0	290	39	9	8	2	0	149	21	4	4.8	0.5	0	--	165	135
					1.95	0.74	0.35	0.05		2.44	0.44	0.11	0.08					162
					63	24	11	2		79	14	4	3					
		--	8.0	310	43	84	9	3	0	152	26	7	1.8	0.4	0.02	--	189	453
	7-15-66				2.15	6.91	0.39	0.08		2.49	0.54	0.20	0.03					249
					23	73	4	1		76	17	6	1					
1N/ 7W-27Q 1 S	3- 7-66	--	8.0	378	36	12	28	2	0	179	32	6	10.6	0.4	0.02	--	237	140
					1.80	0.99	1.22	0.05		2.93	0.67	0.17	0.17					215
					44	24	30	1		74	17	4	4					
		--	7.9	405	39	14	27	2	0	184	35	7	17	0.3	0.02	--	290	155
	7-19-66				1.95	1.15	1.17	0.05		3.02	0.73	0.20	0.27					232
					45	27	27	1		72	17	5	6					
1N/ 8W-35J 1 S	10-22-65	67	8.3	379	47	8	18	2	7	142	30	10	21.0	0.3	0.03	--	283	151
					2.35	0.66	0.78	0.05	0.23	2.33	0.62	0.28	0.34					213
					61	17	20	1	6	61	16	7	9					
HARRISON HYDRO SUBAREA																		
Y01B2																		
1S/ 8W- 4L 1 S	7-11-66	77	8.2	571	53	8	44	2	--	170	53	13	53	0.4	0.10	13	322	165
					2.64	0.66	1.91	0.05		2.79	1.10	0.37	0.85					323
					50	13	36	1		55	22	7	17					
1S/ 8W- 8H 1 S	7-11-66	77	8.2	625	72	8	51	2	--	190	69	17	89	0.2	0.03	12	414	213
					3.59	0.66	2.22	0.05		3.11	1.44	0.48	1.44					414
					55	10	34	1		48	22	7	22					
1S/ 8W-17K 2 S	7-11-66	73	8.3	488	49	5	49	2	8	129	89	11	38	0.3	0.03	12	323	143
					2.45	0.41	2.13	0.05	0.27	2.11	1.85	0.31	0.61					327
					49	8	42	1	5	41	36	6	12					
1S/ 8W-17P 4 S	7-11-66	79	7.9	345	6	1	69	1	--	107	54	6	20	0.3	0.03	8	218	19
					0.30	0.08	3.00	0.03		1.75	1.12	0.17	0.32					218
					9	2	88	1		52	33	5	10					
1S/ 8W-18J 2 S	7-11-66	77	8.5	350	45	8	16	2	5	163	28	4	7	0.4	0.03	8	202	146
					2.25	0.66	0.70	0.05	0.17	2.67	0.58	0.11	0.11					204
					61	18	19	1	5	73	16	3	3					
1S/ 8W-26H 1 S	7-11-66	75	7.9	838	109	23	34	2	--	265	146	28	40	0.3	0.03	17	530	367
					5.44	1.89	1.48	0.05		4.34	3.04	0.79	0.65					530
					61	21	17	1		49	34	9	7					
1S/ 8W-28F 1 S	7-11-66	77	8.1	500	68	11	13	2	--	193	48	10	30	0.4	0.03	16	294	215
					3.39	0.90	0.57	0.05		3.16	1.00	0.28	0.48					293
					69	18	12	1		64	20	6	10					
1S/ 8W-28G 2 S	7-11-66	75	8.1	464	60	11	15	2	--	184	28	10	42	0.1	0.03	15	274	195
					2.99	0.90	0.65	0.05		3.02	0.58	0.28	0.68					274
					65	20	14	1		66	13	6	15					
HARRISON HYDRO SUBAREA																		
Y01B2																		
1S/ 8W-28L 1 S	7-11-66	77	8.2	378	48	8	19	2	--	182	23	6	11	0.3	0.03	14	221	153
					2.40	0.66	0.83	0.05		2.98	0.48	0.17	0.18					221
					61	17	21	1		78	13	4	5					
1S/ 8W-28M 3 S	7-11-66	77	8.0	452	59	11	14	2	--	183	40	10	22	0.3	0	16	264	192
					2.94	0.90	0.61	0.05		3.00	0.83	0.28	0.35					264
					65	20	14	1		67	19	6	8					
1S/ 8W-28N 2 S	7-11-66	77	8.2	383	49	9	16	2	--	187	25	6	12	0.2	0	15	226	160
					2.45	0.74	0.70	0.05		3.06	0.52	0.17	0.19					226
					62	19	18	1		78	13	4	5					
1S/ 8W-30K 1 S	7-11-66	77	7.8	649	91	16	19	2	--	241	74	21	37	0.4	0.03	17	397	293
					4.54	1.32	0.83	0.05		3.95	1.54	0.59	0.60					396
					67	20	12	1		59	23	9	9					
1S/ 8W-31J 1 S	7-11-66	77	8.1	465	59	11	22	2	--	206	40	15	17	0.6	0	18	285	192
					2.94	0.90	0.96	0.05		3.38	0.83	0.42	0.27					286
					61	19	20	1		69	17	9	6					
1S/ 8W-32G 1 S	7-11-66	77	8.3	397	50	9	18	2	--	186	25	7	16	0.3	0.03	16	235	162
					2.50	0.74	0.78	0.05		3.05	0.52	0.20	0.26					235
					61	18	19	1		76	13	5	6					
1S/ 8W-33D 1 S	7-11-66	77	8.1	432	55	10	16	2	--	185	33	9	21	0.3	0	18	255	178
					2.74	0.82	0.70	0.05		3.03	0.69	0.25	0.34					255
					64	19	16	1		70	16	6	8					

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C 105C COMP	HARD- NESS CACO 3
SANTA ANA RIVER HYDRO UNIT Y0100																		
MIDDLE SANTA ANA RIV HYDR SUBUNITY0180																		
CLAREMONT HEIGHT HYDRO SUBAREA Y01B3																		
1N/ 8W-24L 1 S	1- 7-66	--	7.7	350	49	11	8	2	0	183	24	10	6.7	0.4	0.03	--	205	168
					2.45	0.90	0.35	0.05		3.00	0.50	0.28	0.11					201
					65	24	9	1		77	13	7	3					
	7-19-66	--	7.8	361	55	12	8	2	0	196	28	5	4.8	0.4	0.05	--	257	187
					2.74	0.99	0.35	0.05		3.21	0.58	0.14	0.08					212
					66	24	8	1		80	14	3	2					
1N/ 8W-34L 1 S	10-22-65	78	8.2	485	61	11	17	2	2	143	39	13	69	0.5	0.12	--	285	197
					3.04	0.90	0.74	0.05	0.07	2.34	0.81	0.37	1.11					285
					64	19	16	1	1	50	17	8	24					
1N/ 8W-34N 1 S	10-22-65	67	8.3	475	61	11	17	2	5	138	44	12	65	0.5	0.12	--	292	197
					3.04	0.90	0.74	0.05	0.17	2.26	0.92	0.34	1.05					285
					64	19	16	1	4	48	19	7	22					
1N/ 8W-35J 1 S	7-19-66	--	7.9	419	58	14	9	2	0	192	31	6	28	0.4	0.03	--	302	202
					2.89	1.15	0.39	0.05		3.15	0.65	0.17	0.45					243
					65	26	9	1		71	15	4	10					
CUCAMONGA HYDRO SUBAREA Y01B4																		
1S/ 7W-4B 2 S	3- 7-66	--	8.1	313	32	11	17	2	0	149	19	5	11.6	0.5	0.02	--	178	125
					1.60	0.90	0.74	0.05		2.44	0.40	0.14	0.19					171
					49	27	22	2		77	13	4	6					
	7-19-66	--	8.0	288	34	12	17	2	0	154	18	10	14	0.4	0.04	--	206	135
					1.70	0.99	0.74	0.05		2.52	0.37	0.28	0.23					183
					49	28	21	1		74	11	8	7					
1N/ 7W-29F 1 S	3- 7-66	--	8.1	320	49	9	6	2	0	167	26	3	2.1	0.4	0.02	--	163	160
					2.45	0.74	0.26	0.05		2.74	0.54	0.08	0.03					180
					70	21	7	1		81	16	2	1					
1N/ 7W-33A 1 S	7-19-66	--	7.7	425	42	15	21	2	0	137	34	11	61	0.4	0.01	--	309	167
					2.10	1.23	0.91	0.05		2.25	0.71	0.31	0.98					254
					49	29	21	1		53	17	7	23					
1N/ 7W-34H 1 S	1- 7-66	--	7.9	388	42	9	30	2	0	186	32	7	16	0.4	0.05	--	259	142
					2.10	0.74	1.30	0.05		3.05	0.67	0.20	0.26					230
					50	18	31	1		73	16	5	6					
	7-19-66	--	8.4	418	45	15	23	2	2	181	31	11	31	0.4	0.02	--	298	174
					2.25	1.23	1.00	0.05	0.07	2.97	0.65	0.31	0.50					249
					50	27	22	1	2	66	14	7	11					
TEMESCAL HYDRO SUBAREA Y01B5																		
3S/ 6W-28L 1 S	3-31-66	--	7.5	1398	129	34	122	5	--	398	141	122	105.0	0.8	0.24	--	930	462
					6.44	2.80	5.30	0.13		6.52	2.94	3.44	1.69					855
					44	19	36	1		45	20	24	12					
3S/ 6W-28M99 S	3-31-66	--	7.6	1541	138	32	150	5	--	423	159	149	102.5	0.9	0.28	--	1003	476
					6.89	2.63	6.52	0.13		6.93	3.31	4.20	1.65					945
					43	16	40	1		43	21	26	10					
TEMESCAL HYDRO SUBAREA Y01B5																		
3S/ 6W-30F 2 S	3-31-66	--	7.3	1573	125	38	147	4	--	326	150	238	42.5	0.8	0.24	--	972	469
					6.24	3.13	6.39	0.10		5.34	3.12	6.71	0.69					906
					39	20	40	1		34	20	42	4					
3S/ 7W-21N 1 S	3-29-66	--	7.9	1086	118	49	55	1	0	305	260	52	32	0.5	0.12	--	750	496
					5.89	4.03	2.39	0.03		5.00	5.41	1.47	0.52					718
					48	33	19			40	44	12	4					
3S/ 7W-22A 4 S	3-31-66	--	7.0	1883	165	36	183	16	--	454	180	277	21.5	0.6	0.66	--	1206	560
					8.23	2.96	7.96	0.41		7.44	3.75	7.81	0.35					1103
					42	15	41	2		38	19	40	2					
3S/ 7W-22J 4 S	3-29-66	--	7.5	1637	163	41	130	4	0	422	166	216	55	0.6	0.36	--	1050	575
					8.13	3.37	5.65	0.10		6.92	3.46	6.09	0.89					983
					47	20	33	1		40	20	35	5					
3S/ 7W-22L 1 S	3-29-66	--	7.8	1004	104	26	66	3	0	237	120	99	68	0.6	0.20	--	630	367
					5.19	2.14	2.87	0.08		3.88	2.50	2.79	1.10					603
					50	21	28	1		38	24	27	11					
3S/ 7W-23J 4 S	3-31-66	--	7.5	1992	177	44	184	8	--	474	185	305	27.7	0.6	0.68	--	1240	623
					8.83	3.62	8.00	0.20		7.77	3.85	8.60	0.45					1165
					43	18	39	1		38	19	42	2					
3S/ 7W-23M 2 S	3-29-66	--	7.3	1736	160	39	160	5	0	439	184	242	36	0.5	0.84	--	1090	560
					7.98	3.21	6.96	0.13		7.20	3.83	6.82	0.58					1043
					44	18	38	1		39	21	37	3					

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN	MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE								MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
SANTA ANA RIVER HYDRO UNIT Y0100																	
MIDDLE SANTA ANA RIV HYOR SUBUNITY01B0																	
TEMESCAL HYDRO SUBAREA Y01B5																	
3S/ 7W-25A 3 S 3-31-66	--	6.9	1851	160 7.98 41	46 3.78 19	175 7.61 39	6 0.15 1	--	461 7.56 39	187 3.89 20	250 7.05 37	49.0 0.79 4	0.6	3.05	--	1216 1103	588
6- 6-66	--	7.0	1844	162 8.08	47 3.87	--	--	0	461 7.56	--	255 7.19	--	--	2.30	--	598	
3S/ 7W-28B 1 S 3-29-66	--	7.7	982	108 5.39 51	40 3.29 31	44 1.91 18	2 0.05	0	256 4.20 40	189 3.93 37	63 1.78 17	36 0.58 6	0.5	0.10	--	680 608	434
ARLINGTON HYDRO SUBAREA Y01B6																	
3S/ 5W-23R 1 S 3-22-66	74	7.7	895	71 3.54 42	26 2.14 25	63 2.74 32	3 0.08 1	0	157 2.57 31	72 1.50 18	121 3.41 41	56 0.90 11	0.6	0.17	--	519 490	284
3S/ 5W-24R 1 S 3-22-66	76	7.2	1913	157 7.83 43	71 5.84 32	105 4.57 25	5 0.13 1	0	195 3.20 17	178 3.71 20	392 11.05 60	37 0.60 3	0.6	0.14	--	1424 1042	684
3S/ 5W-25R 1 S 3-22-66	70	7.0	1276	116 5.79 44	55 4.52 34	65 2.83 21	5 0.13 1	0	246 4.03 31	197 4.10 31	128 3.61 28	84 1.35 10	0.5	0.26	--	825 772	516
RIVERSIDE HYDRO SUBAREA Y01B7																	
1S/ 4W-21R 7 S 9-16-66	68	8.1	549	38 1.90 32	12 0.99 17	68 2.96 50	3 0.08 1	0	276 4.52 79	22 0.46 8	27 0.76 13	0.6 0.01	1.1	0.34	--	320 308	145
1S/ 4W-28L 2 S 11- 2-65	68	7.9	646	44 2.20 34	12 0.99 16	71 3.09 48	4 0.10 2	0	187 3.06 48	67 1.39 22	54 1.52 24	28 0.45 7	0.7	0.10	--	385 373	160
5-20-66	68	7.8	740	67 3.34 43	13 1.07 14	74 3.22 42	3 0.08 1	0	260 4.26 56	73 1.52 20	51 1.44 19	26 0.42 5	0.8	0.14	--	464 436	221
1S/ 4W-28L 3 S 3- 4-66	--	7.7	697	63 3.14 44	11 0.90 12	71 3.09 43	3 0.08 1	0	240 3.93 55	64 1.33 19	51 1.44 20	26 0.42 6	1.0	0.13	--	435 408	202
1S/ 4W-28N 5 S 5-20-66	--	7.8	764	81 4.04 51	16 1.32 17	57 2.48 31	4 0.10 1	0	267 4.38 54	77 1.60 20	60 1.69 21	23 0.37 5	0.7	0.26	--	502 450	268
1S/ 4W-28R 1 S 1-31-66	--	7.5	641	--	--	--	--	--	--	33 0.69	53 1.49	--	--	--	--	385	
1S/ 4W-29H 1 S 11-24-65	--	7.0	683	56 2.79 41	6 0.49 7	74 3.22 48	9 0.23 3	0	216 3.54 52	53 1.10 16	51 1.44 21	45 0.73 11	0.5	0.35	--	410 401	164
1-28-66	--	7.2	796	--	--	--	--	--	--	64 1.33	66 1.86	--	--	--	--	480	
1S/ 4W-29H 1 S 4-13-66	--	7.2	788	67 3.34 42	11 0.90 11	84 3.65 45	6 0.15 2	0	249 4.08 51	62 1.29 16	71 2.00 25	39 0.63 8	0.6	0.38	--	460 463	212
1S/ 4W-29Q 3 S 4-13-66	--	7.3	683	62 3.09 43	12 0.99 14	68 2.96 41	4 0.10 1	0	242 3.97 56	62 1.29 18	43 1.21 17	38 0.61 9	0.5	0.35	--	410 409	204
1S/ 4W-30D 6 S 4- 1-66	--	7.7	484	65 3.24 64	12 0.99 19	18 0.78 15	3 0.08 2	0	193 3.16 63	44 0.92 18	10 0.28 6	43 0.69 14	0.4	0.04	--	320 290	212
1S/ 4W-30L 4 S 4- 1-66	--	7.3	1234	156 7.78 59	22 1.81 14	78 3.39 26	5 0.13 1	--	425 6.97 53	101 2.10 16	95 2.68 21	79.3 1.28 10	0.3	0.34	--	808 746	480
1S/ 4W-31D 1 S 9-14-66	--	7.0	878	82 4.09 45	18 1.48 16	76 3.30 36	11 0.28 3	0	329 5.39 59	72 1.50 16	80 2.26 25	3.4 0.05 1	0.8	0.44	--	530 505	279

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	FCX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
SANTA ANA RIVER HYDRO UNIT Y0100																	
MIDDLE SANTA ANA RIV HYDR SUBUNITY01B0 RIVERSIDE HYDRO SUBAREA Y01B7																	
1S/ 4W-31A 2 S	--	8.4	986	90	16	99	5	5	300	73	89	63	--	0.46	--	621	291
11- 1-65				4.49	1.32	4.30	0.13	0.17	4.92	1.52	2.51	1.02				588	
				44	13	42	1	2	49	15	25	10					
1-31-66	--	6.8	462	--	--	--	--	--	--	73	81	--	--	--	--	600	
										1.52	2.28						
4- 1-66	--	8.1	429	62	11	11	3	--	206	38	6	13.0	0.3	0	--	280	200
				3.09	0.90	0.48	0.08		3.38	0.79	0.17	0.21					
				68	20	11	2		74	17	4	5				246	
5-19-66	70	7.7	789	68	12	80	5	--	264	63	64	33.0	0.5	0.35	--	488	219
				3.39	0.92	3.48	0.13		4.33	1.31	1.80	0.53				456	
				42	12	44	2		54	16	23	7					
1S/ 4W-31D 1 S	67	8.4	876	59	17	101	10	8	258	71	89	21	0.8	0.54	--	536	217
11- 1-65				2.94	1.40	4.39	0.26	0.27	4.23	1.48	2.51	0.34				504	
				33	16	49	3	3	48	17	28	4					
4- 1-66	--	7.2	768	54	15	86	9	--	288	60	53	15.5	1.2	0.37	--	478	196
				2.69	1.23	3.74	0.23		4.72	1.25	1.49	0.25				436	
				34	16	47	3		61	16	19	3					
5-19-66	--	7.1	781	64	15	80	10	--	294	65	53	20.2	0.8	0.30	--	480	221
				3.19	1.23	3.48	0.26		4.82	1.35	1.49	0.33				453	
				39	15	43	3		60	17	19	4					
1S/ 4W-32A 2 S	--	7.4	697	74	13	56	4	0	261	62	42	31	0.6	0.25	--	390	238
4- 6-66				3.69	1.07	2.43	0.10		4.28	1.29	1.18	0.50				411	
				51	15	33	1		59	18	16	7					
1S/ 4W-32E11 S	--	7.9	663	67	17	42	4	0	184	71	63	27	0.5	0.14	--	420	237
11- 3-65				3.34	1.40	1.83	0.10		3.02	1.48	1.78	0.44				382	
				50	21	27	1		45	22	26	7					
1S/ 4W-32E12 S	67	7.8	684	54	10	72	6	--	210	62	51	36	0.6	0.30	--	440	176
5- 9-66				2.69	0.82	3.13	0.15		3.44	1.29	1.44	0.58				395	
				40	12	46	2		51	19	21	9					
5- 9-66	67	7.8	679	57	10	72	6	0	215	61	51	36	0.6	0.32	--	440	183
				2.84	0.82	3.13	0.15		3.57	1.27	1.44	0.58				400	
				41	12	45	2		52	19	21	9					
5- 9-66	68	7.6	671	57	9	72	6	0	212	61	51	35	0.6	0.32	--	440	179
				2.84	0.74	3.13	0.15		3.47	1.27	1.44	0.56				396	
				41	11	46	2		51	19	21	8					
1S/ 5W-24R 1 S	--	7.7	425	57	10	16	2	0	193	30	9	26	0.3	0	--	280	183
4- 1-66				2.84	0.82	0.70	0.05		3.16	0.62	0.25	0.42				245	
				64	19	16	1		71	14	6	9					
1S/ 5W-25F 1 S	--	7.7	428	64	8	15	2	0	200	30	6	25	0.2	0	--	260	193
4- 1-66				3.19	0.66	0.65	0.05		3.28	0.62	0.17	0.40				249	
				70	15	14	1		73	14	4	9					
1S/ 5W-25L 2 S	--	8.1	464	57	10	26	3	0	207	32	13	29	0.3	0.07	--	283	183
11- 1-65				2.84	0.82	1.13	0.08		3.39	0.67	0.37	0.47				272	
				58	17	23	2		69	14	8	10					
1S/ 5W-25L 2 S	--	7.1	501	--	--	--	--	--	--	30	15	--	--	--	--	290	
2- 1-66										0.62	0.42						
5-19-66	70	7.5	496	59	10	30	4	--	216	31	16	30.0	0.3	0.11	--	308	188
				2.94	0.82	1.30	0.10		3.54	0.65	0.45	0.48				287	
				57	16	25	2		69	13	9	9					
1S/ 5W-25R 1 S	66	9.0	1267	96	13	116	59	0	246	163	139	52	0.7	0.22	--	780	293
11- 1-65				4.79	1.07	5.04	1.51		4.03	3.39	3.92	0.84				760	
				39	9	41	12		33	28	32	7					
2- 1-66	--	7.1	1044	--	--	--	--	--	--	107	84	--	--	--	--	620	
										2.23	2.37						
4- 1-66	--	7.3	1255	106	15	107	59	--	320	162	99	70.0	0.6	0.32	--	811	326
				5.29	1.23	4.65	1.51		5.24	3.37	2.79	1.13				776	
				42	10	37	12		42	27	22	9					
5-19-66	68	7.0	1287	110	16	114	60	--	303	189	109	66.4	0.6	0.29	--	834	341
				5.49	1.32	4.96	1.53		4.97	3.93	3.07	1.07				814	
				41	10	37	12		38	30	24	8					

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
MIDDLE SANTA ANA RIV HYDR SUBUNITY01B0 RIVERSIDE HYDRO SUBAREA																		
SANTA ANA RIVER HYDRO UNIT																		
Y0100																		
Y01B7																		
1S/ 5W-25R 4 S 11- 1-65	66	8.1	1007	101	15	79	21	0	271	108	91	59	0.4	0.20	--	640	314	
				5.04	1.23	3.43	0.54		4.44	2.25	2.57	0.95				608		
				49	12	33	5		43	22	25	9						
3- 4-66	--	8.1	887	71	16	78	26	0	243	93	83	38	0.5	0.32	--	562	243	
				3.54	1.32	3.39	0.66		3.98	1.94	2.34	0.61				525		
				40	15	38	7		45	22	26	7						
5-19-66	67	7.5	838	81	12	69	19	--	248	92	62	39.4	0.4	0.22	--	530	252	
				4.04	0.99	3.00	0.49		4.06	1.92	1.75	0.64				497		
				47	12	35	6		49	23	21	8						
1S/ 5W-33A 2 S 3- 4-66	--	7.7	605	80	11	32	3	0	265	24	35	29.0	0.3	0.04	--	341	245	
				3.99	0.90	1.39	0.08		4.34	0.50	0.99	0.47				345		
				63	14	22	1		69	8	16	7						
1S/ 5W-34B 2 S 3- 4-66	--	7.9	573	85	10	21	3	0	204	46	23	57	0.3	0.02	--	374	253	
				4.24	0.82	0.91	0.08		3.34	0.96	0.65	0.92				346		
				70	14	15	1		57	16	11	16						
1S/ 5W-34D 1 S 3- 4-66	--	8.1	297	51	3	12	2	0	174	14	4	5.5	0.3	0.01	--	176	140	
				2.54	0.25	0.52	0.05		2.85	0.29	0.11	0.09				177		
				76	7	15	1		85	9	3	3						
1S/ 5W-35G 1 S 11- 1-65	68	8.4	470	71	8	18	3	8	210	32	10	24	0.3	0	--	295	210	
				3.54	0.66	0.78	0.08	0.27	3.44	0.67	0.28	0.39				278		
				70	13	15	2	5	68	13	6	8						
2- 2-66	--	7.9	469	--	--	--	--	--	--	30	11	--	--	--	--	270		
										0.62	0.31							
5-18-66	70	7.8	449	65	8	18	3	--	211	31	9	22.5	0.3	0	--	281	195	
				3.24	0.66	0.78	0.08		3.46	0.65	0.25	0.36				261		
				68	14	16	2		73	14	5	8						
1S/ 5W-36A 1 S 11-19-65	66	7.8	1093	--	--	--	--	--	--	70	53	115	--	--	--			
										1.46	1.49	1.85						
1-27-66	68	8.0	848	--	--	--	--	--	--	108	44	--	--	--	--	520		
										2.25	1.24							
5-11-66	67	8.1	856	64	9	73	61	--	311	79	34	47.5	0.7	0.34	--	522	197	
				3.19	0.74	3.17	1.56		5.10	1.64	0.96	0.77				521		
				37	9	37	18		60	19	11	9						
1S/ 5W-36B 6 S 11- 1-65	--	8.0	1175	107	16	106	30	0	286	159	117	34	0.6	0.36	--	730	333	
				5.34	1.32	4.61	0.77		4.69	3.31	3.30	0.55				711		
				44	11	38	6		40	28	28	5						
4- 1-66	--	7.3	1110	104	15	102	24	--	317	143	88	35.5	0.7	0.41	--	706	321	
				5.19	1.23	4.43	0.61		5.20	2.98	2.48	0.57				668		
				45	11	39	5		46	27	22	5						
5-19-66	70	7.4	1181	115	16	102	28	--	324	171	88	48.0	0.6	0.36	--	762	353	
				5.74	1.32	4.43	0.72		5.31	3.56	2.48	0.77				728		
				47	11	36	6		44	29	20	6						
1S/ 5W-36F 1 S 2-25-66	--	7.6	1167	131	20	90	5	0	265	181	120	44	0.5	0.19	--	787	409	
				6.54	1.64	3.91	0.13		4.34	3.77	3.38	0.71				722		
				54	13	32	1		36	31	28	6						
1S/ 8W-14A 1 S 3- 7-66	--	7.9	448	56	14	16	2	0	179	27	8	53.0	0.4	0.02	--	300	197	
				2.79	1.15	0.70	0.05		2.93	0.56	0.23	0.85				264		
				59	25	15	1		64	12	5	19						
2S/ 4W- 5C 1 S 11- 1-65	--	8.4	1042	111	22	74	5	10	264	68	106	93	0.9	0.04	--	638	368	
				5.54	1.81	3.22	0.13	0.33	4.33	1.42	2.99	1.50				620		
				52	17	30	1	3	41	13	28	14						
5-19-66	69	7.3	855	83	17	70	4	--	239	68	73	70.0	0.9	0.07	--	519	277	
				4.14	1.40	3.04	0.10		3.92	1.42	2.06	1.13				503		
				48	16	35	1		46	17	24	13						
2S/ 4W- 6A 1 S 2-25-66	--	7.7	822	103	19	40	4	0	277	72	67	30.8	0.7	0.10	--	510	335	
				5.14	1.56	1.74	0.10		4.54	1.50	1.89	0.50				473		
				60	18	20	1		54	18	22	6						
5-18-66	--	7.4	851	105	19	48	5	0	290	79	69	41	0.6	0.14	--	530	340	
				5.24	1.56	2.09	0.13		4.75	1.64	1.95	0.66				509		
				58	17	23	1		53	18	22	7						
2S/ 4W- 6K 2 S 2- 7-66	--	7.4	818	--	--	--	--	--	--	69	68	--	--	--	--	483		
										1.44	1.92							

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10 ⁶	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO ₃	HCO ₃	SO ₄	CL	NO ₃	F	B	SIO ₂	TDS 180C 105C COMP	HARD- NESS CACO ₃
SANTA ANA RIVER HYDRO UNIT Y0100																	
MIDDLE SANTA ANA RIV HYDR SUBUNITY0180																	
RIVERSIDE HYDRO SUBAREA Y0187																	
2S/ 4W- 60 2 S 11- 1-65	--	7.9	1336	133 6.64 47	32 2.63 19	109 4.74 34	4 0.10 1	0	236 3.87 28	291 6.06 43	118 3.33 24	45 0.73 5	0.5	0.33	--	918	464
2- 7-66	--	7.3	1412	--	--	--	--	--	--	284 5.91	116 3.27	--	--	--	--	935	
5-18-66	71	7.5	1398	164 8.18 53	32 2.63 17	103 4.48 29	5 0.13 1	0	346 5.67 37	284 5.91 38	115 3.24 21	37 0.60 4	0.6	0.34	--	980	541
2S/ 4W- 6R 5 S 11- 4-65	68	8.0	896	93 4.64 52	20 1.64 18	59 2.57 29	5 0.13 1	0	213 3.49 39	82 1.71 19	91 2.57 29	73 1.18 13	0.6	0.09	--	560	314
1-31-66	--	7.4	565	--	--	--	--	--	--	49 1.02	30 0.85	--	--	--	--	350	
5-18-66	68	7.7	1010	118 5.89 57	22 1.81 17	58 2.52 24	5 0.13 1	0	285 4.67 46	72 1.50 15	104 2.93 29	70 1.13 11	0.6	0.22	--	610	385
2S/ 4W-33R 2 S 3-22-66	66	7.4	762	46 2.30 32	25 2.06 28	65 2.83 39	4 0.10 1	0	167 2.74 38	44 0.92 13	80 2.26 31	81 1.31 18	0.7	0.29	--	455	218
2S/ 5W- 1J 2 S 4- 6-66	--	7.4	877	76 3.79 42	13 1.07 12	94 4.09 45	5 0.13 1	0	276 4.57 50	96 2.00 22	74 2.09 23	32 0.52 6	1.0	0.48	--	510	243
2S/ 5W-10C 1 S 5-13-66	--	7.8	871	74 3.69 39	26 2.14 23	80 3.48 37	6 0.15 2	--	400 6.56 71	67 1.39 15	35 0.99 11	21 0.34 4	0.8	0.10	--	573	292
2S/ 5W-11K 2 S 9-15-66	67	8.0	966	115 5.74 56	21 1.73 17	63 2.74 26	5 0.13 1	0	237 3.88 37	225 4.68 45	60 1.69 16	9.5 0.15 1	0.4	0.38	--	680	374
9-15-66	67	7.2	954	117 5.84 56	22 1.81 17	63 2.74 26	5 0.13 1	0	244 4.00 37	233 4.85 45	60 1.69 16	9.5 0.15 1	0.4	0.38	--	680	383
9-15-66	67	7.9	1050	133 6.64 57	26 2.14 18	62 2.70 23	5 0.13 1	0	229 3.75 32	291 6.06 52	62 1.75 15	3.6 0.06 1	0.4	0.36	--	790	439
9-15-66	70	7.9	994	100 4.99 47	33 2.71 26	63 2.74 26	6 0.15 1	0	100 1.64 16	343 7.14 69	55 1.55 15	0.4 0.01	0.4	0.36	--	720	385
2S/ 5W-11A 1 S 11- 4-65	69	7.8	919	98 4.89 52	17 1.40 15	68 2.96 32	4 0.10 1	0	226 3.70 40	137 2.85 30	78 2.20 24	38 0.61 7	0.3	0.26	--	590	315
2- 2-66	--	7.3	1066	--	--	--	--	--	--	173 3.60	93 2.62	--	--	--	--	675	
5-20-66	--	7.4	857	101 5.04 56	17 1.40 16	55 2.39 27	4 0.10 1	0	260 4.26 47	121 2.52 28	58 1.64 18	35 0.56 6	0.3	0.18	--	586	322
2S/ 5W-11K 2 S 11-12-65	67	7.4	999	--	--	--	--	--	--	225 4.68	74 2.09	5 0.08	--	--	--	590	315
11-12-65	67	7.3	959	--	--	--	--	--	--	194 4.04	73 2.06	5 0.08	--	--	--	590	315
11-12-65	65	7.3	951	--	--	--	--	--	--	190 3.96	72 2.03	4 0.06	--	--	--	590	315
11-12-65	65	7.2	930	--	--	--	--	--	--	167 3.48	73 2.06	11 0.18	--	--	--	590	315
11-12-65	70	7.4	827	--	--	--	--	--	--	173 3.60	70 1.97	1 0.02	--	--	--	590	315
1-26-66	66	6.6	1300	--	--	--	--	--	--	403 8.39	73 2.06	--	--	--	--	890	

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
				CA	MG	NA	K	CO 1	HCO 2	SO 4	CL	NO 3	F	B	SIO 2	IDS 180C 105C COMP	HARD- NESS CALO 3
MIDDLE SANTA ANA RIV HYDR SUBUNITY 01R0																	
RIVERSIDE HYDRO SUBAREA Y01R7																	
SANTA ANA RIVER HYDRO UNIT Y0100																	
2S/ 5W-11K 2 S	65	6.8	1104	--	--	--	--	--	--	263	76	--	--	--	--	--	715
1-26-66										5.48	2.14						
	66	6.8	1089	--	--	--	--	--	--	250	76	--	--	--	--	--	715
1-26-66										5.21	2.14						
	66	6.6	1260	--	--	--	--	--	--	373	73	--	--	--	--	--	870
1-26-66										7.77	2.06						
	70	7.0	959	--	--	--	--	--	--	243	74	--	--	--	--	--	590
1-26-66										5.06	2.09						
	71	7.1	1643	221	52	80	8	--	150	734	46	1.0	0.6	0.36	--	1350	766
5- 7-66				11.03	4.28	3.48	0.20	--	2.46	15.28	1.30	0.02				1217	
				58	23	18	1		13	80	7						
	67	6.9	1713	249	50	81	8	--	189	754	42	1.0	0.6	0.36	--	1390	828
5- 6-66				12.43	4.11	3.52	0.20	--	3.10	15.70	1.18	0.02				1279	
				61	20	17	1		16	79	6						
	68	6.8	1681	248	46	78	7	--	182	736	42	3.0	0.6	0.36	--	1343	809
5- 6-66				12.38	3.78	3.39	0.18	--	2.98	15.32	1.18	0.05				1250	
				63	19	17	1		15	78	6						
	69	7.1	1534	186	51	82	8	--	101	686	49	1.2	0.6	0.32	--	1224	674
5- 9-66				9.28	4.19	3.57	0.20	--	1.66	14.28	1.36	0.02				1114	
				54	24	21	1		10	82	8						
2S/ 5W-11M 1 S	--	8.4	689	90	14	38	3	5	243	82	32	36	0.4	0.04	--	445	282
11- 4-65				4.49	1.15	1.65	0.08	0.17	3.98	1.71	0.90	0.58				420	
				61	16	22	1	2	54	23	12	8					
	--	7.3	741	--	--	--	--	--	--	92	36	--	--	--	--	450	
2- 1-66										1.92	1.02						
	--	7.4	725	90	18	38	4	--	258	89	32	38.0	0.4	0.01	--	460	299
5-18-66				4.49	1.48	1.65	0.10	--	4.23	1.85	0.90	0.61				436	
				58	19	21	1		56	24	12	8					
2S/ 5W-12A 2 S	--	8.3	971	97	18	82	5	0	266	130	87	31	0.7	0.36	--	600	316
11- 1-65				4.84	1.48	3.57	0.13	0	4.36	2.71	2.45	0.50				582	
				48	15	36	1		44	27	24	5					
	--	7.2	1056	--	--	--	--	--	--	163	102	--	--	--	--	665	
2- 1-66										3.39	2.88						
	--	7.4	1062	112	21	86	6	0	278	159	101	25	0.7	0.38	--	690	365
5-18-66				5.59	1.73	3.74	0.15	0	4.56	3.31	2.85	0.40				648	
				50	15	33	1		41	30	26	4					
2S/ 5W-12C 1 S	--	8.2	861	80	14	82	5	0	264	94	79	20	0.5	0.42	--	510	257
11- 1-65				3.99	1.15	3.57	0.13	0	4.33	1.96	2.23	0.32				505	
				45	13	40	1		49	22	25	4					
	--	7.1	856	--	--	--	--	--	--	95	78	--	--	--	--	460	
2- 1-66										1.98	2.20						
	--	7.4	1062	112	21	86	6	0	278	159	101	25	0.7	0.38	--	690	365
5-18-66				5.59	1.73	3.74	0.15	0	4.56	3.31	2.85	0.40				648	
				50	15	33	1		41	30	26	4					
2S/ 5W-12C 1 S	--	8.2	861	80	14	82	5	0	264	94	79	20	0.5	0.42	--	510	257
11- 1-65				3.99	1.15	3.57	0.13	0	4.33	1.96	2.23	0.32				505	
				45	13	40	1		49	22	25	4					
	--	7.1	856	--	--	--	--	--	--	95	78	--	--	--	--	460	
2- 1-66										1.98	2.20						
	--	7.4	1062	112	21	86	6	0	278	159	101	25	0.7	0.38	--	690	365
5-18-66				5.59	1.73	3.74	0.15	0	4.56	3.31	2.85	0.40				648	
				50	15	33	1		41	30	26	4					
2S/ 5W-12C 1 S	--	7.4	850	84	15	84	5	0	276	105	78	15	0.5	0.40	--	510	271
4- 5-66				4.19	1.23	3.65	0.13	0	4.52	2.19	2.20	0.24				523	
				46	13	40	1		49	24	24	3					
	72	7.4	886	83	9	88	6	0	281	104	77	14	0.6	0.44	--	520	244
5-18-66				4.14	0.74	3.83	0.15	0	4.61	2.17	2.17	0.23				520	
				47	8	43	2		50	24	24	3					
2S/ 5W-12E 1 S	--	8.3	333	48	5	15	2	0	175	18	8	4	0.3	0	--	200	141
11- 1-65				2.40	0.41	0.65	0.05	0	2.87	0.37	0.23	0.06				186	
				68	12	19	1		81	10	7	2					
	--	7.6	321	--	--	--	--	--	--	13	5	--	--	--	--	180	
2- 1-66										0.27	0.14						
	70	7.7	321	46	6	14	2	--	173	22	5	4.3	0.2	0	--	188	140
5-18-66				2.30	0.49	0.61	0.05	--	2.84	0.46	0.14	0.07				185	
				67	14	18	1		81	13	4	2					

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PLR LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER						
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3	
SANTA ANA RIVER HYDRO UNIT Y0100																		
MIDDLE SANTA ANA RIV HYDR SUBUNITY01R0																		
RIVERSIDE HYDRO SUBAREA Y01B7																		
2S/ 5W-12F 2 S 11- 1-65	65	8.5	1065	.127 6.34 56	24 1.97 17	67 2.91 26	6 0.15 1	15 0.50 4	267 4.38 38	166 3.46 30	89 2.51 22	35 0.56 5	0.6	0.22	--	715	416	
2- 1-66	--	7.2	991	--	--	--	--	--	--	135 2.81	87 2.45	--	--	--	--	630		
5-18-66	69	7.2	1078	125 6.74 54	25 2.06 18	70 3.04 26	6 0.15 1	-- 4.82 43	294 3.37 30	162 2.54 22	90 0.58 5	36.0 0.58	0.5	0.27	--	707	415	
2S/ 5W-14D 1 S 9-21-66	74	9.5	463	3 0.15 4	0	90 3.91 94	3 0.08 2	30 1.00 24	10 0.16 4	28 0.58 14	84 2.37 58	0.8 0.01	1.8	0.77	--	201	8	
4- 1-66	72	9.5	478	5 0.25 6	1 0.08 2	91 3.96 92	0	22 0.73 17	27 0.44 11	33 0.69 16	82 2.31 55	1 0.02	2.5	0.84	--	290	17	
2S/ 5W-14G 2 S 11- 4-65	--	8.1	586	64 3.19 53	12 0.99 17	40 1.74 29	3 0.08 1	0	174 2.85 47	103 2.14 35	37 1.04 17	0	0.6	0.14	--	365	209	
2- 1-66	--	7.2	644	--	--	--	--	--	--	127 2.64	40 1.13	--	--	--	--	400		
5-18-66	68	7.2	1077	149 7.44 63	24 1.97 17	52 2.26 19	5 0.13 1	-- 4.11 35	251 5.33 46	256 1.95 17	69 0.20 2	12.5 0.20	0.5	0.14	--	735	471	
2S/ 5W-20R 1 S 11- 4-65	--	8.1	591	72 3.59 58	12 0.99 16	34 1.48 24	3 0.08 1	0	203 3.33 56	96 2.00 33	21 0.59 10	4 0.06 1	0.3	0.02	--	375	229	
2- 2-66	--	7.5	725	--	--	--	--	--	--	108 2.25	24 0.68	--	--	--	--	440		
5-18-66	64	7.4	841	119 5.94 64	18 1.48 16	39 1.70 18	4 0.10 1	-- 4.90 54	299 3.02 33	145 0.96 11	34 0.21 2	13.3 0.21	0.3	0.01	--	544	371	
2S/ 5W-21J 1 S 11- 4-65	--	8.0	781	96 4.79 58	19 1.56 19	43 1.87 22	4 0.10 1	0	195 3.20 38	168 3.50 42	49 1.38 16	21 0.34 4	0.5	0.08	--	515	318	
5-18-66	68	7.4	625	73 3.64 56	13 1.07 17	38 1.65 26	4 0.10 2	-- 3.59 56	219 1.73 27	83 1.10 17	39 0.02	1.5 0.02	0.5	0.11	--	370	236	
2S/ 5W-22D 1 S 5-18-66	70	7.3	929	121 6.04 60	22 1.81 18	47 2.04 20	5 0.13 1	-- 4.38 44	267 3.87 39	186 1.58 16	56 0.03	1.8 0.03	0.6	0.11	--	595	393	
2S/ 5W-29E 4 S 2- 7-66	--	7.5	502	--	--	--	--	--	--	21 0.44	26 0.73	--	--	--	--	250		
5-18-66	62	7.9	800	87 4.34 51	16 1.32 16	60 2.61 31	7 0.18 2	0	278 4.56 53	102 2.12 25	58 1.64 19	15 0.24 3	0.4	0.19	--	480	283	
3S/ 4W-19R 1 S 3-22-66	68	7.4	1223	95 4.74 42	45 3.70 33	63 2.74 24	4 0.10 1	0	149 2.44 22	65 1.35 12	206 5.81 52	96 1.55 14	0.4	0.23	--	880	422	
3S/ 4W-19R 2 S 3-22-66	68	8.1	600	27 1.35 24	19 1.56 27	62 2.70 47	4 0.10 2	0	153 2.51 44	29 0.60 11	85 2.40 42	9 0.15 3	0.7	0	--	308	146	
1N/ 4W-32E12 S 11-17-65	67	7.3	892	--	--	--	--	--	--	64 1.33	88 2.48	11 0.18	--	--	--			
11-17-65	--	7.4	892	--	--	--	--	--	--	64 1.33	89 2.51	11 0.18	--	--	--			
11-17-65	67	7.9	878	--	--	--	--	--	--	64 1.33	86 2.43	11 0.18	--	--	--			

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	FCX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C CALCO COMP	HARD- NESS CALCO
LAKE MATHEWS HYDRO SUBUNIT REDFORD HYDRO SUBAREA					SANTA ANA RIVER HYDRO UNIT				Y0100									
4S/ 6W-16G 2 S 3-29-66	--	7.2	1773	Y01C0	229 11.42 56	51 4.19 21	105 4.57 23	3 0.08	0	310 5.08 25	479 9.97 49	129 3.64 18	98 1.58 8	0.7	0.16	--	1340	782
4S/ 6W-21J 1 S 3-29-66	--	7.6	1658	Y01C2	210 10.48 56	55 4.52 24	85 3.70 20	2 0.05	0	354 5.80 31	386 8.04 43	115 3.24 17	105 1.69 9	0.7	0.30	--	1190	751
4S/ 6W-22D 1 S 7-23-66	--	7.2	1421		--	--	--	--	--	--	--	101 2.85	--	1.0	--	--		602
8-17-66	--	--	1442		--	--	--	--	--	--	--	--	--	3.5	--	--		615
3-29-66	--	7.4	1321		163 8.13 55	37 3.04 21	80 3.48 24	2 0.05	0	293 4.80 32	316 6.58 45	83 2.34 16	66 1.06 7	0.7	0.12	--	950	559
LEE LAKE HYDRO SUBAREA					Y01C4													
5S/ 5W-16R 2 S 2-24-66	65	7.5	1175		102 5.09 41	28 2.30 18	117 5.09 41	1 0.03	0	299 4.90 39	220 4.58 37	103 2.90 23	10.0 0.16 1	0.6	0.16	--	770	370
COLTON-RIALTO HYDRO SUBUNIT RECHE HYDRO SUBAREA					Y01D0													
1S/ 4W-18E 1 S 2-25-66	--	7.4	385	Y01D4	55 2.74 66	9 0.74 18	15 0.65 16	2 0.05	0	201 3.29 81	25 0.52 13	8 0.23 6	0.7 0.01	0.4	0.04	--	251	174
1S/ 4W-21L 1 S 9-15-66	--	8.0	774		96 4.79 58	15 1.23 15	50 2.17 26	4 0.10	0	244 4.00 49	132 2.75 34	45 1.27 16	10 0.16 2	0.9	0.22	--	520	301
1S/ 4W-21R 1 S 9-15-66	--	7.6	923		81 4.04 41	16 1.32 13	100 4.35 44	5 0.13	0	364 5.97 61	76 1.58 16	80 2.26 23	1.2 0.02	1.4	0.62	--	580	268
1S/ 4W-21R 3 S 9-16-66	--	8.2	1068		28 1.40 12	9 0.74 6	215 9.35 81	3 0.08	0	559 9.16 79	1 0.02	82 2.31 20	4.0 0.06 1	0.2	0.46	--	670	107
1S/ 4W-21R 4 S 9-16-66	68	8.5	568		33 1.65 28	6 0.49 8	86 3.74 63	3 0.08	19 0.63 11	234 3.84 64	30 0.62 10	31 0.87 15	0.0	1.4	0.46	--	360	107
1S/ 4W-21R 5 S 9-16-66	68	8.2	547		53 2.64 43	10 0.82 15	60 2.61 42	3 0.08	0	273 4.47 74	40 0.83 14	27 0.76 13	0.0	1.1	0.46	--	350	173
1S/ 4W-21R 6 S 9-16-66	66	10.2	387		2 0.10 3	1 0.08 2	74 3.22 93	2 0.05	41 1.37 44	0	36 0.75 24	35 0.99 32	0.4 0.01	0.8	0.36	--	250	9
1S/ 4W-21L 1 S 5-20-66	--	7.7	842		97 4.84 54	22 1.81 20	52 2.26 25	4 0.10	0	254 4.16 46	150 3.12 35	53 1.49 17	12 0.19 2	1.0	0.24	--	570	333
1S/ 4W-21L 3 S 11- 2-65	72	8.0	648		61 3.04 47	12 0.99 15	55 2.39 37	4 0.10	0	198 3.25 50	81 1.69 26	51 1.44 22	10 0.16 2	--	--	--		202
1-27-66	--	7.4	494		--	--	--	--	--	--	58 1.21	9 0.25	--	--	--	--		310
1S/ 4W-21R 1 S 11- 4-65	--	8.2	816		88 4.39 51	23 1.89 22	53 2.30 27	3 0.08	0	279 4.57 53	85 1.77 21	73 2.06 24	14 0.23 3	0.8	0.39	--	522	314
1-27-66	--	7.2	828		--	--	--	--	--	--	76 1.58	77 2.17	--	--	--	--		505
2-24-66	--	7.2	1039		117 5.84 51	31 2.55 22	67 2.91 25	6 0.15	0	344 5.64 50	168 3.50 31	54 1.52 15	44 0.71 6	0.7	0.39	--	662	420
5-20-66	--	7.1	867		83 4.14 46	21 1.73 19	70 3.04 34	5 0.13	0	294 4.82 53	102 2.12 23	71 2.00 22	6.0 0.10 1	0.6	0.46	--	532	294

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	TEMP	PH	ECX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
				SANTA ANA RIVER HYDRO UNIT														
COLTON-RIALTO HYDRO SUBUNIT RECHE HYDRO SUBAREA				Y01D0	Y01D4				Y0100									
1S/ 4-21R 3 S 5-10-66	67	--	1005	29 1.45 12	9 0.74 6	217 9.44 81	3 0.08 1	36 1.20 10	498 8.16 70	0	82 2.31 20	1.0 0.02	0.2	0.48	--	655	110	
1S/ 4W-21R 4 S 11-12-65	67	8.2	574	--	--	--	--	--	--	28 0.58	30 0.85	0	--	--	--			
1-25-66	65	8.0	581	--	--	--	--	--	--	31 0.65	30 0.85	--	--	--	--	290		
5-10-66	68	8.2	565	36 1.80 30	5 0.41 7	85 3.70 62	2 0.05 1	0	273 4.47 75	30 0.62 10	30 0.85 14	0.0	1.4	0.40	--	350	111	
1S/ 4W-21R 5 S 11-12-65	67	8.2	570	--	--	--	--	--	--	40 0.83	25 0.71	0	--	--	--			
1-25-66	68	7.8	576	--	--	--	--	--	--	41 0.85	27 0.76	--	--	--	--	300		
5-10-66	68	8.0	572	53 2.64 43	9 0.74 12	61 2.65 43	3 0.08 1	0	273 4.47 75	39 0.81 14	25 0.71 12	0.0	1.4	0.12	--	355	169	
1S/ 4W-21R 6 S 11-12-65	69	10.4	457	--	--	--	--	--	--	46 0.96	33 0.93	0	--	--	--			
1-25-66	67	10.4	437	--	--	--	--	--	--	45 0.94	33 0.93	--	--	--	--	200		
5-10-66	67	10.6	494	17 0.85 20	0	76 3.30 78	3 0.08 2	62 2.07 53	0	39 0.81 21	35 0.99 26	0.0	0.8	0.16	--	270	43	
1S/ 4W-21R 7 S 11-12-65	67	8.4	574	--	--	--	--	--	--	26 0.54	27 0.76	0	--	--	--			
1-25-66	67	8.2	590	--	--	--	--	--	--	26 0.54	27 0.76	--	--	--	--	284		
5-10-66	--	--	582	45 2.25 36	11 0.90 15	68 2.96 48	3 0.08 1	0	298 4.88 79	24 0.50 8	27 0.76 12	0.4 0.01	1.4	0.38	--	350	158	
1S/ 4W-25A 2 S 9-16-66	--	7.6	471	62 3.09 63	12 0.99 20	18 0.78 16	2 0.05 1	--	197 3.23 66	38 0.79 16	13 0.37 8	30 0.48 10	0.3	0	--	310	204	
1S/ 4W-28D 1 S 9-15-66	--	8.1	826	89 4.44 52	14 1.15 13	65 2.83 33	5 0.13 2	0	276 4.52 53	65 1.35 16	85 2.40 28	17 0.27 3	0.4	0.30	--	540	280	
5-20-66	--	7.9	791	87 4.34 54	12 0.99 12	61 2.65 33	5 0.13 2	0	268 4.39 54	59 1.23 15	70 1.97 24	29 0.47 6	0.4	0.32	--	524	267	
1S/ 4W-28F 1 S 11-18-65	73	7.2	912	--	--	--	--	--	--	79 1.64	81 2.28	76 1.23	--	--	--			
11-18-65	75	7.2	910	--	--	--	--	--	--	77 1.60	79 2.23	77 1.24	--	--	--			
11-18-65	75	7.1	912	--	--	--	--	--	--	79 1.64	79 2.23	74 1.19	--	--	--			
11-18-65	75	7.0	914	--	--	--	--	--	--	79 1.64	79 2.23	76 1.23	--	--	--			
11-18-65	75	7.1	926	--	--	--	--	--	--	79 1.64	81 2.28	83 1.34	--	--	--			

TABLE E-1
ANALYSES OF GROUND WATER
-SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	FCX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				TDS 180C 105C COAP	HARD- NESS CALCO
				CA	MG	NA	K	CO ₃	HCO ₃	SO ₄	CL	NO ₃	F	B	SIO ₂		
SANTA ANA RIVER HYDRO UNIT																	
Y0100																	
COLTON-RIALTO HYDRO SUBUNIT																	
RECHE HYDRO SUBAREA																	
1S/ 4W-28G 2 S 11-22-65	--	8.0	1000	96 4.79 44	25 2.06 17	92 4.00 37	3 0.08 1	0	373 6.11 56	132 2.75 25	64 1.80 17	15 0.24 2	0.8	0.25	--	590	343
1-28-66	--	7.1	1024	--	--	--	--	--	--	128 2.66	65 1.83	--	--	--	--	620	
5-20-66	--	7.4	986	91 4.54 43	26 2.14 20	88 3.83 36	3 0.08 1	--	368 6.03 57	120 2.50 24	62 1.75 17	14.6 0.24 2	0.8	0.29	--	608	334
1S/ 4W-28R 1 S 11- 2-65	--	8.5	621	42 2.10 33	11 0.90 14	76 3.30 52	2 0.05 1	8 0.27 4	208 3.41 53	37 0.77 12	53 1.49 23	27 0.44 7	0.7	0.08	--	370	150
5-19-66	70	7.8	623	43 2.15 34	12 0.99 16	71 3.09 49	3 0.08 1	--	223 3.65 59	31 0.65 10	52 1.47 24	28.0 0.45 7	0.7	0.07	--	370	157
1S/ 4W-28R 3 S 2-24-66	--	7.7	1003	93 4.64 43	28 2.30 21	88 3.83 35	3 0.08 1	0	370 6.06 57	124 2.58 24	64 1.80 17	16 0.26 2	0.9	0.29	--	596	347
1S/ 4W-29A 2 S 9-15-66	--	7.8	405	38 1.90 45	4 0.33 8	44 1.91 45	3 0.08 2	0	185 3.03 72	28 0.58 14	18 0.51 12	6.8 0.11 3	0.4	0.06	--	270	112
1S/ 4W-29H 1 S 9-15-66	--	7.9	773	69 3.44 47	13 1.07 13	80 3.48 43	5 0.13 2	0	264 4.33 54	61 1.27 16	78 2.20 28	12 0.19 2	0.8	0.46	--	480	226
1S/ 4W-29H 3 S 9-15-66	--	8.0	762	86 4.29 54	15 1.23 16	53 2.30 29	4 0.10 1	0	254 4.16 53	57 1.19 15	70 1.97 20	36 0.58 7	0.8	0.24	--	490	276
1S/ 4W-29A 1 S 11- 3-65	--	8.4	537	48 2.40 44	4 0.33 6	61 2.65 49	3 0.08 1	5 0.17 3	178 2.92 53	60 1.25 23	39 1.10 20	4 0.06 1	1.5	0.53	--	339	137
1S/ 4W-29A 2 S 1-31-66	--	7.5	445	--	--	--	--	--	--	30 0.62	19 0.54	--	--	--	--	240	
5-20-66	--	8.0	390	36 1.80 45	4 0.33 8	41 1.78 45	3 0.08 2	--	176 2.88 72	30 0.62 15	15 0.42 10	5.8 0.09 2	0.3	0.03	--	232	107
1S/ 4W-29H 3 S 1-31-66	--	7.3	892	--	--	--	--	--	--	63 1.31	104 2.93	--	--	--	--	570	
5-20-66	--	7.5	836	90 4.49 53	16 1.32 16	58 2.52 30	5 0.13 2	--	260 4.26 51	65 1.35 16	76 2.14 25	42.2 0.68 8	0.6	0.22	--	523	291
2S/ 3W-18D 2 S 9-23-66	80	7.9	405	25 1.25 33	9 0.74 20	39 1.70 45	2 0.05 1	0	131 2.15 57	10 0.21 6	40 1.13 30	16 0.26 7	0.8	0.05	--	211	100
2S/ 3W-18D 1 S 10- 1-65	68	7.6	390	24 1.20 32	9 0.74 20	40 1.74 47	2 0.05 1	0	132 2.16 59	12 0.25 7	38 1.07 29	10 0.16 4	0.9	0.03	--	203	97
2S/ 3W-18D 2 S 3-25-66	59	8.1	410	27 1.35 34	10 0.82 21	40 1.74 44	1 0.03 1	0	138 2.26 58	12 0.25 6	41 1.16 30	15 0.24 6	0.7	0.02	--	248	109
2S/ 3W-18K 1 S 3-25-66	61	7.9	427	24 1.20 30	9 0.74 19	46 2.00 50	2 0.05 1	0	122 2.00 51	12 0.25 6	46 1.30 33	25 0.40 10	0.8	0.03	--	270	97
2S/ 3W-20D 4 S 9-23-66	79	7.5	312	14 0.70 24	7 0.58 20	37 1.61 54	3 0.08 3	0	119 1.95 67	4 0.08 3	50 0.85 29	3 0.05 2	1.2	0.04	--	141	64
10- 1-65	68	7.6	295	13 0.65 23	6 0.49 17	37 1.61 57	3 0.08 3	0	114 1.87 68	7 0.15 5	25 0.71 20	2 0.03 1	1.2	0	--	164	57
3-25-66	57	7.5	307	15 0.75 26	6 0.49 17	37 1.61 56	2 0.05 2	0	123 2.02 67	6 0.12 4	29 0.82 27	3 0.05 2	1.2	0.02	--	163	62

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CALCO 3
SANTA ANA RIVER HYDRO UNIT																	
Y0100																	
2S/ 4W-12M 1 S 9-23-66	70	7.8	525	38 1.90 37	12 0.99 19	50 2.17 42	2 0.05 1	0	182 2.98 59	14 0.29 6	54 1.52 30	17 0.27 5	0.9	0.04	--	304	145
10- 1-65	74	7.5	484	38 1.90 41	12 0.99 21	39 1.70 37	1 0.03 1	0	168 2.75 59	18 0.37 8	43 1.21 26	20 0.32 7	0.7	0.03	--	274	145
3-25-66	60	7.9	474	37 1.85 40	13 1.07 23	40 1.74 37	0	0	150 2.46 54	16 0.33 7	43 1.21 27	34 0.55 12	0.6	0.02	--	283	146
UPPER SANTA ANA HYDRO SUBUNIT CAJON HYDRO SUBAREA																	
Y01E0																	
Y01E1																	
2N/ 4W-31AS1 S 4-27-66	63	8.1	404	50 2.50 57	15 1.23 28	14 0.61 14	2 0.05 1	0	222 3.64 82	24 0.50 11	9 0.25 6	3.0 0.05 1	0.4	0	--	260	187
2N/ 4W-31BS1 S 4-27-66	57	8.4	339	46 2.30 62	11 0.90 24	10 0.43 12	3 0.08 2	7 0.23 6	161 2.64 70	27 0.56 15	10 0.28 7	3.6 0.06 2	0.3	0	--	215	160
BUNKER HILL HYDRO SUBAREA																	
Y01E2																	
1S/ 2W- 8X 1 S 7-24-66	--	7.4	440	28 1.40 30	9 0.74 16	55 2.39 52	3 0.08 2	0	145 2.38 53	86 1.79 40	10 0.28 6	3.6 0.06 1	1.3	0.11	--	285	107
1S/ 3W- 8N 2 S 1-31-66	--	7.2	824	--	--	--	--	--	--	--	83 2.34	--	0.4	0.54	--		347
2- 1-66	64	7.2	792	--	--	--	--	--	--	--	78 2.20	--	0.4	0.54	--		334
1S/ 3W- 8N 3 S 11-19-65	63	7.6	814	72 3.59 49	17 1.40 19	50 2.17 30	4 0.10 1	0	210 3.44 48	52 1.08 15	84 2.37 33	20 0.32 4	0.3	0.49	--	440	250
11-19-65	63	7.6	820	83 4.14 54	17 1.40 18	46 2.00 26	4 0.10 1	0	238 3.90 51	51 1.06 14	86 2.43 32	20 0.32 4	0.3	0.53	--	450	277
1S/ 3W-17C 3 S 3-30-66	--	7.5	678	88 4.39 62	16 1.32 19	30 1.30 18	3 0.08 1	0	244 4.00 56	75 1.56 22	39 1.10 16	26.0 0.42 6	0.4	0.18	--	450	286
1S/ 3W-19H 1 S 3-30-66	--	7.8	412	44 2.20 54	5 0.41 10	32 1.39 34	2 0.05 1	0	166 2.72 70	41 0.85 22	4 0.11 3	12.0 0.19 5	1.3	0.04	--	250	131
1S/ 4W-13G 2 S 3-30-66	--	7.6	389	52 2.59 64	9 0.74 18	15 0.65 16	2 0.05 1	0	176 2.88 71	23 0.48 12	19 0.54 13	8.0 0.13 3	0.4	0.30	--	230	167
1S/ 4W-13L 1 S 3-30-66	--	7.7	542	72 3.59 63	14 1.15 20	20 0.87 15	3 0.08 1	0	183 3.00 52	65 1.35 23	11 0.31 5	72.0 1.16 20	0.5	0.02	--	345	237
1S/ 4W-13M 2 S 3-30-66	--	7.9	256	29 1.45 55	4 0.33 12	19 0.83 31	2 0.05 2	0	132 2.16 80	15 0.31 12	7 0.20 7	1.0 0.02 1	0.5	0	--	150	89
1S/ 4W-13N 5 S 11- 2-65	65	8.1	583	74 3.69 61	14 1.15 19	25 1.09 18	3 0.08 1	0	168 2.75 46	100 2.08 35	17 0.48 8	43 0.69 12	0.4	0.10	--	400	242
5-19-66	64	7.5	626	87 4.34 66	14 1.15 17	24 1.04 16	3 0.08 1	--	211 3.46 53	95 1.98 30	16 0.45 7	42.0 0.68 10	0.5	0.09	--	420	275
1S/ 4W-22L 5 S 9-15-66	--	7.9	428	51 2.54 57	9 0.74 17	26 1.13 25	2 0.05 1	0	176 2.88 63	58 1.21 27	14 0.39 9	5.0 0.08 2	1.0	0.06	--	280	164
1S/ 4W-22A 5 S 11- 2-65	67	8.4	744	109 5.44 65	19 1.56 19	29 1.26 15	4 0.10 1	2 0.07 1	266 4.36 52	164 3.41 41	17 0.48 6	1 0.02	0.5	0.03	--	516	350
1S/ 4W-22C 2 S 11- 2-65	74	7.6	354	22 1.10 30	2 0.16 4	53 2.30 64	2 0.05 1	0	145 2.38 66	33 0.69 19	18 0.51 14	2 0.03 1	0.8	0.06	--	213	63

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	6 ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3
UPPER SANTA ANA HYDRO SUBUNIT BUNKER HILL HYDRO SUBAREA				SANTA ANA RIVER HYDRO UNIT				Y0100									
1S/ 4W-23D 2 S 9-15-66	--	7.8	281	21 1.05 35	4 0.33 11	36 1.57 52	2 0.05 2	0 2.39 83	146 0.29 10	14 0.17 6	6 0.03 1	1.6 2.0 0.24	--	--	--	170	69
1S/ 4W-23C 2 S 2- 2-66	--	8.1	457	--	--	--	--	--	45 0.94	28 0.79	--	--	--	--	--	240	
1S/ 4W-23D 2 S 1-27-66	--	7.3	344	--	--	--	--	--	42 0.87	15 0.42	--	--	--	--	--	195	
1S/ 4W-23D 3 S 11- 4-65	--	8.3	296	23 1.15 38	2 0.16 5	39 1.70 56	2 0.05 2	0 2.43 81	148 0.31 10	15 0.23 8	8 0.02 1	1 1.8 0.28	--	--	--	182	66
5-19-66	--	7.8	295	25 1.25 40	2 0.16 5	38 1.65 53	2 0.05 2	-- 2.34 80	143 0.35 12	17 0.20 7	7 0.03 1	1.8 1.5 0.22	--	--	--	180	71
1S/ 4W-23K 1 S 11- 1-65	69	8.2	632	68 3.39 51	20 1.64 25	36 1.57 74	2 0.05 1	0 3.49 53	213 1.69 26	81 0.90 14	32 0.52 8	32 0.7 0.02	--	--	--	400	252
5-19-66	67	7.4	672	77 3.84 54	19 1.56 22	36 1.57 22	3 0.08 1	-- 3.87 56	236 1.75 25	84 0.87 12	31 0.48 7	30.0 0.7 0.05	--	--	--	419	270
1S/ 4W-23K 2 S 11- 1-65	70	8.1	731	45 2.25 30	23 1.89 25	75 3.26 44	3 0.08 1	0 3.82 51	233 1.71 23	82 1.21 16	43 0.77 10	48 0.7 0.05	--	--	--	448	207
5-19-66	68	7.4	840	69 3.44 39	24 1.97 22	76 3.30 38	3 0.08 1	-- 4.98 57	304 1.69 19	81 1.24 14	44 0.81 9	50.0 0.8 0.08	--	--	--	518	271
1S/ 4W-23P 3 S 11- 2-65	71	8.4	410	48 2.40 56	7 0.58 14	29 1.26 29	2 0.05 1	5 0.17 4	171 2.80 66	27 0.56 13	22 0.62 15	6 0.9 0.01	--	--	--	250	149
5-20-66	72	7.8	422	46 2.30 53	8 0.66 15	29 1.26 29	3 0.08 2	-- 2.84 66	173 0.62 14	30 0.71 16	25 0.14 3	8.5 0.9 0.01	--	--	--	253	148
1S/ 4W-24E 1 S 4- 7-66	--	8.0	352	54 2.69 72	6 0.49 13	12 0.52 14	2 0.05 1	0 3.00 80	183 0.40 11	19 0.14 4	5 0.19 5	12 0.2 0.05	--	--	--	170	159
1S/ 4W-26F 1 S 9-15-66	--	8.0	569	--	--	--	--	--	--	--	--	--	--	--	--		
1S/ 4W-26F 1 S 11- 2-65	72	8.2	506	23 1.15 23	6 0.49 10	78 3.39 67	2 0.05 1	0 3.03 59	185 0.94 18	45 1.13 22	40 0.03 1	2 0.8 0.10	--	--	--	300	82
1-28-66	--	7.8	569	--	--	--	--	--	41 0.85	38 1.07	--	--	--	--	--	325	
1S/ 4W-27B 2 S 9-15-66	--	8.0	670	56 2.79 39	14 1.15 16	74 3.22 44	3 0.08 1	0 4.64 65	283 1.10 15	53 1.30 18	46 0.15 2	9.0 1.1 0.06	--	--	--	420	197
11- 2-65	--	8.5	679	56 2.79 39	14 1.15 16	73 3.17 44	3 0.08 1	14 0.47 7	239 3.92 55	57 1.19 17	49 1.38 19	12 0.9 0.07	--	--	--	408	197
1-28-66	--	7.6	698	--	--	--	--	--	54 1.12	53 1.49	--	--	--	--	--	400	
5-19-66	74	7.9	685	56 2.79 39	14 1.15 16	72 3.13 44	3 0.08 1	0 4.47 63	273 1.23 17	59 1.33 19	47 0.12 2	7.5 0.9 0.10	--	--	--	418	197
1N/ 4W-29E 1 S 4-25-66	--	7.5	475	67 3.34 65	14 1.15 22	13 0.57 11	3 0.08 2	0 3.88 76	237 0.67 13	32 0.28 5	10 0.29 6	18.0 0.5 0.04	--	--	--	250	225
1N/ 4W-29F 1 S 4-25-66	--	7.2	1190	193 9.63 69	38 3.13 22	25 1.09 8	5 0.13 1	0 4.92 35	300 7.60 54	365 0.90 6	32 0.61 4	38.0 0.5 1.00	--	--	--	880	639
1N/ 4W-29L 1 S 4-25-66	--	7.5	597	85 4.24 67	16 1.32 21	15 0.65 10	4 0.10 2	0 3.97 63	242 1.42 23	68 0.39 6	14 0.53 8	33.0 0.5 0.06	--	--	--	340	278

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA-

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
SANTA ANA RIVER HYDRO UNIT																	
UPPER SANTA ANA HYDRO SUBUNIT																	
BUNKER HILL HYDRO SUBAREA																	
1N/ 5W-23A 2 S 4-25-66	--	7.6	514	72	13	18	3	0	246	51	8	7.5	0.5	0.04	--	285	233
				3.59	1.07	0.78	0.08		4.03	1.06	0.23	0.12				294	
				65	19	14	1		74	19	4	0.12					
1N/ 5W-23H 1 S 4-25-66	--	7.6	505	69	15	17	3	0	242	55	10	5.0	0.4	0.04	--	270	234
				3.44	1.23	0.74	0.08		3.97	1.15	0.28	0.08				293	
				63	22	13	1		72	21	5	0.08					
2N/ 4W- 6R 1 S 7-21-66	--	6.3	135	13	2	12	1	0	62	4	9	0	0.1	0	--	106	41
				0.65	0.16	0.52	0.03		1.02	0.08	0.25					72	
				48	12	38	2		76	6	19						
2N/ 4W-19A 1 S 1-26-66	--	6.7	95	5	4	8	1	0	34	2	5	6.7	0.2	0.01	--	83	29
				0.25	0.33	0.35	0.03		0.56	0.04	0.14	0.11				49	
				26	34	36	3		66	5	16	0.11					
7-21-66	--	6.7	122	7	6	8	1	0	46	5	9	7.8	0.1	0	--	82	42
				0.35	0.49	0.35	0.03		0.75	0.10	0.25	0.13				67	
				29	40	29	2		61	8	20	0.13					
2N/ 4W-31M 1 S 9-28-66	65	7.9	553	62	28	13	3	--	276	49	12	1.5	0.6	0.01	--	348	270
				3.09	2.30	0.57	0.08		4.52	1.02	0.34	0.02				305	
				51	38	9	1		77	17	6						
2N/ 4W-32CS2 S 4-27-66	65	8.2	262	31	7	10	4	0	120	28	6	1.4	0.2	0	--	160	107
				1.55	0.58	0.43	0.10		1.97	0.58	0.17	0.02				147	
				58	22	16	4		72	21	6	0.02					
2N/ 4W-34K 1 S 12-28-65	63	8.1	482	48	21	19	3	--	187	69	13	5.0	0.4	0	--	276	207
				2.40	1.73	0.83	0.08		3.06	1.44	0.37	0.08				270	
				48	34	16	2		62	29	7	0.08					
2N/ 4W-34K 2 S 12-28-65	62	8.2	434	44	18	17	3	--	181	48	14	6.0	0.5	0	--	156	184
				2.20	1.48	0.74	0.08		2.97	1.00	0.39	0.10				239	
				49	33	16	2		67	22	9	0.10					
2N/ 5W-26G 1 S 12-28-65	47	8.2	370	49	11	6	4	--	167	33	11	1.0	0.4	0	--	199	168
				2.45	0.90	0.26	0.10		2.74	0.69	0.31	0.02				198	
				66	24	7	3		73	18	8	0.02					
SAN TIMOTEO HYDRO SUBUNIT																	
YUCAIPA HYDRO SUBAREA																	
2S/ 2W- 4L 1 S 2-24-66	--	7.8	460	55	14	21	2	0	231	36	8	6.1	0.6	0	--	270	195
				2.74	1.15	0.91	0.05		3.79	0.75	0.23	0.10				256	
				56	24	19	1		78	15	5	0.10					
2S/ 2W- 8K 2 S 2-24-66	--	7.8	435	30	9	52	2	0	194	33	19	2.5	0.6	0.03	--	257	112
				1.50	0.74	2.26	0.05		3.18	0.69	0.54	0.04				243	
				33	16	50	1		71	16	12	0.04					
SAN TIMOTEO HYDRO SUBAREA																	
2S/ 1W-30E 1 S 9-23-66	68	7.2	411	39	18	18	1	0	204	8	18	4	0.7	0	--	207	172
				1.95	1.48	0.78	0.03		3.34	0.17	0.51	0.06				207	
				46	35	18	1		82	4	13	0.06					
2S/ 1W-30E 1 S 3-29-66	64	8.0	402	42	16	17	1	0	208	9	19	3	0.6	0	--	217	171
				2.10	1.32	0.74	0.03		3.41	0.19	0.54	0.05				210	
				50	32	18	1		81	5	13	0.05					
2S/ 2W-25D 1 S 9-23-66	72	8.0	460	42	19	26	1	0	237	12	17	6	0.5	0	--	230	183
				2.10	1.56	1.13	0.03		3.88	0.25	0.48	0.10				240	
				44	32	23	1		82	5	10	0.10					
3-29-66	68	8.0	489	45	20	31	1	0	252	17	20	5	0.6	0	--	264	195
				2.25	1.64	1.35	0.03		4.13	0.35	0.56	0.08				264	
				43	31	26	1		81	7	11	0.08					
2S/ 2W-35D 1 S 9-23-66	72	8.1	380	29	7	40	0	0	183	13	19	0.8	1.3	0.01	--	188	102
				1.45	0.58	1.74			3.00	0.27	0.54	0.01				200	
				38	15	46			79	7	14						
10- 1-65	70	8.0	380	29	6	43	1	0	186	13	16	0	1.3	0	--	182	97
				1.45	0.49	1.87	0.03		3.05	0.27	0.45					201	
				38	13	49	1		81	7	12						
3-29-66	64	7.8	378	30	6	43	0	0	182	14	20	0.0	1.2	0	--	192	100
				1.50	0.49	1.87			2.98	0.29	0.56					204	
				39	13	48			78	8	15						
3S/ 1W- 9Q 1 S 9-23-66	76	7.6	321	30	10	21	2	0	165	2	18	7	0.7	0.01	--	167	116
				1.50	0.82	0.91	0.05		2.70	0.04	0.51	0.11				172	
				46	25	28	2		80	1	15	0.11					
3-29-66	60	8.2	325	30	9	23	2	0	162	1	17	6	0.6	0	--	179	112
				1.50	0.74	1.00	0.05		2.66	0.02	0.48	0.10				168	
				46	22	30	2		82	1	15	0.10					

TABLE E-1

ANALYSES OF GROUND WATER

SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	FCX10	MINERAL	CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
						CA	MG	NA	K	CO ₃	HCO ₃	SO ₄	CL	NO ₃	F	B	SiO ₂	TDS 180C 105C COMP	HARD- NESS CALO 3
					SANTA ANA RIVER HYDRO UNIT														
SAN TIMOTEO HYDRO SUBUNIT					Y01F0					Y0100									
CHERRY VALLEY HYDRO SUBAREA					Y01F3														
2S/ 1W-27R 1 S	9-23-66	65	8.0	553	50	21	37	1	0	240	56	21	9	0.9	0.03	--	320	212	
					2.50	1.73	1.61	0.03		3.93	1.17	0.57	0.15						
					43	29	27	1		67	20	10	3				314		
10- 8-65		63	8.2	553	51	20	37	1	0	240	56	20	5	0.9	0.03	--	327	209	
					2.54	1.64	1.61	0.03		3.93	1.17	0.56	0.08						
					44	28	28	1		68	20	10	1				309		
2S/ 2W-14M 1 S	9-23-66	76	8.0	378	16	5	55	1	0	154	15	28	4	0.7	0.04	--	182	61	
					0.80	0.41	2.39	0.03		2.52	0.31	0.79	0.06						
					22	11	66	1		68	8	21	2				200		
3-15-66		--	8.1	392	20	7	54	1	0	164	17	25	5.0	0.7	0.03	--	210	79	
					1.00	0.58	2.35	0.03		2.69	0.35	0.71	0.08						
					25	15	59	1		70	9	19	2				210		
3-29-66		76	8.4	432	28	7	54	1	0	179	19	32	5	0.7	0.02	--	234	99	
					1.40	0.58	2.35	0.03		2.93	0.40	0.90	0.08						
					32	13	54	1		68	9	21	2				235		
CHICKEN HILL HYDRO SUBAREA					Y01F4														
2S/ 2W-15A 4 S	3-15-66	--	7.8	514	36	13	56	2	0	189	66	18	9.0	1.9	0.04	--	291	144	
					1.80	1.07	2.43	0.05		3.10	1.37	0.51	0.15						
					34	20	45	1		60	27	10	3				295		
GATEWAY HYDRO SUBAREA					Y01F5														
1S/ 1W-30E 1 S	2-24-66	--	7.9	600	64	12	54	2	0	284	61	12	10.0	0.6	0.08	--	374	209	
					3.19	0.99	2.35	0.05		4.65	1.27	0.34	0.16						
					48	15	36	1		72	20	5	2				355		
1S/ 2W-25J 1 S	2-24-66	--	7.7	584	54	14	53	2	0	272	58	11	8.2	0.7	0.08	--	340	192	
					2.69	1.15	2.30	0.05		4.46	1.21	0.31	0.13						
					43	19	37	1		73	20	5	2				335		
SOUTH MESA HYDRO SUBAREA					Y01F7														
1S/ 1W-31H 1 S	2-24-66	--	7.4	482	54	15	27	2	0	231	34	17	9.2	0.5	0	--	262	196	
					2.69	1.23	1.17	0.05		3.79	0.71	0.48	0.15						
					52	24	23	1		74	14	9	3				272		
2S/ 2W-11F 1 S	2-24-66	--	8.1	479	55	15	27	2	0	250	29	9	7.1	0.6	0.02	--	284	199	
					2.74	1.23	1.17	0.05		4.10	0.60	0.25	0.11						
					53	24	23	1		81	12	5	2				268		
2S/ 2W-12M 1 S	2-24-66	--	7.9	454	28	12	53	1	0	184	44	21	6.3	1.5	0.02	--	270	120	
					1.40	0.99	2.30	0.03		3.02	0.92	0.59	0.10						
					30	21	49	1		65	20	13	2				257		
2S/ 2W-14C 1 S	2-24-66	--	7.7	514	43	15	47	1	0	221	48	18	7.7	1.5	0.01	--	302	169	
					2.15	1.23	2.04	0.03		3.62	1.00	0.51	0.12						
					39	23	37	1		69	19	10	2				290		
3-15-66		--	7.8	484	38	12	48	2	0	199	49	19	10.3	1.8	0.04	--	289	145	
					1.90	0.99	2.09	0.05		3.26	1.02	0.54	0.17						
					38	20	42	1		65	20	11	3				278		
2S/ 2W-14C 2 S	2-24-66	--	7.9	506	38	14	50	1	0	201	59	18	8.2	1.7	0.04	--	300	153	
					1.90	1.15	2.17	0.03		3.29	1.23	0.51	0.13						
					36	22	41	1		64	24	10	3				289		
3-15-66		--	7.9	495	37	12	53	2	0	194	56	20	9.3	1.8	0.04	--	287	142	
					1.85	0.99	2.30	0.05		3.18	1.17	0.56	0.15						
					36	19	44	1		63	23	11	3				286		
2S/ 2W-14D 1 S	3-15-66	--	7.9	543	40	13	59	2	0	216	56	25	7.3	1.9	0.05	--	297	154	
					2.00	1.07	2.57	0.05		3.54	1.17	0.71	0.12						
					35	19	45	1		64	21	13	2				310		
NOBLE CREEK HYDRO SUBAREA					Y01F9														
2S/ 1W- 1E 1 S	3-22-66	47	7.4	418	49	16	12	2	0	195	32	11	5	0.5	0	--	239	189	
					2.45	1.32	0.52	0.05		3.20	0.67	0.31	0.08						
					56	30	12	1		75	16	7	2				223		
2S/ 1W- 2J 1 S	9-23-66	58	8.1	428	48	19	14	2	0	210	29	12	8	0.5	0.01	--	242	198	
					2.40	1.56	0.61	0.05		3.44	0.60	0.34	0.13						
					52	34	13	1		76	15	6	3				236		
2S/ 1W- 2K 5 S	9-23-66	58	8.1	502	57	20	22	1	0	228	60	12	4	0.6	0.02	--	300	224	
					2.84	1.64	0.96	0.03		3.74	1.25	0.34	0.06						
					52	30	18	1		69	23	6	1				289		
2S/ 1W- 2J 1 S	10- 9-65	56	7.9	421	49	17	14	1	0	215	26	11	5	0.5	0.03	--	239	193	
					2.45	1.40	0.61	0.03		3.52	0.54	0.31	0.08						
					55	31	14	1		79	12	7	2				229		

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO	DATE SAMPLED	TEMP	PH	ECX10	MINERAL	CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				
						CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
SANTA ANA RIVER HYDRO UNIT																		
Y0100																		
NOBIE CREEK HYDRO SUBAREA																		
Y01F9																		
2S/ 1W-10J 1 S	10-6-65	60	8.0	490	56	19	17	1	0	218	54	12	5	0.4	0.05	--	294	218
					2.79	1.56	0.74	0.03		3.57	1.12	0.34	0.08					
					54	30	14	1		70	22	7	2				272	
	3-22-66	59	7.9	486	56	19	18	1	0	218	51	12	4	0.5	0	--	281	218
					2.79	1.56	0.78	0.03		3.57	1.06	0.34	0.06					
					54	30	15	1		71	21	7	1				269	
2S/ 1W-22H 2 S	9-23-66	63	8.1	472	48	20	0	2	0	2	36	23	5	0.6	0.02	--	271	202
					2.40	1.64		0.05		0.03	0.75	0.65	0.08					
					59	40		1		2	50	43	5				136	
2S/ 1W-22A 3 S	3-24-66	60	8.0	399	44	14	15	1	0	178	29	13	6	0.6	0	--	236	168
					2.20	1.15	0.65	0.03		2.92	0.60	0.37	0.10					
					55	29	16	1		73	15	9	3				210	
2S/ 1W-22H 1 S	3-22-66	65	8.1	500	55	19	22	2	0	223	33	27	3	0.6	0	--	284	215
					2.74	1.56	0.96	0.05		3.65	0.69	0.76	0.05					
					52	29	18	1		71	13	15	1				271	
2S/ 1W-22H 2 S	10-8-65	61	8.2	497	53	18	23	2	0	210	39	26	4	0.6	0.05	--	288	206
					2.64	1.48	1.00	0.05		3.44	0.81	0.73	0.06					
					51	29	19	1		68	16	14	1				269	
	3-22-66	61	7.5	475	52	17	22	2	0	208	36	23	3	0.6	0	--	273	200
					2.59	1.40	0.96	0.05		3.41	0.75	0.65	0.05					
					52	28	19	1		70	15	13	1				258	
2S/ 2W- 1E 2 S	10-9-65	54	7.8	408	46	17	13	2	0	196	30	11	4	0.5	0.02	--	224	185
					2.30	1.40	0.57	0.05		3.21	0.62	0.31	0.06					
					53	32	13	1		76	15	7	1				220	
SAN BERNARDINO MTN HYDRO SUBUNIT																		
Y01G0																		
BEAR VALLEY HYDRO SUBAREA																		
Y01G1																		
2N/ 1W- 1L 1 S	7-26-66	--	7.4	454	74	13	9	2	0	294	5	5	0	0.1	0.01	--	194	238
					3.69	1.07	0.39	0.05		4.82	0.10	0.14						
					71	21	8	1		95	2	3					253	
BALDWIN HYDRO SUBAREA																		
Y01G3																		
2N/ 2E-19A 1 S	12-28-65	--	6.8	297	31	15	12	2	0	170	9	6	1.1	0.2	0	--	169	139
					1.55	1.23	0.52	0.05		2.79	0.19	0.17	0.02					
					46	37	16	1		88	6	5	1				160	
SAN JACINTO VALLEY HYDRO UNIT																		
Y0200																		
PERRIS HYDRO SUBUNIT																		
Y02A0																		
PERRIS VALLEY HYDRO SUBAREA																		
Y02A1																		
3S/ 3W-29F 1 S	3-22-66	80	7.7	578	22	4	82	2	0	87	15	112	9	1.2	0.76	--	267	72
					1.10	0.33	3.57	0.05		1.43	0.31	3.16	0.15					
					22	7	71	1		28	6	63	3				291	
4S/ 3W- 6Q 1 S	3-22-66	74	8.3	621	25	4	88	2	0	70	23	124	13	1.0	0.62	--	304	79
					1.25	0.33	3.83	0.05		1.15	0.48	3.50	0.21					
					23	6	70	1		22	9	66	4				315	
4S/ 3W- 7J 1 S	3-22-66	72	7.4	1320	97	27	110	3	0	133	39	298	34	0.5	0.48	--	942	353
					4.84	2.22	4.78	0.08		2.18	0.81	8.40	0.55					
					41	19	40	1		18	7	70	5				674	
4S/ 3W-13Q 1 S	3-23-66	76	7.9	784	51	13	73	4	0	131	13	159	3	0.3	0.53	--	470	181
					2.54	1.07	3.17	0.10		2.15	0.27	4.48	0.05					
					37	16	46	1		31	4	64	1				381	
4S/ 3W-16N 1 S	3-23-66	74	7.7	1103	88	22	87	4	0	138	37	229	20	0.5	0.38	--	707	310
					4.39	1.81	3.78	0.10		2.26	0.77	6.46	0.32					
					44	18	38	1		23	8	66	3				556	
4S/ 3W-17J 1 S	3-23-66	72	7.5	2068	174	44	156	4	0	201	53	507	18	0.5	0.86	--	1519	615
					8.68	3.62	6.78	0.10		3.29	1.10	14.30	0.29					
					45	19	35	1		17	6	75	2				1056	
4S/ 3W-21F 1 S	3-23-66	74	7.6	1906	180	35	121	5	0	88	28	512	22	0.7	0.36	--	1470	593
					8.98	2.88	5.26	0.13		1.44	0.58	14.44	0.35					
					52	17	30	1		9	3	86	2				947	
4S/ 3W-26F 1 S	3-23-66	78	7.5	6601	498	112	698	12	0	109	331	1995	7	0.4	2.10	--	4254	1704
					24.85	9.21	30.35	0.31		1.79	6.89	56.26	0.11					
					38	14	47			3	11	86					3709	
4S/ 3W-26J 1 S	3-23-66	80	8.0	1763	67	4	253	4	0	58	42	468	2	0.5	0.47	--	1040	184
					3.34	0.33	11.00	0.10		0.95	0.87	13.20	0.03					
					23	2	74	1		6	6	88					869	
5S/ 2W-17C 1 S	3-23-66	68	7.8	698	54	16	61	4	0	223	31	66	36	0.6	0.06	--	426	201
					2.69	1.32	2.65	0.10		3.65	0.65	1.86	0.58					
					40	20	39	1		54	10	28	9				378	

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL	CONSTITUENTS	IN	MILLIGRAMS PER LITER				MILLIEQUIVALENTS PER LITER			MILLIGRAMS PER LITER			TDS 180C 105C COMP	HARD- NESS CACO 3
							CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F		
SAN JACINTO VALLEY HYDRO UNIT Y0200																		
PERRIS HYDRO SUBUNIT				Y02A0														
MENIFEE HYDRO SUBAREA				Y02A2														
5S/ 3W-21D 1 S 3-23-66	78	7.7	2688	233 11.63 46	104 8.55 34	120 5.22 20	4 0.10	0	166 2.72 11	151 3.14 12	686 19.35 76	6 0.10	0.4	0.23	--	2270	1010	
5S/ 3W-21D 2 S 3-23-66	72	7.7	1048	92 4.59 49	22 1.81 19	68 2.96 31	4 0.10	0	122 2.00 21	66 1.37 15	198 5.58 59	27 0.44 5	0.3	0.03	--	724	320	
6S/ 2W- 6P 1 S 3-23-66	76	7.2	1253	103 5.14 40	34 2.80 22	107 4.65 37	5 0.13	0	339 5.56 45	149 3.10 25	129 3.64 29	10 0.16 1	0.6	0.06	--	773	397	
6S/ 3W-16C 1 S 3-23-66	70	7.9	1760	162 8.08 47	55 4.52 26	105 4.57 26	3 0.08	0	326 5.34 31	104 2.17 13	315 8.88 52	51 0.82 5	0.6	0.07	--	1228	631	
6S/ 3W-20B 1 S 3-23-66	60	7.6	613	49 2.45 42	18 1.48 25	42 1.83 31	2 0.05	0	188 3.08 52	31 0.65 11	65 1.83 31	21 0.34 6	0.4	0.03	--	351	197	
WINCHESTER HYDRO SUBAREA				Y02A3														
5S/ 1W-20R 1 S 3-24-66	76	7.8	957	90 4.49 47	17 1.40 15	80 3.48 37	5 0.13	0	170 2.79 29	216 4.50 47	72 2.03 21	15 0.24 3	0.5	0.05	--	616	295	
5S/ 2W- 3M 1 S 3-24-66	68	7.6	1024	79 3.94 39	28 2.30 23	85 3.70 37	6 0.15	0	315 5.16 52	42 0.87 9	119 3.36 34	34 0.55 6	0.5	0.20	--	603	312	
5S/ 2W-19N 1 S 3-23-66	82	7.4	740	53 2.64 39	13 1.07 16	67 2.91 43	3 0.08	0	119 1.95 29	39 0.81 12	115 3.24 49	42 0.68 10	0.3	0.02	--	484	186	
LAKEVIEW HYDRO SUBAREA				Y02A4														
4S/ 2W- 9M 1 S 3-25-66	74	8.0	841	41 2.05 26	13 1.07 14	108 4.70 59	3 0.08	0	123 2.02 26	109 2.27 29	125 3.53 45	4 0.06 1	0.5	1.34	--	497	156	
HEMET HYDRO SUBAREA				Y02A5														
4S/ 1W-31D 2 S 9-21-66	72	7.6	1713	96 4.79 28	30 2.47 15	218 9.48 56	8 0.20	0	137 2.25 13	299 6.23 37	291 8.21 49	3 0.05	0.9	0.89	--	1006	363	
4S/ 1W-31D 2 S 3-25-66	70	7.7	1655	92 4.59 29	22 1.81 12	210 9.13 58	6 0.15	0	138 2.26 15	271 5.64 36	270 7.61 49	3.0 0.05	0.8	1.00	--	987	320	
4S/ 2W-11C 1 S 9-21-66	72	7.9	729	38 1.90 27	8 0.66 9	100 4.35 62	5 0.13	0	135 2.21 31	144 3.00 43	62 1.75 25	4 0.06 1	0.7	0.37	--	414	128	
5S/ 1W-21A 1 S 3-24-66	76	7.9	705	60 2.99 44	12 0.99 15	62 2.70 40	5 0.13	0	162 2.66 39	91 1.89 28	70 1.97 29	15.0 0.24 4	0.5	0.04	--	423	199	
5S/ 1W-27L 1 S 3-24-66	58	8.0	711	47 2.35 36	12 0.99 15	73 3.17 48	3 0.08	0	155 2.54 39	44 0.92 14	91 2.57 39	34.0 0.55 8	0.5	0.10	--	423	167	
6S/ 1W- 4J 1 S 9-15-66	96	8.0	591	42 2.10 34	16 1.32 21	63 2.74 44	3 0.08	0	182 2.98 48	68 1.42 23	52 1.47 24	21 0.34 5	0.5	0.07	--	371	171	
3-24-66	76	8.0	617	46 2.30 39	12 0.99 17	59 2.57 43	2 0.05	0	174 2.85 48	64 1.33 22	52 1.47 25	18.0 0.29 5	0.4	0.10	--	357	165	
SAN JACINTO HYDRO SUBUNIT				Y02B0														
SAN JACINTO HYDRO SUBAREA				Y02B1														
5S/ 1E- 5N 2 S 3-24-66	72	8.1	341	35 1.75 53	4 0.33 10	27 1.17 35	3 0.08	0	145 2.38 70	23 0.48 14	18 0.51 15	2.0 0.03 1	0.3	0	--	205	104	
5S/ 1E- 9J 1 S 3-24-66	66	8.1	377	42 2.10 57	4 0.33 9	27 1.17 32	3 0.08	0	162 2.66 71	27 0.56 15	18 0.51 14	2 0.03 1	0.4	0	--	214	122	
9-15-66	66	8.1	348	31 1.55 42	5 0.41 11	39 1.70 46	2 0.05	0	146 2.39 66	26 0.54 15	22 0.62 17	3.5 0.06 2	0.5	0	--	191	98	
10- 7-65	64	7.8	393	37 1.85 48	4 0.33 9	37 1.61 42	3 0.08	0	165 2.70 70	29 0.60 16	18 0.51 13	1 0.02 1	0.5	0	--	200	109	

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP
SAN JACINTO VALLEY HYDRO UNIT Y0200																	
SAN JACINTO HYDRO SUBUNIT				Y02B0				Y02B1									
SAN JACINTO HYDRO SUBAREA																	
5S/ 1E-14G 1 S 9-15-66	85	8.0	1143	30 1.50 13	13 1.07 9	201 8.74 76	5 0.13 1	0	192 3.15 28	306 6.37 56	60 1.69 15	9 0.15 1	4.8	0.40	--	682 724	129
3-24-66	76	8.0	573	30 1.50 26	12 0.99 17	75 3.26 56	3 0.08 1	0	186 3.05 64	36 0.75 16	31 0.87 18	7.0 0.11 2	2.0	0.17	--	320 288	125
5S/ 1E-17Q 2 S 3-24-66	68	8.1	1111	110 5.49 48	29 2.38 21	79 3.43 30	9 0.23 2	0	220 3.61 32	241 5.02 44	77 2.17 19	35 0.56 5	0.9	0.08	--	728 689	394
9-15-66	70	8.0	1152	110 5.49 46	33 2.71 23	79 3.43 29	7 0.18 2	0	222 3.64 31	244 5.08 44	78 2.20 19	43 0.69 6	1.0	0.06	--	719 704	410
3-24-66	68	8.1	1111	110 5.49 48	29 2.38 21	79 3.43 30	9 0.23 2	0	220 3.61 32	241 5.02 44	77 2.17 19	35.0 0.56 5	0.9	0.08	--	728 689	394
5S/ 1E-20D 1 S 3-24-66	70	7.9	996	88 4.39 45	25 2.06 21	73 3.17 32	8 0.20 2	0	201 3.29 34	166 3.46 35	89 2.51 26	35 0.56 6	0.8	0.05	--	623 584	323
9-15-66	70	8.0	1043	95 4.74 42	34 2.80 25	81 3.52 31	6 0.15 1	0	215 3.52 32	187 3.89 36	98 2.76 25	47 0.76 7	0.8	0.04	--	662 655	377
3-24-66	70	7.9	996	88 4.39 45	25 2.06 21	73 3.17 32	8 0.20 2	0	201 3.29 34	166 3.46 35	89 2.51 26	35.0 0.56 6	0.8	0.05	--	623 584	323
2S/ 1W-34Q 1 S 10- 8-65	63	8.4	403	41 2.05 47	18 1.48 34	19 0.83 19	1 0.03 1	12 0.40 9	195 3.20 75	11 0.23 5	13 0.37 9	4 0.06 1	0.4	0.04	--	225 215	177
3S/ 1W- 3K 3 S 9-23-66	64	7.8	381	36 1.80 44	17 1.40 34	20 0.87 21	2 0.05 1	0	208 3.41 85	10 0.21 5	13 0.37 9	1 0.02	0.4	0	--	208 202	160
3S/ 1W- 3K 1 S 3-22-66	66	8.0	381	39 1.95 48	14 1.15 28	21 0.91 22	2 0.05 1	0	203 3.33 85	10 0.21 5	12 0.34 9	2 0.03 1	0.3	0	--	217 200	155
3S/ 1W-12E 2 S 9-23-66	63	7.7	313	22 1.10 34	14 1.15 35	23 1.00 30	1 0.03 1	0	158 2.59 80	0	18 0.51 16	8 0.13 4	0.8	0.01	--	159 164	113
3S/ 2W- 7P 1 S 9-21-66	84	8.3	963	6 0.30 3	3 0.25 3	206 8.96 93	3 0.08 1	8 0.27 3	355 5.82 62	17 0.35 4	95 2.68 29	14 0.23 2	3.3	0.54	--	515 530	28
3-25-66	66	8.6	960	7 0.35 4	2 0.16 2	211 9.17 95	0	17 0.57 6	334 5.47 59	19 0.40 4	95 2.68 29	14 0.23 2	3.2	0.55	--	517 533	26
4S/ 1W-16C 1 S 9-21-66	76	7.6	388	30 1.50 38	7 0.58 15	40 1.74 45	3 0.08 2	0	199 3.26 84	1 0.02 1	18 0.51 13	5 0.08 2	0.8	0	--	168 203	104
4S/ 1W-36G 1 S 9-21-66	76	7.7	424	37 1.85 44	6 0.49 12	42 1.83 43	3 0.08 2	0	148 2.43 57	51 1.06 25	24 0.68 16	8 0.13 3	0.5	0.02	--	249 244	117
5S/ 1W- 1C 1 S 9-21-66	68	7.7	385	42 2.10 52	6 0.49 12	31 1.35 34	3 0.08 2	0	168 2.75 68	33 0.69 17	19 0.54 13	4 0.06 1	0.4	0.02	--	217 221	130
3-24-66	66	8.0	403	44 2.20 54	5 0.41 10	32 1.39 34	4 0.10 2	0	168 2.75 68	36 0.75 18	19 0.54 13	1.0 0.02	0.3	0	--	226 224	131
5S/ 1W- 9J 1 S 3-24-66	66	8.1	377	42 2.10 57	4 0.33 9	27 1.17 32	3 0.08 2	0	162 2.66 71	27 0.56 15	18 0.51 14	2.0 0.03 1	0.4	0	--	214 203	122

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER						
				CA	MG	NA	K	CO .3	HCO 3	SO 4	CL	NO 3	F	B	S10 2	TDS 180C 105C COMP	HARD- NESS CACO 3	
SAN JACINTO VALLEY HYDRO UNIT																		
ELSINORE HYDRO SUBUNIT				Y02C0				Y02C1				Y0200						
ELSINORE HYDRO SUBAREA																		
6S/ 4W-7J 1 S 3-29-66	--	8.0	1733	15 0.75 4	24 1.97 12	329 14.30 84	2 0.05	0 6.20 37	378 2.83 17	136 7.64 45	271 0.26 2	16.0 2.4	0.92 --	--	970	136		
6S/ 4W-7J 3 S 12-13-65	--	7.8	1786	86 4.29 24	22 1.81 10	271 11.78 66	3 0.08	0 8.56 48	522 1.21 7	58 8.21 46	291 0.02	1.0 0.7	0.42 --	--	1009	305		
6S/ 4W-18G 2 S 12-13-65	--	9.1	552	6 0.30 6	0	110 4.78 94	0	14 0.47 9	87 1.43 28	81 1.69 33	53 1.49 29	2 0.03 1	0.7 0.18	--	311	15		
3-29-66	--	9.2	514	4 0.20 4	1 0.08 2	102 4.43 93	1 0.03	14 0.47 10	90 1.48 31	74 1.54 32	45 1.27 27	1.0 0.8	0.13 --	--	285	14		
SAN JUAN HYDRO UNIT																		
LAGUNA HYDRO SUBUNIT				Z01A0				Z01A3				Z0100						
ALISO HYDRO SUBAREA																		
6S/ 7W-4E 1 S 4-21-66	--	7.9	1990	63 3.14 16	17 1.40 7	360 15.65 77	2 0.05	0 5.70 29	348 6.12 31	294 8.01 40	284	0 6.0	2.50 10	10	1231	227		
6S/ 7W-7R 1 S 10-21-65	--	7.5	1820	242 12.08 59	21 1.73 9	147 6.39 31	5 0.13	0 4.97 24	303 13.37 64	642 2.57 12	91	0 0.4	0.27 32	32	1382	691		
SAN JUAN HYDRO SUBUNIT																		
				Z01B0				Z01B0										
6S/ 8W-26B 2 S 10-21-65	--	7.7	1370	--	--	--	--	0 5.51	336 --	--	138 3.89	--	--	--	--	--		
6S/ 8W-26C 1 S 10-21-65	--	7.3	3230	325 16.22 43	105 8.64 23	295 12.83 34	5 0.13	0 6.57 17	401 22.05 56	1059 8.83 23	313 1.58 4	98 0.4	0.25 20	20	2539	1244		
7S/ 7W-19D 2 S 10-14-65	--	7.6	678	--	--	--	--	0 3.44	210 --	--	30 0.85	--	--	--	--	--		
5- 3-66	--	7.4	716	--	--	--	--	0 3.51	214 --	--	27 0.76	--	--	--	--	--		
7S/ 7W-32R 1 S 10-15-65	--	7.6	1410	75 3.74 26	20 1.64 11	209 9.09 62	3 0.08	0 4.97 34	303 4.68 32	225 4.94 34	175 1.58 4	0 0.8	0.70 29	29	852	269		
4-21-66	--	7.7	1390	--	--	--	--	0 4.85	296 --	--	158 4.46	--	--	--	--	--		
7S/ 7W-36A 1 S 10-15-65	--	7.3	764	--	--	--	--	0 3.41	208 --	--	62 1.75	--	--	--	--	--		
4-21-66	--	7.6	581	53 2.64 44	14 1.15 19	50 2.17 36	1 0.03	0 2.77 48	169 1.71 30	82 1.10 19	39 0.18 3	11 0.4	0.08 31	31	394	190		
7S/ 8W-14H 1 S 5- 3-66	--	8.1	3570	315 15.72 37	104 8.55 20	400 17.39 41	32 0.82	19 0.63 1	523 8.57 20	1142 23.78 55	359 10.12 23	12 0.19	--	20	2784	1214		
7S/ 8W-16Q 2 S 10-21-65	--	8.5	2030	--	--	--	--	34 1.13	557 9.13	--	293 8.26	--	--	--	--	--		
7S/ 8W-25B 3 S 10-14-65	--	7.2	833	--	--	--	--	0 3.70	226 --	--	45 1.27	--	--	--	--	--		
4-20-66	--	7.3	696	86 4.29 58	16 1.32 18	40 1.74 24	2 0.05	0 3.31 46	202 2.96 42	142 0.76 11	27 0.10 1	6 0.3	0.05 22	22	484	281		
7S/ 8W-25N 1 S 4-20-66	--	7.3	1060	79 3.94 35	23 1.89 17	124 5.39 48	2 0.05	0 4.64 43	283 4.41 40	212 1.58 15	56 0.26 2	16 0.4	0.15 27	27	704	292		
7S/ 8W-25N 2 S 5- 6-66	--	7.2	801	100 4.99 59	20 1.64 19	40 1.74 21	2 0.05	0 3.84 46	234 5.27 39	157 1.07 13	38 0.21 3	13 --	--	--	543	332		

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	6 ECX10	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER							
				CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 105C COMP	HARD- 180C NESS CACO 3		
SAN JUAN HYDRO SUBUNIT				Z01B0				SAN JUAN HYDRO UNIT				Z0100							
7S/ 8W-32L 2 S 10-13-65	--	7.6	5080	--	--	--	--	0	447 7.33	--	774 21.83	--	--	--	--	--	--	--	--
7S/ 8W-36C 3 S 10-21-65	70	7.2	1950	220 10.98 50	46 3.78 17	166 7.22 33	3 0.08	0	304 4.98 22	580 12.08 54	177 4.99 22	21 0.34 2	0.2	0.13	26	1454	739	1389	
5- 6-66	--	7.2	807	98 4.89 58	19 1.56 19	43 1.87 22	2 0.05 1	0	221 3.62 43	167 3.48 41	40 1.13 13	15 0.24 3	0.3	0.05	26	554	323	519	
7S/ 8W-36L 2 S 4-20-66	--	7.3	2070	123 6.14 27	35 2.88 13	310 13.48 60	3 0.08	0	333 5.46 25	533 11.10 50	188 5.30 24	21 0.34 2	0.3	0.17	25	1456	451	1402	
7S/ 8W-36P 1 S 3-11-66	--	7.2	2860	306 15.27 47	68 5.59 17	270 11.74 36	4 0.10	0	330 5.41 17	851 17.72 54	328 9.25 28	23 0.37 1	0.4	0.19	38	2107	1044	2051	
4-26-66	--	7.3	1920	166 8.28 40	38 3.13 15	208 9.04 44	2 0.05	0	313 5.13 25	502 10.45 50	169 4.77 23	22 0.35 2	0.3	0.16	27	1366	571	1288	
8S/ 7W- 5R 1 S 10-15-65	--	7.6	1330	87 4.34 33	22 1.81 14	158 6.87 52	3 0.08 1	0	262 4.29 32	255 5.31 39	138 3.89 29	0	0.7	0.32	28	860	308	821	
4-21-66	--	7.6	1240	80 3.99 31	20 1.64 13	160 6.96 55	3 0.08 1	0	243 3.98 32	251 5.23 42	120 3.38 27	0	0.1	0.36	27	845	282	781	
8S/ 7W- 6H 1 S 10-15-65	--	7.2	2360	266 13.27 49	65 5.35 20	195 8.48 31	5 0.13	0	309 5.06 18	774 16.11 58	237 6.68 24	0	--	0.30	27	1823	932	1721	
8S/ 7W- 6H 1 S 4-21-66	--	7.6	1220	97 4.84 40	27 2.22 18	114 4.96 41	5 0.13 1	0	136 2.23 18	335 6.97 56	117 3.30 26	0	0.4	0.16	8	826	353	770	
8S/ 8W- 1L 1 S 10-14-65	--	7.2	1850	246 12.28 60	48 3.95 19	98 4.26 21	3 0.08	0	293 4.80 23	518 10.78 52	183 5.16 25	8 0.13 1	0.4	0.12	25	1342	812	1274	
5- 3-66	--	7.1	1880	--	--	--	--	0	286 4.69	--	188 5.30	--	--	--	--	--	--	--	
8S/ 8W-12L 4 S 10-14-65	--	7.5	1750	--	--	--	--	0	370 6.06	--	148 4.17	--	--	--	--	--	--	--	
4-21-66	--	7.6	1640	--	--	--	--	0	350 5.74	--	134 3.78	--	--	--	--	--	--	--	
8S/ 8W-13D 1 S 10-15-65	--	7.7	2540	293 14.62 49	77 6.33 21	200 8.70 29	5 0.13	0	454 7.44 24	787 16.39 54	234 6.60 22	3 0.05	0.6	0.35	27	1968	1048	1850	
4-21-66	--	7.3	2050	247 12.33 51	56 4.61 19	168 7.30 30	4 0.10	0	393 6.44 27	583 12.14 51	179 5.05 21	0	0.3	0.25	25	1542	848	1456	
8S/ 8W-14H 2 S 10-14-65	--	7.2	1820	--	--	--	--	0	355 5.82	--	179 5.05	--	--	--	--	--	--	--	
8S/ 8W-14H 4 S 4-21-66	--	7.5	2010	--	--	--	--	0	401 6.57	--	173 4.88	--	--	--	--	--	--	--	
8S/ 8W-23A 4 S 10-15-65	--	7.3	2750	331 16.52 51	82 6.74 21	208 9.04 28	5 0.13	0	395 6.47 19	894 18.61 56	294 8.29 25	0	0.5	0.20	24	2170	1164	2033	
4-21-66	--	7.5	2670	--	--	--	--	0	396 6.49	--	272 7.67	--	--	--	--	--	--	--	

TABLE E-1
ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	FCX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SI0 2	TDS 180C 105C COMP
SAN LUIS REY HYDRO UNIT																	
BONSALL HYDRO SUBUNIT MISSION HYDRO SUBAREA					Z03A0				Z03A1				Z0300				
11S/ 4W- 7R 2 S 10-20-65	69	7.7	1442	112 5.59 39	44 3.62 25	118 5.13 35	6 0.15 1	0	271 4.44 31	167 3.48 24	231 6.51 45	0	0.3	0.06	--	962 812	461
11S/ 4W- 8B 1 S 10-19-65	--	7.8	1248	95 4.74 37	37 3.04 24	109 4.74 37	6 0.15 1	0	228 3.74 30	157 3.27 26	186 5.25 42	12 0.19 2	0.4	0.06	--	844 715	389
11S/ 4W- 8E 1 S 10-20-65	--	7.6	2179	167 8.33 38	71 5.84 27	176 7.65 35	8 0.20 1	0	284 4.65 21	255 5.31 24	430 12.13 55	1 0.02	0.6	0.12	--	1530 1248	709
11S/ 4W- 8H 1 S 10-20-65	--	8.1	2326	152 7.58 32	76 6.25 26	230 10.00 42	7 0.18 1	0	357 5.85 24	296 6.16 26	420 11.84 49	7 0.11	0.7	0.06	--	1490 1364	692
11S/ 4W- 8K 1 S 10-20-65	--	7.7	1517	136 6.79 46	26 2.14 14	135 5.87 39	3 0.08 1	0	238 3.90 26	122 2.54 17	283 7.98 54	28 0.45 3	0.4	0.42	--	970 851	447
11S/ 4W- 8L 1 S 10-19-65	--	7.4	1734	123 6.14 35	51 4.19 24	160 6.96 40	5 0.13 1	0	361 5.92 34	157 3.27 19	268 7.56 43	54 0.87 5	0.2	0.10	--	1100 996	517
11S/ 4W- 8L 2 S 10-19-65	--	7.4	2393	175 8.73 35	80 6.58 26	218 9.48 38	7 0.18 1	0	418 6.85 27	267 5.56 22	419 11.82 47	42 0.68 3	0.3	0.22	--	1637 1414	766
11S/ 4W- 8L 3 S 10-19-65	--	7.8	1764	106 5.29 30	31 2.55 15	218 9.48 55	2 0.05	0	253 4.15 24	171 3.56 21	337 9.50 55	0	0.4	0.18	--	1095 990	392
11S/ 4W- 8M 1 S 10-20-65	68	7.8	2257	171 8.53 37	76 6.25 27	185 8.04 35	9 0.23 1	0	256 4.20 18	280 5.83 25	463 13.06 57	1 0.02	0.4	0.12	--	1490 1311	740
11S/ 4W- 8N 2 S 10-20-65	--	7.8	2507	155 7.73 31	60 4.93 20	276 12.00 49	3 0.08	0	304 4.98 20	182 3.79 15	568 16.02 65	1 0.02	0.4	0.22	--	1580 1395	634
11S/ 4W- 8N 3 S 10-20-65	--	8.0	2382	188 9.38 38	74 6.09 25	200 8.70 36	9 0.23 1	0	286 4.69 19	287 5.98 25	476 13.42 56	1 0.02	0.4	0.10	--	1622 1376	774
11S/ 4W- 9C 1 S 10-20-65	64	8.2	1284	87 4.34 33	43 3.54 27	114 4.96 38	6 0.15 1	0	287 4.70 36	110 2.29 18	187 5.27 41	40 0.65 5	0.5	0.10	--	800 729	394
11S/ 4W- 9N 1 S 10-20-65	--	8.0	1742	90 4.49 27	21 1.73 10	237 10.30 62	3 0.08	0	310 5.08 31	20 0.42 3	386 10.89 66	13 0.21 1	0.6	0.26	--	980 923	311
11S/ 4W-18C 1 S 10-21-65	--	7.7	2139	177 8.83 40	63 5.18 23	185 8.04 36	8 0.20 1	0	306 5.02 23	317 6.60 30	375 10.58 48	1 0.02	0.4	0.14	--	1420 1277	701
11S/ 4W-18C 4 S 10-22-65	68	7.8	2356	203 10.13 40	71 5.84 23	204 8.87 35	9 0.23 1	0	319 5.23 21	393 8.18 33	412 11.62 46	1 0.02	0.4	0.16	--	1590 1450	799
11S/ 4W-18C 5 S 10-22-65	70	8.0	2296	184 9.18 38	73 6.00 25	204 8.87 37	9 0.23 1	0	279 4.57 19	433 9.02 37	376 10.60 44	1 0.02	0.4	0.14	--	1546 1418	760
11S/ 4W-18C 6 S 10-26-65	65	7.7	2582	177 8.83 32	78 6.41 23	273 11.87 43	9 0.23 1	0	297 4.87 18	482 10.04 37	433 12.21 45	8 0.13	0.5	0.24	--	1710 1607	763
11S/ 4W-18C 8 S 10-22-65	72	7.6	2714	191 9.53 34	75 6.17 22	285 12.39 44	10 0.26 1	0	370 6.06 21	369 7.68 27	515 14.52 51	2 0.03	0.4	0.38	--	1875 1630	786
11S/ 4W-18C 9 S 10-22-65	64	7.6	2487	188 9.38 36	71 5.84 22	242 10.52 41	9 0.23 1	0	351 5.75 22	380 7.91 31	432 12.18 47	1 0.02	0.4	0.24	--	1608 1496	762
11S/ 4W-18E 1 S 10-27-65	68	6.8	2421	151 7.53 28	124 10.20 38	209 9.09 33	14 0.36 1	0	58 0.95 4	889 18.51 69	261 7.36 27	10 0.16 1	0.6	0.10	--	1748 1687	887
11S/ 4W-18F 1 S 10-27-65	71	7.3	2254	191 9.53 40	72 5.92 25	190 8.26 35	8 0.20 1	0	289 4.74 20	436 9.08 38	352 9.93 41	11 0.18 1	0.4	0.30	--	1590 1403	773
11S/ 4W-18G 2 S 10-21-65	70	7.5	2591	232 11.58 42	81 6.66 24	206 8.96 33	8 0.20 1	0	304 4.98 18	389 8.10 30	501 14.13 52	1 0.02	0.5	0.16	--	1740 1568	913

TABLE E-1

ANALYSES OF GROUND WATER

SOUTHERN CALIFORNIA

STATE WELL NO DATE SAMPLED	TEMP	PH	ECX10	6	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER						
					CA	MG	NA	K	CO 3	HCO 3	SO 4	CL	NO 3	F	B	SIO 2	TDS 180C 105C COMP	HARD- NESS CACO 3	
					SAN LUIS REY HYDRO UNIT														
BONSALL HYDRO SUBUNIT					Z03A0				Z0300										
MISSION HYDRO SUBAREA					Z03A1														
11S/ 4W-18L 2 S 10-22-65	66	7.9	2570	193 9.63 37	79 6.50 25	220 9.57 37	9 0.23 1	0	294 4.82 19	218 4.54 18	578 16.30 64	0	0.4	0.10	--	1820	807		
11S/ 4W-18L 3 S 10-21-65	68	8.0	2095	204 10.18 44	72 5.92 26	155 6.74 29	8 0.20 1	0	286 4.69 21	493 10.26 45	277 7.81 34	1 0.02	0.5	0.20	--	1470	806		
11S/ 4W-18L 4 S 10-22-65	67	7.7	2192	229 11.43 45	87 7.15 28	148 6.44 26	8 0.20 1	0	297 4.87 20	633 13.18 53	238 6.71 27	0	0.6	0.08	--	1710	930		
11S/ 5W-13B 1 S 10-21-65	--	7.6	3831	181 9.03 24	120 9.87 26	445 19.35 50	4 0.10	0	292 4.79 12	247 5.14 13	1010 28.48 74	1 0.02	0.7	0.12	--	2570	946		
11S/ 5W-13B 2 S 10-21-65	--	7.4	2155	111 5.54 27	62 5.10 24	234 10.17 49	3 0.08	0	256 4.20 20	128 2.66 13	495 13.96 67	1 0.02	0.7	0.10	--	1360	532		
11S/ 5W-13L 1 S 10-21-65	70	7.4	3226	273 13.62 39	123 10.12 29	248 10.78 31	11 0.28 1	0	303 4.97 14	473 9.85 28	712 20.08 58	1 0.02	0.6	0.10	--	2410	1188		
11S/ 5W-13L 2 S 10-28-65	70	8.3	17986	242 12.08 6	713 58.64 28	3150 136.96 66	18 0.46	8 0.27	40 0.66	1953 40.66 19	5959 168.04 80	16 0.26	0.6	0.90	--	12658	3539		
11S/ 5W-13N 2 S 10-29-65	--	6.9	1818	15 0.75 5	25 2.06 13	305 13.26 81	11 0.28 2	0	145 2.38 15	3 0.06	480 13.54 84	8 0.13 1	0.1	0.14	--	890	141		
11S/ 5W-13N 3 S 10-29-65	70	7.1	14815	528 26.35 16	370 30.43 19	2376 103.31 64	27 0.69	0	272 4.46 3	645 13.43 8	5012 141.34 89	16 0.26	0.6	0.40	--	9540	2841		
11S/ 5W-13Q 3 S 10-28-65	68	7.1	11173	615 30.69 26	282 23.19 20	1428 62.09 53	22 0.56	0	258 4.23 4	498 10.37 9	3598 101.46 87	14 0.23	0.4	0.20	--	6905	2696		
11S/ 5W-23E 4 S 10-21-65	--	6.9	15576	435 21.71 12	465 38.24 22	2640 114.79 65	56 1.43 1	0	409 6.70 4	732 15.24 9	5500 155.10 88	3 0.05	0.8	0.85	--	10940	3000		
11S/ 5W-24B 2 S 10-28-65	69	7.0	2288	37 1.85 9	80 6.58 31	287 12.48 59	11 0.28 1	0	71 1.16 6	90 1.87 9	636 17.94 85	2 0.03	0.1	0.12	--	1236	422		
COTTONWOOD HYDRO SUBUNIT					Z11F0														
					Z11F0														
17S/ 5E- 4C 1 S 12- 6-66	64	7.6	421	36 1.80 42	16 1.32 31	26 1.13 26	1 0.03 1	--	197 3.23 73	21 0.44 10	26 0.73 17	1 0.02	0.3	0.08	--	242	156		
17S/ 5E- 4C 2 S 12- 6-66	63	6.6	3035	498 24.85 52	218 17.93 38	109 4.74 10	5 0.13	--	131 2.15 5	1937 40.33 90	84 2.37 5	0	0.8	0.17	--	3231	2141		

TABLE E - 2

TRACE ELEMENT ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NUMBER	DATE SAMPLED	Constituents in micrograms per liter																	
		Al	Be	Bi	Cd	Co	Cr	Cu	Fe	Ga	Ge	Mn	Mo	Ni	Pb	Ti	V	Zn	
LOS ANGELES DRAINAGE PROVINCE (U)																			
<u>U-03.A1 Oxnard Hydrologic Subarea</u>																			
1N/21W-19L6 S	9-30-66	9.3	<1.3	<0.67	<3.3	<3.3	<3.3	29	24	<13	<0.67	<3.3	19	4.4	<3.3	<1.3	<0.67	60	
2N/22W-10A2 S	9-29-66	17	<1.3	<0.67	<3.3	<3.3	<3.3	27	25	<13	<0.67	<3.3	8	3.7	<3.3	<1.3	0.9	37	
2N/22W-11A1 S	9-30-66	27	<1.3	<0.67	<3.3	<3.3	<3.3	22	24	<13	<0.67	<3.3	12	4.0	<3.3	<1.3	1.1	39	
2N/22W-12E1 S	10-20-65	<3.3	<1.3	<0.67	<3.3	<3.3	<3.3	<3.3	27	<13	<0.67	<3.3	<0.67	<0.67	<3.3	<1.3	<0.67	21,300	
2N/22W-12E1 S	9-29-66	14	<1.3	<0.67	<3.3	<3.3	<3.3	52	13	<13	<0.67	<3.3	8.0	3.7	<3.3	<1.3	0.6	173	
2N/22W-15Q1 S	9-29-66	15	<1.3	<0.67	<3.3	<3.3	<3.3	14	27	<13	<0.67	<3.3	9.3	5.1	<3.3	<1.3	0.7	8.3	
2N/22W-15Q1 S	10-20-65	11	<1.3	<0.67	<3.3	<3.3	<3.3	<3.3	16	<13	<0.67	<3.3	12	37	<3.3	12	16	15	
<u>U-03.B1 Santa Paula Hydrologic Subarea</u>																			
3N/21W-16K1 S	10-25-65	43	<1.0	<0.5	<2.5	0.00	<2.5	55	>100	<10	<0.50	≤60	7.5	2.6	28	<1.0	1.6	≤40	
3N/21W-21B1 S	10-22-65	<3.3	<1.3	<0.67	<3.3	<3.3	<3.3	<3.3	33	<13	<0.67	<3.3	14	23	<3.3	<1.3	<0.67	733	
3N/21W-21B1 S	9-29-66	0.6	<1.3	<0.67	<3.3	<3.3	<3.3	19	21	<13	<0.67	69	8.7	3.9	<3.3	<1.3	0.6	373	
3N/21W-21E1 S	12-15-65	40	<1.3	<0.67	<3.3	<3.3	<3.3	57	25	<13	<0.67	<3.3	17	4.7	<3.3	<1.3	1.5	<13	
3N/21W-21E1 S	9-30-66	21	<1.3	<0.67	<3.3	<3.3	<3.3	28	20	<0.67	<3.3	<3.3	25	5.7	<3.3	<1.3	1.9	<13	
3N/21W-21F1 S	10-22-65	80	<1.3	<0.67	<3.3	4.8	<3.3	<3.3	207	<13	<0.67	87	26	8.0	17	3.1	<0.67	19	
3N/21W-21F1 S	9-29-66	24	<1.3	<0.67	<3.3	<3.3	<3.3	33	48	<13	<0.67	813	13	4.4	<3.3	<1.3	0.6	<13	
<u>U-03.C1 Fillmore Hydrologic Subarea</u>																			
4N/20W-36D5 S	9-29-66	<3.3	<1.3	<0.67	<3.3	<3.3	<3.3	<3.3	19	<13	<0.67	<3.3	5.3	5.5	<3.3	<1.3	<0.67	<13	
<u>U-03.D1 Piru Hydrologic Subarea</u>																			
4N/18W-29K1 S	3-29-66	11	<1.3	<0.67	<3.3	2.8	<3.3	<3.3	5.1	<13	<0.67	<3.3	8.7	1.9	<3.3	<1.3	0.8	16	
4N/18W-30M3 S	9-29-66	9.3	<1.3	<0.67	<3.3	<3.3	<3.3	<3.3	5.6	<13	<0.67	<3.3	8.0	3.3	<3.3	<1.3	0.9	313	
<u>U-03.D2 Upper Piru Hydrologic Subarea</u>																			
6N/17W-7Q1 S	10-14-65	19	<1.3	<0.67	<3.3	<3.3	<3.3	<3.3	49	<13	<0.67	<3.3	10	25	<3.3	11	<0.67	<13	
6N/18W-12A1 S	10-14-65	17	<1.3	<0.67	<3.3	<3.3	<3.3	<3.3	93	<13	<0.67	<3.3	5.5	33	<3.3	<1.3	<0.67	<13	
<u>U-03.E1 Eastern Hydrologic Subarea</u>																			
4N/15W-21A1 S	9-30-66	6.4	<1.3	<0.67	<3.3	<3.3	<3.3	<3.3	8.0	<13	<0.67	<3.3	5.1	4.3	<3.3	<1.3	1.7	267	
4N/16W-34A3 S	9-29-66	12	<1.3	<0.67	<3.3	<3.3	<3.3	<3.3	9.3	<13	<0.67	<3.3	4.4	40	<3.3	<1.3	5.7	<13	
<u>U-03.F1 West Las Posas Hydrologic Subarea</u>																			
2N/21W-15J1 S	3-29-66	8.0	<1.3	<0.67	<3.3	<3.3	<3.3	<3.3	11	<13	<0.67	<3.3	12	2.1	<3.3	<1.3	<0.67	<13	
<u>U-03.F2 East Las Posas Hydrologic Subarea</u>																			
2N/20W-8F1 S	9-29-66	10.0	<1.3	<0.67	<3.3	<3.3	<3.3	<3.3	5.0	<13	<0.67	173	9.3	3.2	<3.0	<1.3	<0.67	<13	
<u>U-03.F7 Simi Valley Hydrologic Subarea</u>																			
2N/17W-8J6 S	9-29-66	17	<1.3	<0.67	<3.3	<3.3	<3.3	18	23	<13	<0.67	<3.3	<0.67	4.1	<3.3	<1.3	<0.67	41	
2N/17W-16B2 S	9-29-66	8.0	<1.3	<0.67	<3.3	<3.3	<3.3	<3.3	4.7	<13	<0.67	<3.3	<0.67	38	<3.3	<1.3	<0.67	360	
2N/18W-9A2 S	9-29-66	9.3	<1.3	<0.67	<3.3	<3.3	<3.3	<3.3	6.7	<13	<0.67	<3.3	37	3.9	<3.3	<1.3	3.5	73	
<u>U-05.A5 Central Hydrologic Subarea</u>																			
3S/12W-28C2 S	1-25-66	360	10.	<0.50	<2.5	0.00	<2.5	70	>100	<10	<0.50	≤65	<0.50	5.0	14	17	1.5	≤37	
<u>U-05.D1 Main San Gabriel Hydrologic Subarea</u>																			
1S/11W-26D14 S	1-25-66	310	8.0	<0.50	<2.5	0.00	<2.5	38	>100	<10	<0.50	≤135	<0.50	2.9	<2.5	12	1.6	≤22	

TABLE E - 2

TRACE ELEMENT ANALYSES OF GROUND WATER
SOUTHERN CALIFORNIA

STATE WELL NUMBER	DATE SAMPLED	Constituents in micrograms per liter																
		Al	Be	Bi	Cd	Co	Cr	Cu	Fe	Ga	Ge	Mn	Mo	Ni	Pb	Ti	V	Zn
LAHONTAN DRAINAGE PROVINCE (W)																		
<u>W-03.A0 Long Hydrologic Subunit</u>																		
2S/28E-20RS1 M	6-13-66	<100	<4	<0.5	<5	<0.5	<0.5	3.2	3	<0.5	<200	1	8.5	0.5	0.5	<100	13.5	6
3S/28E-13ES1 M	9-20-66	43	<0.29	<0.14	<0.71	<0.71	<0.71	<0.71	729	<2.9	773	>278	<0.14	1.6	<0.71	<0.29	0.5	<2.9
3S/28E-25AS1 M	9-20-66	48	<0.29	<0.14	<0.71	28	<0.71	<0.71	718	<2.9	761	74	1.7	0.6	<0.71	<0.29	<0.14	<2.9
3S/28E-31A1 M	9-21-66	40	<0.29	<0.14	<0.71	<0.71	<0.71	<0.71	732	<2.9	774	147	<0.14	7.4	7.8	<0.29	<0.14	<2.9
3S/27E-31C1 M	6-22-66	<100	<5	<0.5	<5	<0.5	<0.5	12	6	<0.5	<200	5.5	0.5	0.7	1	<100	1.2	16
3S/28E-33P1 M	5-13-66	<20	<2	<1	<10	<1	<1	2,000	60	<1	<100	26	3	3	8.5	<20	5.4	320
3S/28E-34R1 M	6-20-66	<100	<4	<0.5	<5	<0.5	<0.5	2.8	6.0	<0.5	<200	1.1	3.8	0.7	0.7	<100	5.8	4
3S/28E-13ES1 M	6-16-66	<100	<4	<1	12	<1	<1	3.3	55	11	<200	570	9.5	1	<1	<100	1.7	120
3S/28E-25AS1 M	5-12-66	<20	<2	<1	<10	1	<1	5	14	<1	<100	17	1.7	<1	3.5	<20	<1	33
3S/28E-33PS1 M	5-13-66	<20	<2	<0.5	<5	<0.5	<0.5	1.8	9	<0.5	<100	3.6	3	<0.5	0.6	<20	3.5	10
3S/28E-35ES1 M	6-14-66	<100	<4	<1	<10	<1	<1	2	3.5	<200	3.5	2.2	1.5	1	<1	<100	1.4	<1
3S/28E-35KS1 M	6-14-66	<100	<4	<0.5	<5	<0.5	0.8	2.5	5.8	<200	5.8	1.2	10	0.7	2.8	<100	8.5	5
3S/28E-35NS2 M	6-14-66	<100	<4	<0.5	<5	<0.5	<0.5	1	6.5	<200	6.5	1.2	7.5	0.6	<0.5	<100	8	<20
3S/29E-21LS1 M	6-11-66	<100	<4	<0.7	<5	<1	<1	3.8	500	<200	500	33	23	1.5	1.3	<100	1.7	5
3S/29E-31AS1 M	5-13-66	<20	<2	<10	<1	<1	<10	4.6	8	<1	<100	2	2.7	<1	2.5	<20	<1	60
4S/28E-9FS1 M	6-19-66	<100	<4	<0.5	1	<0.5	<0.5	5	15	<0.5	<200	1.3	10	0.5	0.7	<100	4	25
4S/29E-6HS1 M	5-12-66	<40	<2	<1	<10	<1	<1	3.9	18	<1	<100	2.1	8	<1	14	<20	2.6	300
4S/29E-17ES1 M	6-24-66	<100	<4	<0.5	<5	<0.5	1	4	7.5	<0.5	<200	1.5	2.3	0.7	7.5	<100	3	25
4S/29E-36LS1 M	6-16-66	<100	<4	<0.5	<5	<0.5	<0.5	3	5.8	<0.5	<200	1	2.3	<0.3	<0.5	<100	1.8	7.5

AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS
CENTRAL COASTAL DRAINAGE PROVINCE

T-09.00	SALINAS HYDROLOGIC UNIT
T-09.H0	Paso Robles Hydrologic Subunit
T-09.I0	Pozo Hydrologic Subunit
T-10.00	SAN LUIS OBISPO HYDROLOGIC UNIT
T-10.A0	Cambria Hydrologic Subunit
T-10.A1	San Carpofoero Hydrologic Subarea
T-10.A2	Arroyo De La Cruz Hydrologic Subarea
T-10.A3	San Simeon Hydrologic Subarea
T-10.A4	Santa Rosa Hydrologic Subarea
T-10.A5	Villa Hydrologic Subarea
T-10.A6	Cayucos Hydrologic Subarea
T-10.A7	Old Hydrologic Subarea
T-10.A8	Toro Hydrologic Subarea
T-10.B0	San Luis Obispo Hydrologic Subunit
T-10.B1	Morro Hydrologic Subarea
T-10.B2	Chorro Hydrologic Subarea
T-10.B3	Los Osos Hydrologic Subarea
T-10.B4	San Luis Obispo Creek Hydrologic Subarea
T-10.B5	Point San Luis Hydrologic Subarea
T-10.B6	Pismo Hydrologic Subarea
T-10.C0	Arroyo Grande Hydrologic Subunit
T-10.C1	Arroyo Grande Hydrologic Subarea
T-10.C2	Nipomo Mesa Hydrologic Subarea
T-11.00	CARRIZO PLAIN HYDROLOGIC UNIT
T-12.00	SANTA MARIA-CUYAMA HYDROLOGIC UNIT
T-12.A0	Santa Maria Hydrologic Subunit
T-12.B0	Sisquoc Hydrologic Subunit
T-12.C0	Cuyama Valley Hydrologic Subunit
T-13.00	SAN ANTONIO HYDROLOGIC UNIT
T-14.00	SANTA YNEZ HYDROLOGIC UNIT
T-14.A0	Lompoc Hydrologic Subunit
T-14.E0	Santa Rita Hydrologic Subunit
T-14.C0	Buellton Hydrologic Subunit
T-14.D0	Santa Ynez Hydrologic Subunit
T-14.E0	Headwater Hydrologic Subunit
T-15.00	SANTA BARBARA HYDROLOGIC UNIT
T-15.A0	Arguello Hydrologic Subunit
T-15.C0	South Coast Hydrologic Subunit
T-15.C1	Goleta Hydrologic Subarea
T-15.C2	Santa Barbara Hydrologic Subarea
T-15.C3	Montecito Hydrologic Subarea
T-15.C4	Carpinteria Hydrologic Subarea



NAMES AND AREAL CODE NUMBERS OF HYDROLOGIC AREAS
CENTRAL COASTAL DRAINAGE PROVINCE (T)

**AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS
LOS ANGELES DRAINAGE PROVINCE**

U-01.00	RINCON CREEK HYDROLOGIC UNIT	U-04.C0	Point Dume Hydrologic Subunit
U-02.00	VENTURA RIVER HYDROLOGIC UNIT	U-04.C1	Corral Canyon Hydrologic Subarea
U-02.A0	Lower Ventura River Hydrologic Subunit	U-04.C2	Solstice Canyon Hydrologic Subarea
U-02.B0	Upper Ventura River Hydrologic Subunit	U-04.C3	Latigo Canyon Hydrologic Subarea
U-02.C0	Ojai Hydrologic Subunit	U-04.C4	Escondido Canyon Hydrologic Subarea
U-02.C1	Upper Ojai Hydrologic Subarea	U-04.C5	Ramera Canyon Hydrologic Subarea
U-02.C2	Ojai Hydrologic Subarea	U-04.C6	Zuma Canyon Hydrologic Subarea
U-03.00	SANTA CLARA-CALLEGUAS HYDROLOGIC UNIT	U-04.C7	Trancas Canyon Hydrologic Subarea
U-03.A0	Oxnard Plain Hydrologic Subunit	U-04.D0	Camarillo Hydrologic Subunit
U-03.A1	Oxnard Hydrologic Subarea	U-04.D1	Encinal Canyon Hydrologic Subarea
U-03.A2	Pleasant Valley Hydrologic Subarea	U-04.D2	Los Alisos Canyon Hydrologic Subarea
U-03.B0	Santa Paula Hydrologic Subunit	U-04.D3	Nicholas Canyon Hydrologic Subarea
U-03.B1	Santa Paula Hydrologic Subarea	U-04.D4	Arroyo Sequit Hydrologic Subarea
U-03.B2	Sisar Hydrologic Subarea	U-04.D5	Little Sycamore Canyon Hydrologic Subarea
U-03.C0	Sespe Hydrologic Subunit	U-04.D6	Deer Canyon Hydrologic Subarea
U-03.C1	Fillmore Hydrologic Subarea	U-04.D7	Big Sycamore Canyon Hydrologic Subarea
U-03.C2	Sespe Hydrologic Subarea	U-04.D8	La Jolla Valley Hydrologic Subarea
U-03.D0	Piru Hydrologic Subunit	U-05.00	LOS ANGELES-SAN GABRIEL RIVER HYDROLOGIC UNIT
U-03.D1	Piru Hydrologic Subarea	U-05.A0	Coastal Plain of Los Angeles County Hydrologic Subunit
U-03.D2	Upper Piru Hydrologic Subarea	U-05.A1	Palos Verdes Hydrologic Subarea
U-03.D3	Hungry Valley Hydrologic Subarea	U-05.A2	West Coast Hydrologic Subarea
U-03.D4	Stauffer Hydrologic Subarea	U-05.A3	Santa Monica Hydrologic Subarea
U-03.E0	Upper Santa Clara River Hydrologic Subunit	U-05.A4	Hollywood Hydrologic Subarea
U-03.E1	Eastern Hydrologic Subarea	U-05.A5	Central Hydrologic Subarea
U-03.E2	Bouquet Hydrologic Subarea	U-05.B0	San Fernando Hydrologic Subunit
U-03.E3	Mint Canyon Hydrologic Subarea	U-05.B1	San Fernando Hydrologic Subarea
U-03.E4	Sierra Pelona Hydrologic Subarea	U-05.B2	Sylmar Hydrologic Subarea
U-03.E5	Acton Hydrologic Subarea	U-05.B3	Tujunga Hydrologic Subarea
U-03.F0	Calleguas-Conejo Hydrologic Subunit	U-05.B4	Verdugo Hydrologic Subarea
U-03.F1	West Las Posas Hydrologic Subarea	U-05.B5	Eagle Rock Hydrologic Subarea
U-03.F2	East Las Posas Hydrologic Subarea	U-05.C0	Raymond Hydrologic Subunit
U-03.F3	Arroyo Santa Rosa Hydrologic Subarea	U-05.C1	Pasadena Hydrologic Subarea
U-03.F4	Conejo Valley Hydrologic Subarea	U-05.C2	Monk Hill Hydrologic Subarea
U-03.F5	Tierra Rejada Valley Hydrologic Subarea	U-05.C3	Santa Anita Hydrologic Subarea
U-03.F6	Gillibrand Hydrologic Subarea	U-05.D0	San Gabriel Valley Hydrologic Subunit
U-03.F7	Simi Valley Hydrologic Subarea	U-05.D1	Main San Gabriel Hydrologic Subarea
U-03.F8	Thousand Oaks Hydrologic Subarea	U-05.D2	Lower Canyon Hydrologic Subarea
U-04.00	MALIBU HYDROLOGIC UNIT	U-05.D3	Upper Canyon Hydrologic Subarea
U-04.A0	Topanga Hydrologic Subunit	U-05.D4	Foothill Hydrologic Subarea
U-04.A1	Topanga Canyon Hydrologic Subarea	U-05.E0	Spadra Hydrologic Subunit
U-04.A2	Tuna Canyon Hydrologic Subarea	U-05.E1	Spadra Hydrologic Subarea
U-04.A3	Pena Canyon Hydrologic Subarea	U-05.E2	Pomona Hydrologic Subarea
U-04.A4	Piedra Gorda Canyon Hydrologic Subarea	U-05.E3	Live Oak Hydrologic Subarea
U-04.A5	Las Flores Canyon Hydrologic Subarea	U-05.F0	Anaheim Hydrologic Subunit
U-04.A6	Carbon Canyon Hydrologic Subarea	U-05.F1	Anaheim Hydrologic Subarea
U-04.B0	Malibu Creek Hydrologic Subunit	U-05.F2	La Habra Hydrologic Subarea
U-04.B1	Malibu Creek Hydrologic Subarea	U-05.F3	Yorba Linda Hydrologic Subarea
U-04.B2	Las Virgenes Canyon Hydrologic Subarea		
U-04.B3	Lindero Canyon Hydrologic Subarea		
U-04.B4	Triunfo Canyon Hydrologic Subarea		
U-04.B5	Russell Valley Hydrologic Subarea		
U-04.B6	Sherwood Hydrologic Subarea		

LEGEND

- DRAINAGE PROVINCE BOUNDARY
- HYDROLOGIC UNIT BOUNDARY
- HYDROLOGIC SUBUNIT BOUNDARY
- HYDROLOGIC SUBAREA BOUNDARY
- 10.A4 AREAL CODE NUMBER (SEE PAGE TO THE LEFT)
- WATER BEARING SEDIMENTS



KEY MAP



NAMES AND AREAL CODE NUMBERS OF HYDROLOGIC AREAS
LOS ANGELES DRAINAGE PROVINCE (U)

**AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS
LAHONTAN DRAINAGE PROVINCE**

W-01.00	MONO HYDROLOGIC UNIT	W-20.00	PANAMINT HYDROLOGIC UNIT
W-02.00	ADOBE HYDROLOGIC UNIT	W-20.A0	Wingate Pass Hydrologic Subunit
W-03.00	OWENS HYDROLOGIC UNIT	W-20.B0	Wild Rose Hydrologic Subunit
W-03.A0	Long Hydrologic Subunit	W-20.B1	White Sage Hydrologic Subarea
W-03.B0	Upper Owens Hydrologic Subunit	W-20.B2	Wild Rose Hydrologic Subarea
W-03.C0	Lower Owens Hydrologic Subunit	W-20.C0	Lee Flat Hydrologic Subunit
W-03.D0	Centennial Hydrologic Subunit	W-20.D0	Santa Rosa Flat Hydrologic Subunit
W-04.00	FISH LAKE HYDROLOGIC UNIT	W-20.D1	Santa Rosa Flat Hydrologic Subarea
W-05.00	DEEP SPRINGS HYDROLOGIC UNIT	W-20.D2	Rainbow Hydrologic Subarea
W-06.00	EUREKA HYDROLOGIC UNIT	W-20.D3	Silver Dollar Hydrologic Subarea
W-06.A0	Marble Bath Hydrologic Subunit	W-20.E0	Darwin Hydrologic Subunit
W-06.B0	Eureka Hydrologic Subunit	W-20.F0	Panamint Hydrologic Subunit
W-07.00	SALINE HYDROLOGIC UNIT	W-20.G0	Brown Hydrologic Subunit
W-07.A0	Saline Hydrologic Subunit	W-20.H0	Robbers Hydrologic Subunit
W-07.B0	Cameo Hydrologic Subunit	W-21.00	SEARLES HYDROLOGIC UNIT
W-08.00	RACE TRACK HYDROLOGIC UNIT	W-21.A0	Searles Hydrologic Subunit
W-08.A0	Race Track Hydrologic Subunit	W-21.B0	Salt Wells Hydrologic Subunit
W-08.B0	Hidden Valley Hydrologic Subunit	W-21.C0	Pilot Knob Hydrologic Subunit
W-08.C0	Ulida Hydrologic Subunit	W-22.00	COSO HYDROLOGIC UNIT
W-08.D0	Sand Flat Hydrologic Subunit	W-22.A0	Wild Horse Hydrologic Subunit
W-09.00	AMARGOSA HYDROLOGIC UNIT	W-22.B0	Coso Hydrologic Subunit
W-09.A0	Death Valley Hydrologic Subunit	W-23.00	UPPER CACTUS HYDROLOGIC UNIT
W-09.A1	Death Valley Hydrologic Subarea	W-24.00	INDIAN WELLS HYDROLOGIC UNIT
W-09.A2	Harrisburgh Hydrologic Subarea	W-24.A0	Rose Hydrologic Subunit
W-09.A3	Wingate Wash Hydrologic Subarea	W-24.B0	Indian Wells Hydrologic Subunit
W-09.B0	Valjean Hydrologic Subunit	W-25.00	FREMONT HYDROLOGIC UNIT
W-09.B1	Avawatz Hydrologic Subarea	W-25.A0	Dove Springs Hydrologic Subunit
W-09.B2	Red Pass Hydrologic Subarea	W-25.B0	Kelso Landis Hydrologic Subunit
W-09.B3	Valjean Hydrologic Subarea	W-25.C0	East Tehachapi Hydrologic Subunit
W-09.B4	Shadow Hydrologic Subarea	W-25.D0	Koehn Hydrologic Subunit
W-09.C0	Furnace Creek Hydrologic Subunit	W-26.00	ANTELOPE HYDROLOGIC UNIT
W-09.C1	Furnace Creek Hydrologic Subarea	W-26.A0	Antelope Hydrologic Subunit
W-09.C2	Greenwater Hydrologic Subarea	W-26.A1	Chafee Hydrologic Subarea
W-09.D0	Amargosa Hydrologic Subunit	W-26.A2	Gloster Hydrologic Subarea
W-09.D1	Calico Hydrologic Subarea	W-26.A3	Willow Springs Hydrologic Subarea
W-09.D2	Amargosa Hydrologic Subarea	W-26.A4	Neenach Hydrologic Subarea
W-09.D3	Chicago Hydrologic Subarea	W-26.A5	Lancaster Hydrologic Subarea
W-09.D4	California Hydrologic Subarea	W-26.A6	North Muroc Hydrologic Subarea
W-10.00	PAHRUMP HYDROLOGIC UNIT	W-26.A7	Buttes Hydrologic Subarea
W-11.00	MESQUITE HYDROLOGIC UNIT	W-26.A8	Rock Creek Hydrologic Subarea
W-12.00	IVANPAH HYDROLOGIC UNIT	W-27.00	CUDDEBACK HYDROLOGIC UNIT
W-13.00	OWLSHEAD HYDROLOGIC UNIT	W-28.00	MOJAVE HYDROLOGIC UNIT
W-13.A0	Lost Lake Hydrologic Subunit	W-28.A0	El Mirage Hydrologic Subunit
W-13.B0	Owlshead Hydrologic Subunit	W-28.B0	Upper Mojave Hydrologic Subunit
W-14.00	LEACH HYDROLOGIC UNIT	W-28.C0	Middle Mojave Hydrologic Subunit
W-15.00	NELSON HYDROLOGIC UNIT	W-28.D0	Harper Hydrologic Subunit
W-15.A0	McLean Hydrologic Subunit	W-28.D1	Grass Valley Hydrologic Subarea
W-15.B0	Nelson Hydrologic Subunit	W-28.D2	Harper Hydrologic Subarea
W-16.00	BICYCLE HYDROLOGIC UNIT	W-28.E0	Lower Mojave Hydrologic Subunit
W-17.00	GOLDSTONE HYDROLOGIC UNIT	W-28.F0	Troy Hydrologic Subunit
W-18.00	COYOTE HYDROLOGIC UNIT	W-28.F1	Kane Wash Hydrologic Subarea
W-19.00	SUPERIOR HYDROLOGIC UNIT	W-28.F2	Troy Hydrologic Subarea
		W-28.G0	Afton Hydrologic Subunit
		W-28.G1	Caves Hydrologic Subarea
		W-28.G2	Cronese Hydrologic Subarea
		W-28.G3	Langford Hydrologic Subarea
		W-28.H0	Baker Hydrologic Subunit
		W-28.H1	Silver Lake Hydrologic Subarea
		W-28.H2	Soda Lake Hydrologic Subarea
		W-28.I0	Kelso Hydrologic Subunit
		W-29.00	BROADWELL HYDROLOGIC UNIT



**NAMES AND AREAL CODE NUMBERS OF HYDROLOGIC AREAS
LAHONTAN DRAINAGE PROVINCE (W)**

AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS
COLORADO RIVER BASIN DRAINAGE PROVINCE

X-1.00	LUCERNE HYDROLOGIC UNIT	X-19.00	WHITEWATER HYDROLOGIC UNIT
X-2.00	JOHNSON HYDROLOGIC UNIT	X-19.A0	Morongo Hydrologic Subunit
X-3.00	BESSEMER HYDROLOGIC UNIT	X-19.B0	Shavers Hydrologic Subunit
X-4.00	MEANS HYDROLOGIC UNIT	X-19.C0	San Geronio Hydrologic Subunit
X-5.00	EMERSON HYDROLOGIC UNIT	X-19.C1	Beaumont Hydrologic Subarea
X-6.00	LAVIC HYDROLOGIC UNIT	X-19.C2	San Geronio Hydrologic Subarea
X-7.00	DEADMAN HYDROLOGIC UNIT	X-19.D0	Coachella Hydrologic Subunit
X-8.00	JOSHUA TREE HYDROLOGIC UNIT	X-19.D1	Garnet Hill Hydrologic Subarea
X-8.A0	Warren Hydrologic Subunit	X-19.D2	Mission Creek Hydrologic Subarea
X-8.B0	Copper Mountain Hydrologic Subunit	X-19.D3	Miracle Hill Hydrologic Subarea
X-9.00	DALE HYDROLOGIC UNIT	X-19.D4	Sky Valley Hydrologic Subarea
X-9.A0	Twentynine Palms Hydrologic Subunit	X-19.D5	Fargo Canyon Hydrologic Subarea
X-9.B0	Dale Hydrologic Subunit	X-19.D6	Thousand Palms Hydrologic Subarea
X-10.00	BRISTOL HYDROLOGIC UNIT	X-19.D7	Indio Hydrologic Subarea
X-10.A0	Bristol Hydrologic Subunit	X-20.00	CLARK HYDROLOGIC UNIT
X-10.B0	Fenner Hydrologic Subunit	X-21.00	WEST SALTON SEA HYDROLOGIC UNIT
X-11.00	CADIZ HYDROLOGIC UNIT	X-22.00	ANZA-BORREGO HYDROLOGIC UNIT
X-12.00	WARD HYDROLOGIC UNIT	X-22.A0	Borrego Hydrologic Subunit
X-13.00	PIUTE HYDROLOGIC UNIT	X-22.A1	Terwilliger Hydrologic Subarea
X-13.A0	Lanfair Hydrologic Subunit	X-22.A2	Collins Hydrologic Subarea
X-13.B0	Piute Hydrologic Subunit	X-22.A3	Borrego Hydrologic Subarea
X-13.C0	Needles Hydrologic Subunit	X-22.B0	Ocotillo-Lower San Felipe Hydrologic Subunit
X-14.00	CHEMEHUEVIS HYDROLOGIC UNIT	X-22.C0	Mescal Bajada Hydrologic Subunit
X-15.00	COLORADO HYDROLOGIC UNIT	X-22.D0	San Felipe Hydrologic Subunit
X-15.A0	Vidal Hydrologic Subunit	X-22.E0	Mason Hydrologic Subunit
X-15.B0	Big Wash Hydrologic Subunit	X-22.F0	Vallecito-Carrizo Hydrologic Subunit
X-15.C0	Quien Sabe Hydrologic Subunit	X-22.F1	Carrizo Hydrologic Subarea
X-15.D0	Palo Verde Hydrologic Subunit	X-22.F2	Vallecito Hydrologic Subarea
X-15.E0	Arroyo Seco Hydrologic Subunit	X-22.F3	Canebrake Hydrologic Subarea
X-16.00	RICE HYDROLOGIC UNIT	X-22.G0	Jacumba Hydrologic Subunit
X-17.00	CHUCKWALLA HYDROLOGIC UNIT	X-22.G1	McCain Hydrologic Subarea
X-17.A0	Ford Hydrologic Subunit	X-22.G2	Jacumba Hydrologic Subarea
X-17.B0	Palen Hydrologic Subunit	X-23.00	IMPERIAL HYDROLOGIC UNIT
X-17.C0	Pinto Hydrologic Subunit	X-23.A0	Imperial Hydrologic Subunit
X-17.D0	Pleasant Hydrologic Subunit	X-23.B0	Coyote Wells Hydrologic Subunit
X-18.00	HAYFIELD HYDROLOGIC UNIT	X-24.00	DAVIES HYDROLOGIC UNIT
		X-25.00	EAST SALTON SEA HYDROLOGIC UNIT
		X-26.00	AMOS-OGILBY HYDROLOGIC UNIT
		X-27.00	YUMA HYDROLOGIC UNIT



LEGEND

- DRAINAGE PROVINCE BOUNDARY
- HYDROLOGIC UNIT BOUNDARY
- HYDROLOGIC SUBUNIT BOUNDARY
- HYDROLOGIC SUBAREA BOUNDARY
- 10.A4** AREAL CODE NUMBER (SEE PAGE TO THE LEFT)
- WATER BEARING SEDIMENTS

KEY MAP



**NAMES AND AREAL CODE NUMBERS OF HYDROLOGIC AREAS
COLORADO RIVER BASIN DRAINAGE PROVINCE (X)**


**AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS
SANTA ANA DRAINAGE PROVINCE**

Y-01.00	SANTA ANA RIVER HYDROLOGIC UNIT
Y-01.A0	Lower Santa Ana River Hydrologic Subunit
Y-01.A1	East Coastal Plain Hydrologic Subarea
Y-01.A2	Santiago Hydrologic Subarea
Y-01.A3	Santa Ana Narrows Hydrologic Subarea
Y-01.B0	Middle Santa Ana River Hydrologic Subunit
Y-01.B1	Chino Hydrologic Subarea
Y-01.B2	Harrison Hydrologic Subarea
Y-01.B3	Claremont Heights Hydrologic Subarea
Y-01.B4	Cucamonga Hydrologic Subarea
Y-01.B5	Temescal Hydrologic Subarea
Y-01.B6	Arlington Hydrologic Subarea
Y-01.B7	Riverside Hydrologic Subarea
Y-01.C0	Lake Methews Hydrologic Subunit
Y-01.C1	Coldwater Hydrologic Subarea
Y-01.C2	Bedford Hydrologic Subarea
Y-01.C3	Cajalco Hydrologic Subarea
Y-01.C4	Lee Lake Hydrologic Subarea
Y-01.C5	Terra Cotta Hydrologic Subarea
Y-01.D0	Colton-Rialto Hydrologic Subunit
Y-01.D1	Upper Lytle Hydrologic Subarea
Y-01.D2	Lower Lytle Hydrologic Subarea
Y-01.D3	Upper Colton-Rialto Hydrologic Subarea
Y-01.D4	Colton-Rialto Hydrologic Subarea
Y-01.D5	Reche Hydrologic Subarea
Y-01.E0	Upper Santa Ana River Hydrologic Subunit
Y-01.E1	Cajon Hydrologic Subarea
Y-01.E2	Bunker Hill Hydrologic Subarea
Y-01.E3	Redlands Hydrologic Subarea
Y-01.E4	Mentone Hydrologic Subarea
Y-01.E5	Reservoir Hydrologic Subarea
Y-01.E6	Crafton Hydrologic Subarea
Y-01.E7	Santa Ana Canyon Hydrologic Subarea
Y-01.E8	Mill Creek Hydrologic Subarea
Y-01.E9	Sycamore Hydrologic Subarea
Y-01.F0	San Timoteo Hydrologic Subunit
Y-01.F1	Yucaipa Hydrologic Subarea
Y-01.F2	San Timoteo Hydrologic Subarea
Y-01.F3	Cherry Valley Hydrologic Subarea
Y-01.F4	Chicken Hill Hydrologic Subarea
Y-01.F5	Gateway Hydrologic Subarea
Y-01.F6	Oak Glen Hydrologic Subarea
Y-01.F7	South Mesa Hydrologic Subarea
Y-01.F8	Triple Falls Creek Hydrologic Subarea
Y-01.F9	Nobie Creek Hydrologic Subarea
Y-01.G0	San Bernardino Mountain Hydrologic Subunit
Y-01.G1	Bear Valley Hydrologic Subarea
Y-01.G2	Seven Oaks Hydrologic Subarea
Y-01.G3	Baldwin Hydrologic Subarea
Y-02.00	SAN JACINTO VALLEY HYDROLOGIC UNIT
Y-02.A0	Perris Hydrologic Subunit
Y-02.A1	Perris Valley Hydrologic Subarea
Y-02.A2	Menifee Hydrologic Subarea
Y-02.A3	Winchester Hydrologic Subarea
Y-02.A4	Lakeview Hydrologic Subarea
Y-02.A5	Hemet Hydrologic Subarea
Y-02.B0	San Jacinto Hydrologic Subunit
Y-02.B1	San Jacinto Hydrologic Subarea
Y-02.B2	Hemet Lake Hydrologic Subarea
Y-02.B3	Bautista Hydrologic Subarea
Y-02.C0	Elsinore Hydrologic Subunit
Y-02.C1	Elsinore Hydrologic Subarea
Y-02.C2	Railroad Hydrologic Subarea

- LEGEND**
- DRAINAGE PROVINCE BOUNDARY
 - - - - - HYDROLOGIC UNIT BOUNDARY
 - · - · - HYDROLOGIC SUBUNIT BOUNDARY
 - - - - - HYDROLOGIC SUBAREA BOUNDARY
 - 10.A4 AREAL CODE NUMBER (SEE PAGE TO THE LEFT)
 - WATER BEARING SEDIMENTS



KEY MAP



**NAMES AND AREAL CODE NUMBERS OF HYDROLOGIC AREAS
SANTA ANA DRAINAGE PROVINCE (Y)**

**AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS**

SAN DIEGO DRAINAGE PROVINCE

Z-01.00	SAN JUAN HYDROLOGIC UNIT	Z-05.D0	Santa Maria Valley Hydrologic Subunit
Z-01.A0	Laguna Hydrologic Subunit	Z-05.D1	Ramona Hydrologic Subarea
Z-01.A1	San Joaquin Hydrologic Subarea	Z-05.D2	Lower Hatfield Hydrologic Subarea
Z-01.A2	Laguna Hydrologic Subarea	Z-05.D3	Wash Hollow Hydrologic Subarea
Z-01.A3	Aliso Hydrologic Subarea	Z-05.D4	Upper Hatfield Hydrologic Subarea
Z-01.A4	Dana Point Hydrologic Subarea	Z-05.D5	Ballena Hydrologic Subarea
Z-01.B0	San Juan Hydrologic Subunit	Z-05.D6	East Santa Teresa Hydrologic Subarea
Z-01.C0	San Clemente Hydrologic Subunit	Z-05.D7	West Santa Teresa Hydrologic Subarea
Z-01.D0	San Mateo Hydrologic Subunit	Z-05.E0	Santa Ysabel Hydrologic Subunit
Z-01.E0	San Onofre Hydrologic Subunit	Z-05.E1	Boden Hydrologic Subarea
Z-01.E1	San Onofre Hydrologic Subarea	Z-05.E2	Pamo Hydrologic Subarea
Z-01.E2	Las Pulgas Hydrologic Subarea	Z-05.E3	Sutherland Hydrologic Subarea
Z-01.E3	Stuart Hydrologic Subarea	Z-05.E4	Santa Ysabel Hydrologic Subarea
Z-02.00	SANTA MARGARITA HYDROLOGIC UNIT	Z-06.00	PENASQUITOS HYDROLOGIC UNIT
Z-02.A0	Ysidora Hydrologic Subunit	Z-06.A0	Soledad Hydrologic Subunit
Z-02.A1	Ysidora Hydrologic Subarea	Z-06.B0	Poway Hydrologic Subunit
Z-02.A2	Chappo Hydrologic Subarea	Z-06.C0	Scripps Hydrologic Subunit
Z-02.A3	Upper Ysidora Hydrologic Subarea	Z-06.D0	Miramar Hydrologic Subunit
Z-02.B0	De Luz Hydrologic Subunit	Z-06.E0	Tecolote Hydrologic Subunit
Z-02.B1	De Luz Hydrologic Subarea	Z-07.00	SAN DIEGO HYDROLOGIC UNIT
Z-02.B2	Gavilan Hydrologic Subarea	Z-07.A0	Lower San Diego Hydrologic Subunit
Z-02.B3	Vallecitos Hydrologic Subarea	Z-07.A1	Mission San Diego Hydrologic Subarea
Z-02.C0	Murrieta Hydrologic Subunit	Z-07.A2	Santee Hydrologic Subarea
Z-02.C1	Wildomar Hydrologic Subarea	Z-07.A3	El Cajon Hydrologic Subarea
Z-02.C2	Murrieta Hydrologic Subarea	Z-07.A4	Coches Hydrologic Subarea
Z-02.C3	French Hydrologic Subarea	Z-07.A5	El Monte Hydrologic Subarea
Z-02.C4	Lower Domenigoni Hydrologic Subarea	Z-07.B0	San Vicente Hydrologic Subunit
Z-02.C5	Domenigoni Hydrologic Subarea	Z-07.B1	San Vicente Hydrologic Subarea
Z-02.C6	Diamond Hydrologic Subarea	Z-07.B2	Kimball Hydrologic Subarea
Z-02.D0	Auld Hydrologic Subunit	Z-07.B3	Gower Hydrologic Subarea
Z-02.D1	Auld Hydrologic Subarea	Z-07.B4	Barona Hydrologic Subarea
Z-02.D2	Gertrudis Hydrologic Subarea	Z-07.C0	El Capitan Hydrologic Subunit
Z-02.D3	Lower Tocalota Hydrologic Subarea	Z-07.C1	El Capitan Hydrologic Subarea
Z-02.D4	Tocalota Hydrologic Subarea	Z-07.C2	Glen Oaks Hydrologic Subarea
Z-02.E0	Pechanga Hydrologic Subunit	Z-07.C3	Alpine Hydrologic Subarea
Z-02.E1	Pauba Hydrologic Subarea	Z-07.D0	Cuyamaca Hydrologic Subunit
Z-02.E2	Pechanga Hydrologic Subarea	Z-07.D1	Inaja Hydrologic Subarea
Z-02.F0	Wilson Hydrologic Subunit	Z-07.D2	Spencer Hydrologic Subarea
Z-02.F1	Lancaster Valley Hydrologic Subarea	Z-07.D3	Cuyamaca Hydrologic Subarea
Z-02.F2	Lewis Hydrologic Subarea	Z-08.00	CORONADO HYDROLOGIC UNIT
Z-02.F3	Wilson Hydrologic Subarea	Z-08.A0	Point Loma Hydrologic Subunit
Z-02.G0	Anza Hydrologic Subunit	Z-08.B0	San Diego Mesa Hydrologic Subunit
Z-02.G1	Lower Coahuila Hydrologic Subarea	Z-08.B1	Lindbergh Hydrologic Subarea
Z-02.G2	Upper Coahuila Hydrologic Subarea	Z-08.B2	Chollas Hydrologic Subarea
Z-02.G3	Anza Hydrologic Subarea	Z-08.C0	Paradise Hydrologic Subunit
Z-02.G4	Burnt Hydrologic Subarea	Z-08.C1	El Toyan Hydrologic Subarea
Z-02.H0	Aguanga Hydrologic Subunit	Z-08.C2	Paradise Hydrologic Subarea
Z-02.H1	Vail Hydrologic Subarea	Z-09.00	SWEETWATER HYDROLOGIC UNIT
Z-02.H2	Devils Hole Hydrologic Subarea	Z-09.A0	Lower Sweetwater Hydrologic Subunit
Z-02.H3	Redec Hydrologic Subarea	Z-09.A1	Telegraph Hydrologic Subarea
Z-02.H4	Aguanga Hydrologic Subarea	Z-09.A2	Sweetwater Hydrologic Subarea
Z-02.I0	Oakgrove Hydrologic Subunit	Z-09.B0	Middle Sweetwater Hydrologic Subunit
Z-02.I1	Lower Culp Hydrologic Subarea	Z-09.B1	Jamacha Hydrologic Subarea
Z-02.I2	Oakgrove Hydrologic Subarea	Z-09.B2	Hillsdale Hydrologic Subarea
Z-02.I3	Dodge Hydrologic Subarea	Z-09.B3	Dehesa Hydrologic Subarea
Z-02.I4	Chihuahua Hydrologic Subarea	Z-09.B4	Galloway Hydrologic Subarea
Z-03.00	SAN LUIS REY HYDROLOGIC UNIT	Z-09.B5	Sequan Hydrologic Subarea
Z-03.A0	Bonsall Hydrologic Subunit	Z-09.B6	Alpine Heights Hydrologic Subarea
Z-03.A1	Mission Hydrologic Subarea	Z-09.C0	Upper Sweetwater Hydrologic Subunit
Z-03.A2	Bonsall Hydrologic Subarea	Z-09.C1	Loveland Hydrologic Subarea
Z-03.A3	Moosa Hydrologic Subarea	Z-09.C2	Japatul Hydrologic Subarea
Z-03.A4	Valley Center Hydrologic Subarea	Z-09.C3	Viejas Hydrologic Subarea
Z-03.A5	Woods Hydrologic Subarea	Z-09.C4	Descanso Hydrologic Subarea
Z-03.A6	Rincon Hydrologic Subarea	Z-09.C5	Garnet Hydrologic Subarea
Z-03.B0	Monserate Hydrologic Subunit	Z-10.00	OTAY HYDROLOGIC UNIT
Z-03.B1	Pala Hydrologic Subarea	Z-10.A0	Coronado Hydrologic Subunit
Z-03.B2	Pauma Hydrologic Subarea	Z-10.B0	Otay Hydrologic Subunit
Z-03.B3	San Luis Rey Hydrologic Subarea	Z-10.C0	Dulzura Hydrologic Subunit
Z-03.C0	Warner Hydrologic Subunit	Z-10.C1	Savage Hydrologic Subarea
Z-03.C1	Warner Hydrologic Subarea	Z-10.C2	Proctor Hydrologic Subarea
Z-03.C2	Combs Hydrologic Subarea	Z-10.C3	Jamul Hydrologic Subarea
Z-04.00	CARLSBAD HYDROLOGIC UNIT	Z-10.C4	Lee Hydrologic Subarea
Z-04.A0	Loma Alta Hydrologic Subunit	Z-10.C5	Lyon Hydrologic Subarea
Z-04.B0	Vista Hydrologic Subunit	Z-10.C6	Dulzura Hydrologic Subarea
Z-04.B1	Carlsbad Hydrologic Subarea	Z-10.C7	Engineer Springs Hydrologic Subarea
Z-04.B2	Vista Hydrologic Subarea	Z-11.00	TIA JUANA HYDROLOGIC UNIT
Z-04.C0	Agua Hedionda Hydrologic Subunit	Z-11.A0	Tia Juana Hydrologic Subunit
Z-04.C1	Agua Hedionda Hydrologic Subarea	Z-11.A1	Tia Juana Hydrologic Subarea
Z-04.C2	Buena Hydrologic Subarea	Z-11.A2	San Ysidro Hydrologic Subarea
Z-04.D0	Encinas Hydrologic Subunit	Z-11.B0	Potrero Hydrologic Subunit
Z-04.E0	San Marcos Hydrologic Subunit	Z-11.B1	Narron Hydrologic Subarea
Z-04.E1	Batiquitos Hydrologic Subarea	Z-11.B2	Bee Canyon Hydrologic Subarea
Z-04.E2	San Marcos Hydrologic Subarea	Z-11.B3	Barrett Hydrologic Subarea
Z-04.E3	Twin Oaks Hydrologic Subarea	Z-11.B4	Round Potrero Hydrologic Subarea
Z-04.F0	Escondido Hydrologic Subunit	Z-11.B5	Potrero Hydrologic Subarea
Z-04.F1	San Elijo Hydrologic Subarea	Z-11.C0	Barrett Lake Hydrologic Subunit
Z-04.F2	Escondido Hydrologic Subarea	Z-11.D0	Monument Hydrologic Subunit
Z-04.F3	Lake Wohlford Hydrologic Subarea	Z-11.D1	Pine Hydrologic Subarea
Z-05.00	SAN DIEGUITO HYDROLOGIC UNIT	Z-11.D2	Monument Hydrologic Subarea
Z-05.A0	San Dieguito Hydrologic Subunit	Z-11.E0	Morena Hydrologic Subunit
Z-05.A1	San Dieguito Hydrologic Subarea	Z-11.F0	Cottonwood Hydrologic Subunit
Z-05.A2	La Jolla Hydrologic Subarea	Z-11.G0	Cameron Hydrologic Subunit
Z-05.B0	Hodges Hydrologic Subunit	Z-11.H0	Campo Hydrologic Subunit
Z-05.B1	Hodges Hydrologic Subarea	Z-11.H1	Tecate Hydrologic Subarea
Z-05.B2	Green Hydrologic Subarea	Z-11.H2	Campo Hydrologic Subarea
Z-05.B3	Felicita Hydrologic Subarea	Z-11.H3	Clover Flat Hydrologic Subarea
Z-05.B4	Bear Hydrologic Subarea	Z-11.H4	Hill Hydrologic Subarea
Z-05.C0	San Pasqual Hydrologic Subunit	Z-11.H5	Hipass Hydrologic Subarea
Z-05.C1	Highland Hydrologic Subarea		
Z-05.C2	San Pasqual Hydrologic Subarea		
Z-05.C3	Reed Hydrologic Subarea		
Z-05.C4	Hidden Hydrologic Subarea		
Z-05.C5	Guejito Hydrologic Subarea		
Z-05.C6	Vineyard Hydrologic Subarea		

THIS BOOK IS DUE ON THE LAST DATE
STAMPED BELOW

RENEWED BOOKS ARE SUBJECT TO IMMEDIATE
RECALL

UCD LIBRARY

DUE JAN 6 1971

OCT 27 REC'D

50-42-972

JUN 22 REC'D

LIBRARY, UNIVERSITY OF CALIFORNIA, DAVIS

Book Slip-55m-10,'68(J4048s8)458-A-31, 5



3 1175 02468 6761

Nº 601074

California. Department
of Water Resources.
Bulletin.

**PHYSICAL
SCIENCES
LIBRARY**

TC824
C2
A2
no.130:66
v.5
appx.F-F
c.2

LIBRARY
UNIVERSITY OF CALIFORNIA
DAVIS

601074

California. Dept.
of Water Resources.
Bulletin.

Call Number:

TC824
C2
A2
no.130:66
v.5

